

CHEM SEAL CORPORATION -- CS 3204 CL-B -- 8030-00-723-2746

=====
Product Identification
=====

Product ID:CS 3204 CL-B

MSDS Date:01/01/1985

FSC:8030

NIIN:00-723-2746

Kit Part:Y

MSDS Number: BFMLR

=== Responsible Party ===

Company Name:CHEM SEAL CORPORATION

Emergency Phone Num:213-982-1655

CAGE:JO800

=== Contractor Identification ===

Company Name:CHEM SEAL CORPORATION OF AMERICA

Address:11120 SHERMA

N WAY

Box:City:SUN VALLEY

State:CA

ZIP:91352-4949

Country:US

CAGE:JO800

Company Name:FLAMEMASTER CORPORATION

Address:11120 SHERMAN WAY

Box:City:SUN VALLEY

State:CA

ZIP:91352-4949

Country:US

Phone:818-982-1650

CAGE:13422

=====
Composition/Information on Ingredients
=====

Ingred Name:TOLUENE (SARA III)

CAS:108-88-3

RTECS #:XS5250000

Fraction by Wt: 4%

OSHA PEL:200 PPM/150 STEL

ACGIH TLV:50 PPM; 9293

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

=====
Hazards Iden

tification =====

Effects of Overexposure:NONE

===== First Aid Measures =====

First Aid:NONE

===== Fire Fighting Measures =====

Flash Point:210F,99C CC

Lower Limits:7

Upper Limits:90

Extinguishing Media:STD MEDIA. CO2, ETC

Fire Fighting Procedures:NONE

Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:NO PRECAUTIONS NECESSARY; SOLVENT WIPE.

===== Handling and Storage =====

Handling and Storage Precautions:AVOID PROLONGED CONTACT

===== Exposure Controls/Personal Protection =====

Ventilation:MECHANICAL

Protective Gloves:RECOMMENDED

Eye Protection:SAFETY GOGGLES RECOMMEND

Other Protective Equipment:NONE

Supplemental Safety and Health

KEY1:N1.

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:450F,232C

Vapor Pres:

2

Vapor Density:3.1

Spec Gravity:1.42

Evaporation Rate & Reference:0.02

Solubility in Water:0

Appearance and Odor:OFF-WHITE & BLACK PASTES. POLYSULFIDE ODOR

Percent Volatiles by Volume:4

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

SULFURIC, NITRIC & HYDROCHLORIC ACIDS.

===== Disposal Considerations =====

Waste Disposal Methods:SANITARY LANDFILL.

Disclaimer (provided with this information
by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.