View NSN Online: https://aerobasegroup.com/nsn/8030-00-723-5343

PRODUCTS RESEARCH & CHEMICAL CORP -- PR-1440 CLASS A2, PART B -- 8030-00-723-5343

Product ID:PR-1440 CLASS A2, PART B

MSDS Date:06/05/1986

FSC:8030

NIIN:00-723-5343

Kit Part:Y

MSDS Number: BFMMC === Responsible Party ===

Company Name: PRODUCTS RESEARCH & CHEMICAL CORP

Address:5430 SAN FERNANDO ROAD

Box:1800

City:GLENDALE

State:CA ZIP:91209

Info Phone Num:(818) 24

0-2060

Emergency Phone Num: (818) 240-2060

CAGE:DO563

=== Contractor Identification ===

Company Name: PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA ZIP:91209 Country:US

Phone:818-240-2060

CAGE:83574

Company Name: PRODUCTS RESEARCH & CHEMICAL

Address: NOW DBA COURTAULDS AEROSPACE

Box:1800

City:GLENDALE

State:CA ZIP:91209

Phone:818-240-2060

CAGE:DO563

====== Composition/Information on Ingredients ========

Ingred Nam

e:METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA III) CAS:78-93-3 RTECS #:EL6475000 Other REC Limits:200 PPM OSHA PEL:200 PPM/300 STEL ACGIH TLV:200 PPM/300STEL 9192 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS Ingred Name: TOLUENE (SARA III) CAS:108-88-3 RTECS #:XS5250000 Other REC Limits: 100 PPM OSHA PEL:200 PPM/150 STEL ACGIH TLV:50 PPM; 9293 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS Ingred Name: PHENOLIC RESIN CAS:9003-35-4 ========== Hazards Identification =============== Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: SKIN: MAY CAUSE ALLERGIC SKIN RASH IN SENSITIZED INDIVIDUALS. INHALATION: IRRITATION TO NOSE & THROAT, EYES & SKIN, FATIGUE, CONFUSION, DIZZINESS, DROWSINESS, NUMBNESS & UNCONSCIOUSNESS. **Explanation of Carcinogenicity:NONE** Effects of Overexposure: SKIN: MAY CAUSE ALLERGIC SKIN RASH IN SENSITIZED INDIVIDUALS. INHALATION: IRRITATION TO NOSE & THROAT. EYES & SKIN, FATIGUE, CONFUSION, DIZZINESS, DROWSINESS, NUMBNESS & UNCONSCIOUSNESS. PROLONGED EXP OSURE CAN CAUSE LIVER & KIDNEY DAMAGE. INGESTION: MAY CAUSE NAUSEA, VOMITING. First Aid:EYES: FLUSH WITH WATER FOR 15 MIN. SKIN: WASH WITH SOAP AND WATER FOR 15 MIN. INHALATION: REMOVE TO FRESH AIR. IF SYMPTOMS

PERSIST OR PRESENT CONSULT PHYSICIAN. INGESTION: CONSULT A PHYSICIAN.

===========

==== Fire Fighting Measures =============
Flash Point Method:PMCC Flash Point:62F Extinguishing Media:CO2, DRY CHEMICAL, FOAM, WATER FOG. Fire Fighting Procedures:USE AIR SUPPLIED RESPIRATOR. USE WATER TO COOL HEAT EXPOSED CONTAINERS. Unusual Fire/Explosion Hazard:HIGH TEMPERATURES MAY CAUSE PRESSURE BUILDUP IN CLOSED CONTAINERS.
========= Accidental Release Measures =========
Spill Release Procedures:REMOVE ALL IGNITION SOURCES. WEAR AIR-SUPPLIED RE
SPIRATOR FOR MAJOR UNVENTILATED SPILL. COVER WITH ABSORBANT. SCOOP INTO CONTAIENRS. CLEAN-UP RESIDUE WITH 1,1,1-TRICHLOROETHANE.
============= Handling and Storage ==============
Handling and Storage Precautions:NONE Other Precautions:NONE
====== Exposure Controls/Personal Protection =======
Respiratory Protection:WHEN APPLYING IN CONFINED AREAS, OR IN OTHER CIRCUMSTANCES LIKELY TO PRODUCE AIRBORNE LELS OF SOLVENT IN EXCESS OF PEL, USE AN ORGANIC VAPOR CARTRIDGE OR AIR-SUPPLED RESPIRATOR. Ventilation:PROVIDE LOCAL EXHAUST VENTILATION TO KEEP