

CECA, INC. -- CECARBON -- 6810-00-726-7944

=====
Product Identification
=====

Product ID:CECARBON
MSDS Date:11/01/1982
FSC:6810
NIIN:00-726-7944
MSDS Number: BFMPM
=== Responsible Party ===
Company Name:CECA, INC.
Address:4150 S.100TH EAST AVE,SUITE 300
City:TULSA
State:OK
ZIP:74146
Country:US
Info Phone Num:918-660-0606
Emergency Phone Num:(800)331-5610
CAGE:3J660

==== Contractor Identification =

==
Company Name:CECA, INC.
Address:4150 S.100TH EAST AVE,SUITE 300
Box:City:TULSA
State:OK
ZIP:74146
Country:US
Phone:918-660-0606
CAGE:3J660

=====
Composition/Information on Ingredients
=====

Ingred Name:GRAPHITE, SYNTHETIC
CAS:7440-44-0
RTECS #:FF5250100
Fraction by Wt: UNK
OSHA PEL:15 MG/M3 TDUST
ACGIH TLV:2 MG/M3 TDUST; 9293

=====
Hazards Identification
=====

Effects of Overexposure:MAY CAUSE IRRITATION TO SKIN/EYES ON DIRECT
CONTAC

===== Physical/Chemical Properties =====

HCC:F8

Spec Gravity:2.0

Solubility in Water:INSOLUBLE

Appearance and Odor:GRANULAR OR POWDER;NO ODOR

Percent Volatiles by Volume:0.0

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZERS SUCH AS OZONE & LIQD O*2,STRONG MINERALACID

Stability Condition to Avoid:SOURCE OF IGNITION

Hazardous Decomposition Products:CO,CO*2.

Conditions to Avoid Polymerization:UNK

=====

===== Disposal Considerations =====

Waste Disposal Methods:REACTIVATE THE WASTE IF POSSIBLE OR DISPOSED OF
IAW LOCAL,STATE AND FED REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.