View NSN Online: https://aerobasegroup.com/nsn/8030-00-753-5007

PRODUCTS RESEARCH & CHEMICAL CORP -- PR-1422 CLASS B -- 8030-00-753-5007

Product ID:PR-1422 CLASS B MSDS Date:01/01/1985 FSC:8030 NIIN:00-753-5007 **MSDS Number: BFNJL** === Responsible Party === Company Name: PRODUCTS RESEARCH & CHEMICAL CORP Emergency Phone Num:213-240-2060 CAGE:DO563 === Contractor Identification === Company Name: PRC-DESOTO INTERNATIONAL, INC. A P PG INDUSTRIES COMPANY Address:5430 SAN FERNANDO RD Box:1800 City:GLENDALE State:CA ZIP:91209 Country:US Phone:818-240-2060 CAGE:83574 **Company Name: PRODUCTS RESEARCH & CHEMICAL** Address:NOW DBA COURTAULDS AEROSPACE Box:1800 **City:GLENDALE** State:CA ZIP:91209 Phone:818-240-2060 CAGE:DO563

Ingred Name:CALCIUM DICHROMATE CAS:14307-33-6 RTECS #:HX7630000 Fraction by Wt: 5.0% OSHA PEL:C, 0.1 MG/M3 (CRO3) ACGIH TLV:0.05 MG/M3 (CR);8990 Ingred Name:DIMETHYL ACETAMIDE CAS:127-19-5 RTECS #:AB7700000 Fraction by Wt: 4.0% OSHA PEL:S, 10 PPM ACGIH TLV:S, 10 PPM; 9192

Ingred Name:TOLUENE (SARA III) CAS:108-88-3 RTECS #:XS5250000 Fraction by Wt: 200F PMCC Lower Limits:UNK Extinguishing Media:FOAM,DRY CHEMICAL,FOG,CARBON DIOXIDE Unusual Fire/Explosion Hazard:AVOID FIRE,HEAT,SPARKS,IGNITION SOURCES,STORAGE IN DIRECT SUNLIGHT

Spill Release Procedures:SMALL SPIL L:WIPE UP W RAGS,CLEAN W

MEK.LARGE:ELIMINATE IGNITION SOURCES,WEAR PROTECTIVE EQUIP,STOP LEAK W/O RISK.DIKE SPILL AREA & TRANSFER TO SALVAGE TANK.ABSORB REMAINING LIQUID W ABSORBING MATL & S HOVEL INTO CONTAINERS SUITABLE FOR SHIPMENT.

Handling and Storage Precautions:KEEP CONTAINERS CLOSED,UPRIGHT,AWAY FROM FIRE,FLAME,SPARKS,IGNITION SOURCES,DIRECT SUNLIGHT Other Precautions:AVOID REPEATED/PROLONGED SKIN C ONTACT.

Respiratory Protection:NOT REQD FOR NORMAL USAGE Ventilation:LOCAL:ADEQUATE TO MINIMIZE SOLVENT VAPORS Protective Gloves:RESISTANT Eye Protection:CHEMICAL GOGGLES(OPTIONAL Other Protective Equipment:CAN USE PROTECTIVE HAND CREAM Supplemental Safety and Health

HCC:N1 Spec Gravity:1.38 Solubility in Water:NEGLIGIBLE Appearance and Odor:LIGHT BROWN;NO

## SIGNIFICANT ODOR

Stability Indicator/Materials to Avoid:YES OXIDIZING,CORROSIVE MATL. CAN REACT W REDYCING MATERIALS. Stability Condition to Avoid:SOURCE OF IGNITION Hazardous Decomposition Products:OXIDES OF SULFUR;HYDROGEN SULFIDE;FORMIC ACID

Waste Disposal Methods:DO NOT INCINERATE.DISPOSE OF LOCALLY IAW EXISTING REGULATIONS OR SHIP IN TIGHTLY CLO SED CONTAINERS TO POSTED LANDFILL IN ACCORDANCE WITH LOCAL,STATE & FED REGS FOR DISPOSAL.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their particular situation.