

THE DEXTER CORP. -- EPK IC KIT PA -- 8040-00-777-0631

===== Product Identification =====

Product ID:EPK IC KIT PA

MSDS Date:01/01/1987

FSC:8040

NIIN:00-777-0631

Kit Part:Y

MSDS Number: BFPBX

=== Responsible Party ===

Company Name:THE DEXTER CORP.

Emergency Phone Num:603-474-5541

CAGE:DO846

=== Contractor Identification ===

Company Name:FEDERAL SPECIFICATIONS, PROMULGATED BY GSA

Box:City:WASHINGTON

N

State:DC

Country:US

CAGE:81348

Company Name:THE DEXTER CORP. WATER MANAGEMENT SYSTEMS DIVISION

Box:200

City:CHAGRIN FALLS

State:OH

ZIP:44022

Country:US

Phone:216-247-5000

CAGE:DO846

===== Composition/Information on Ingredients =====

Ingred Name:TALC

RTECS #:WW2715000

Fraction by Wt: 42%

ACGIH TLV:\*

Ingred Name:DIETHYLENE TRIAMINE

RTECS #:WW2715000

Fraction by Wt: 12%

ACGIH TLV:1PPM

Ingred Name:SILICA

Fraction by Wt: 15%

ACGIH TLV:\*

===== Hazards Identifi

cation =====

Effects of Overexposure:CAUSES SEVERE EYE & SKIN BURNS.

===== First Aid Measures =====

First Aid:IN CASE OF SKIN CONTACT WASH IMMEDIATELY WITH SOAP & WATER. IN CASE OF EYE CONTACT FLUSH WITH COPIOUS AMTS OF WATER FOR AT LEAST 15 MINUTES. CONSULT A PHYSICIAN.

===== Fire Fighting Measures =====

Flash Point:215F OC-101C OC

Extinguishing Media:USE WATER SPRAY, DRY FOAM, ALCOHOL FOAM OR CO<sub>2</sub>.

Fire Fighting

Procedures:USE WATER TO KEEP FIRE EXPOSED CONTAINERS COOL.WATER SPRAY-FLUSH SPILL

Unusual Fire/Explosion Hazard:CARE TAKEN TO PREVENT IGNITION WHEN PROCESSING OR HANDLING AT TEMPS ABOVE THE FLASHPOINT.

===== Accidental Release Measures =====

Spill Release Procedures:SCRAPE UP EXCESS, TRANSFER TO METAL CONTAINERS.

===== Handling and Storage =====

Handling and Storage Precautions:PROTECT FROM PHYSICAL DAMAGE. STORE IN A COOL, DRY

AREA, WELL VENTILATED AREA AWAY FROM ANY AREA WHERE FIRE HAZARD MAY BE ACUTE.

Other Precautions:IS A STRONG SKIN SENSITIZER. AVOID SKIN CONTACT.

===== Exposure Controls/Personal Protection =====

Protective Gloves:PLASTIC OR RUBBER

Eye Protection:GOGGLES WHERE DANGER OF SPLASH

Other Protective Equipment:USE OF PROTECTIVE SKIN CREAM IS RECOMMENDED  
Supplemental Safety and Health

PROCURED UNDER EPK 1C KIT "B" HARDENER. RESPIRATORY PROTECTION:NOT  
RE-CIRCULATE UNLESS SCRUBBED WITH ACID.\*FILLER PARTICLES

LES WETED BY VEHICL

SO AIRBORN EXPOSURE DOES NOT OCCUR UNLESS CURED MATERIAL, GROUND. KEY1:N1.

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt: B.P. Text: 404F-204C

Vapor Pres: