View NSN Online: https://aerobasegroup.ae/nsn/9150-00-782-2679

HATCO CHEMICAL CORP -- HATCO 1280 (MIL-L-7808J) -- 9150-00-782-2679

Product ID:HATCO 1280 (MIL-L-7808J) MSDS Date:09/12/1990 FSC:9150 NIIN:00-782-2679 **MSDS Number: BFPHP** === Responsible Party === Company Name: HATCO CHEMICAL CORP Address: KING GEORGE POST ROAD City:FORDS State:NJ ZIP:08863 Country:US Info Phone Num:201-738-1000 Emergency Phone Num:201-738-3568 Prep arer's Name: A. SOOS CAGE:3W990 === Contractor Identification === Company Name: HATCO CHEMICAL CORP Address: KING GEORGE POST ROAD City:FORDS State:NJ ZIP:08863 Country:US Phone:201-738-3568 CAGE:3W990 Ingred Name: TAR ACIDS, CRESYLIC, PHENYL, PHOSPHATE CAS:68952-35-2 Fraction by Wt: 100%. Ingred Name: MIXED TRIMETHYLOLPROPANE ESTERS

CAS:67762-64-5 Other REC Limits:NONE SPECIFIED

Ingred Name:MIXED TRIMETHYLOLPROPANE ESTERS CAS:681

30-53-0 Other REC Limits:NONE SPECIFIED

Ingred Name:TAR ACIDS, CRESYLIC,PHENYL,PHOSPHATE CAS:68952-35-2 Other REC Limits:NONE SPECIFIED

Ingred Name:DIOCTYLDIPHENYLAMINE CAS:26603-23-6 Other REC Limits:NONE SPECIFIED

LD50 LC50 Mixture:LD50 (ORAL RAT) IS 4640 MG/KG Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:SWALLOWING OF SUFFICI ENT QUANTITIES OF

THIS MATERIAL OR PROLONGED SKIN OR INHALATION EXPOSURE MAY CAUSE NERVE DAMAGE. THERE MAY ALSO BE CHOLINESTERASE INHIBITION. THIS PRODUCT CONTAINS LESS THAN 0.02% OF THE ORTHO ISOMER.

Explanation of Carcinogenicity:NONE OF THE CHEMICALS IN THIS PRODUCT IS LISTED BY IARC, NTP OR OSHA AS A CARCINOGEN.

Effects of Overexposure:MAY BE A MILD EYE OR SKIN IRRITANT. MAY CAUSE DIARRHEA IF INGESTED.

Medical Cond Aggravated by Exposure: THERE ARE NO DATA AVAILABLE WHICH

ADDRESS MEDICAL CONDITIONS THAT ARE GENERALLY RECOGNIZED AS BEING AGGRAVATED BY EXPOSURE TO THIS PRODUCT.

First Aid:INGEST: IMMEDIATELY GIVE SEVERAL GLASSES OF WATER BUT DO NOT INDUCE VOMITING. SEE DR. SKIN: FLUSH ALL AFFECTED AREAS WITH PLENTY OF WATER FOR AT LEAST 15 MIN. IF IRRITATION PERSISTS, SEE DR. EYE: FLUS H WITH PLENTY OF RUNNING WATER FOR AT LEAST 15 MIN. SEE DR. IF IRRITATION PERSISTS. INH

ALE: REMOVE TO FRESH AIR. SEE DR. IF RESPIRATORY IRRITATION OCCURS OR IF BREATHING BECOMES DIFFICULT.

Flash Point Method:COC
Flash Point:410F,210C
Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL.
Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. EVACUATE AREA. COOL

FIRE EXPOSED CONTAINERS WITH WATER SPRAY.

Unusual Fire

/Explosion Hazard:COMBUSTION OR HEAT OF FIRE MAY PRODUCE HAZARDOUS DECOMPOSITION PRODUCTS AND VAPORS.

Spill Release Procedures: WIPE OR SOAK UP SMALL SPILLS WITH PAPER TOWEL OR INERT ABSORBANT. DIKE TO RETAIN LARGE SPILLS. VACUUM UP FREE LIQUID. REMOVE RESIDUE WITH INERT ABSORBANT. PLACE IN DISPOSAL CONTAINER. FLUSH AREA WITH WATER. Neutralizing Agent:NONE APPLICABLE FOR THIS MATERIAL ========================= Han Handling and Storage Precautions:STORE IN COOL, DRY, WELL VENTILATED AREA. PROTECT FROM PHYSICAL DAMAGE, HEAT AND IGNITION SOURCES. KEEP CONTAINERS CLOSED. Other Precautions: MAY ATTACK PAINTS OR LACQUERS. Respiratory Protection: WHERE ADEQUATE VENTILATION IS NOT AVAILABLE, USE NIOSH-APPROVED ORGANIC VAPOR RESPIRATORS WITH DUST, MIST AND FUME FILTERS TO REDUCE EXPOSURE. Ventilation: MECHANICAL (GENERAL) VENTILATION IS REQUIRED. LOCAL EXHAUST MAY BE REQUIRED IF WORK AREA IS NOT VENTED. Protective Gloves: PERMEATION RESISTENT Eye Protection: CHEMICAL SAFETY GOGGLES Other Protective Equipment: SAFETY SHOWER AND EYE BATH. OTHER EQUIPMENT AS REQUIRED TO MINIMIZE EXPOSURE FROM PROLONGED OR REPEATED CONTACT. Work Hygienic Practices: WASH THROUGHLY AFTER HANDLING AND BEFORE EATING. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. Supplemental Safety and Health NO NE

HCC:V6 Boiling Pt:B.P. Text:>430F,>221C Vapor Pres:NEGLI. Spec Gravity:.950 Solubility in Water: