View NSN Online: https://aerobasegroup.ae/nsn/5970-00-802-5030 VARFLEX CORPORATION -- SYNTHOLVAR SHH -- 5970-00-802-5030 Product ID:SYNTHOLVAR SHH MSDS Date:01/01/1987 FSC:5970 NIIN:00-802-5030 MSDS Number: BFQBQ === Responsible Party === Company Name: VARFLEX CORPORATION Emergency Phone Num:(315) 336-4400 CAGE:79074 === Contractor Identification === Company Name: VARFLEX CORPORATION Address:512 WEST COURT STREET Box:City:ROME State:NY ZIP:13440 Country:US Phone:315-336-4400 CAGE:79074 ======= Composition/Information on Ingredients ======== Ingred Name: PLASTICIZED POLYVINYL CHLORIDE RESIN Ingred Name: ADDITIVES (TYPE NO SPECIFIED) Fraction by Wt: 0.5% ========= Hazards Identification =============== Effects of Overexposure: NONE STATED BY MFR (NONE NEEDED TO LIST) First Aid: NONE NEEDED/NONE STATED BY MFR.

======== Fire Fighting Measures ===========
Flash Point:NONE Extinguishing Media:WATER Fire Fighting Procedures:IN FIRES,USE APPRVD SCBA.USE WATER FOG TO REDUCE DENSE SMOKE Unusual Fire/Explosion Hazard:AT/ABOVE 550F,EMITS HCL GAS DURING COMBUSTION
========= Accidental Release Measures ==========
Spill Release Procedures:COLLECT PIECES OF OR UNUSED INSULATION & PLACE IN CONTAINER FOR DISPOSAL
======================================
Handling and Storage Precautions:STORE OUT OF DIRECT SUNLIGHT & BELOW 70F.
Other Precautions:WASH & SHOWER AT THE END OF WORKDAY.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NONE SHOULD BE NEEDED Ventilation:NORMAL ROOM VENTILATION. Protective Gloves:NONE Eye Protection:NONE Other Protective Equipment:NONE Supplemental Safety and Health MSDS FROM VARFLEX CORPORATION DATED:10/85; SPEC REF:MIL-I-631D;MFR P/N "SYNTHOLVAR SH H" I/A/W QPL-631-65 FOR TYPE F,FORM U,SUBFORM UA,GRADE C,CLASS 1, CATAGORY 1,OF MIL-I-631D.
======================================
Spec Gravity:1.30 Solubility in Water:NEGLIGIBLE Appearance and Odor:WHITE FLEXIBLE SYNTHETIC RESIN.VERY MILD ODOR
======================================
Stability Indicator/Materials to Avoid:YES NONE Stability Condition to Avoid:EXCESSIVE HEAT OVER 400F Hazardous Decomposition Products:COMBUS

TION WILL PRODUCE HCL GAS

====== Disposal Considerations ==========

Waste Disposal Methods: COMPLY WITH APPLICABLE LOCAL, STATE & FEDERAL LAWS & REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its

use. Any person utilizing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.