

DOMINION CHEMICAL COMPANY -- BATTERY ACID -- 6810-00-823-8007

=====
Product Identification
=====

Product ID:BATTERY ACID
MSDS Date:01/01/1987
FSC:6810
NIIN:00-823-8007
MSDS Number: BFRCF
=== Responsible Party ===
Company Name:DOMINION CHEMICAL COMPANY
Address:PUDDLEDOCK RD
Box:1069
City:PETERSBURG
State:VA
ZIP:23803
Country:US
Info Phone Num:804-733-7628
Emergency Phone Num:804-733-7628
CAGE:9A273

=== Contractor Identification ===
Company Name:DOMINION CHEMICAL CO
Address:2050 PUDDLEDOCK RD
Box:1069
City:PETERSBURG
State:VA
ZIP:23803
Country:US
Phone:804-733-7628
CAGE:9A273

=====
Composition/Information on Ingredients
=====

Ingred Name:SULFURIC ACID (SARA III)
CAS:7664-93-9
RTECS #:WS5600000
Fraction by Wt: 37%.
OSHA PEL:1 MG/M3
ACGIH TLV:1 MG/M3; 9192
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:WATER,CAS#7732-18-5
CAS:7732-18-5
RTECS #:ZC0110000

=====

=====
Hazards Identification
=====

LD50 LC50 Mixture:ORAL LD50 (RAT) IS 2140 MG/KG

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:YES OSHA:NO

Health Hazards Acute and Chronic:**CORROSIVE** EYES:MAY CAUSE

IRRITATION AND BURN.SKIN:MAY CAUSE IRRITATION AND BURNS.INGEST:MAY
CAUSE GI TRACT IRRITATION.INHAL:MAY CAUSE RESPIRATORY
IRRITATION.CHRONIC:MAY DAMAGE KIDNEYS AND CAUSE ER OSION OF TOOTH
ENAMEL.

Explanat

ion of Carcinogenicity:SULFURIC ACID MISTS ARE CLASSIFIED
IARC-2B.

Effects of Overexposure:SEVERE BURNS TO EYES AND SKIN, RESPIRATORY
IRRITATION.

Medical Cond Aggravated by Exposure:PERSONS WITH PRE-EXISTING
RESPIRATORY AILMENTS MAY BE AT INCREASED RISK FROM EXPOSURE.

=====
First Aid Measures
=====

First Aid:EYES: FLUSH WITH COPIOUS AMOUNTS OF WATER. SKIN: WASH WITH
SOAP AND WATER. INHALATION: REMOVE TO FRESH AIR. GIVE ARTIFICIAL
RESPIRA

TION IF NEEDED. SKIN: REMOVE CONTAMINATED CLOTHING.

INGESTION: GIVE LA RGE AMOUNTS OF WATER, THEN MILK WITH EGG WHITES.
DO NOT INDUCE VOMITING. SEE A DOCTOR IMMEDIATELY.

=====
Fire Fighting Measures
=====

Extinguishing Media:DRY CHEMICAL

Fire Fighting Procedures:WEAR FULL PROTECTIVE CLOTHING.

Unusual Fire/Explosion Hazard:SULFUR DIOXIDE AND HYDROGEN SULFIDE MAY
BE PRODUCED IN A FIRE. SULFURIC ACID ATTACKS MANY METALS RELEASING
FLAMMABLE HYDROGE
N GAS.

=====
Accidental Release Measures
=====

Spill Release Procedures:WEAR FULL PROTECTIVE CLOTHING. REMOVE
INGNITION SOURCES. NEUTRALIZE SPILL WITH LIME, LIMESTONE, OR SODA
ASH. FLUSH WITH WATER. DIKE AND CONTAIN.SOAK UP WITH AN INERT
ABSORBANT;PLACE IN A DOT APPROVED CONTAINER FOR DISPOSAL.RINSE
SPILL AREAWITH WATER

Neutralizing Agent:IME, LIMESTONE, OR SODA ASH.

=====
Handling and Storage
=====

Handling and

Storage Precautions:PROTECT AGAINST PHYSICAL DAMAGE AND WATER.

Other Precautions:REACTS VIOLENTLY WITH WATER ACCOMPANIED BY EVOLUTION OF HEAT. SULFURIC ACID ATTACKS MANY METALS RELEASING FLAMMABLE HYDROGEN GAS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE FOR NORMAL USE.

Ventilation:PROVIDE MECHANICAL (GENERAL/LOCAL EXHAUST) VENTILATION TO MAINTAIN