

ROYAL LUBRICANTS COMPANY,INC. -- ROYCO 49;GREASE -- 9150-00-823-8047

=====  
Product Identification  
=====

Product ID:ROYCO 49;GREASE

MSDS Date:01/01/1987

FSC:9150

NIIN:00-823-8047

MSDS Number: BFRDR

=== Responsible Party ===

Company Name:ROYAL LUBRICANTS COMPANY,INC.

Emergency Phone Num:201-887-3100

CAGE:07950

=== Contractor Identification ===

Company Name:ROYAL LUBRICANTS COMPANY INC.

Address:215

MERRY LN

Box:518

City:EAST HANOVER

State:NJ

ZIP:07936

Country:US

Phone:973-887-7411/7410

CAGE:07950

=====  
Composition/Information on Ingredients  
=====

Ingred Name:PETROLEUM HYDROCARBONS (TAKE TLV AS OIL MIST=5MG/CUM)

Ingred Name:CLAY

ACGIH TLV:NOT SPECIFIED

Ingred Name:MOLYBDENUM DISULFIDE

CAS:1317-33-5

RTECS #:QA4697000

OSHA PEL:10 MG/M3 TDUST (MO)

ACGIH TLV:10 MG/M3 (MO); 8990

=====  
Hazards Identification  
=====

Effects of Overexposure:

NONE NOTED;MAY IRRITATE EYES AND SKIN ON  
PROLONGED CONTACT.

=====  
First Aid Measures  
=====

First Aid:INHALE:REMOVE TO FRESH AIR, GIVE CPR/O\*2 IF  
NEED;EYES/SKIN:FLUSH W LG AMTS H\*20 FOR 15 MIN;INGEST:RINSE MOUTH;  
GET MEDICAL ATTENTION FOR EYES, BREATHING DIFFICULTY, OR OTHER  
SYMPTOMS OF OVEREXPOSURE.

=====  
Fire Fighting Measures  
=====

Extinguishing Media:CO\*2,DRY CHEMICAL FOAM  
Fire Fighting Procedures:DO N  
OT USE WATER JETS;USE NIOSH APPROVED SCBA.  
Unusual Fire/Explosion Hazard:NONE NOTED

=====  
Accidental Release Measures  
=====

Spill Release Procedures:USE PROPER PERSONAL PROTECTION;CLEAN-UP WITH  
METAL SCRAPERS AND RAGS.SPREAD DRY SAND OR MINERAL ABSORBENT OVER  
REMAINING GREASE. RECOVER FOR PROPER DISPOSAL.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:STORE IN COOL DRY AND WELL VENTILATED  
AREA;KEEP  
AWAY FROM HEAT AND OPEN FLAMES;KEEP CONTAINER CLOSED WHEN  
NOT IN USE.  
Other Precautions:AVOID CONTACT WITH SKIN AND EYES;DO NOT BREATHE OIL  
MIST IF ANY.WASH HANDS THOROUGHLY WITH SOAP AND WARM WATER BEFORE  
HANDLING FOOD OR SMOKING.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:NO SPECIAL REQMENTS UNDER ORDINARY  
CONDITIONS/ADEQUATE VENT.  
Ventilation:MECH(GEN)OR LOCAL EXHAUST THAT PROVIDES ADEQUATE  
VENTILATION  
Protective Gloves:IMPER

VIOUS

Eye Protection:GOGGLES

Other Protective Equipment:FULL WORK CLOTHING TO PREVENT REPEATED OR  
PROLONGED CONTACT.

Supplemental Safety and Health

MSDS UNDATED

===== Physical/Chemical Properties =====

HCC:V6

Solubility in Water:NEGLIGIBLE

Appearance and Odor:GREASE FOR GENERAL PURPOSE.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZERS

Stability Condition to Avoid:HEAT AND OPEN FLAME

S.

Hazardous Decomposition Products:NONE NOTED

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF COLLECTED MATERIAL IN ACCORDANCE WITH  
LOCAL,STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accu  
rate and

disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.