View NSN Online: https://aerobasegroup.ae/nsn/6750-00-842-5278

FUGI HUNT PHOTOGRAPHIC CHEMICALS, INC. -- TYPE B STARMAT DEVELOPER STARTER, 810846

-- 6750-00-842-5278

========== Product Identification =============

Product ID:TYPE B STARMAT DEVELOPER STARTER, 810846

MSDS Date:07/11/1989

FSC:6750

NIIN:00-842-5278

MSDS Number: BFSDP === Responsible Party ===

Company Name: FUGI HUNT PHOTOGRAPHIC CHEMICALS, INC.

Address: 5 GARRET MOUNTAIN PLAZA

City:WEST PATERSON

State:NJ ZIP:0742

4

Country:US

Info Phone Num:203-356-3449

Emergency Phone Num:800-OLIN-911 (800-654-6911)

Preparer's Name: OLIM MSDS CONTROL GROUP

CAGE:MO087

=== Contractor Identification ===

Company Name: FUGI HUNT PHOTOGRAPHIC CHEMICALS, INC.

Address: 5 GARRET MOUNTAIN PLAZA

City:WEST PATERSON

State:NJ ZIP:07424 Country:US

Phone:203-356-3449

CAGE:MO087

Company Name: FUJI HUNT PHOTOGRAPHIC CHEMICALS INC

Address:W 115 CENTURY RD

Box:988

City:PARAMUS

State:NJ

ZIP:07653-0988

Country:US

Phone:201-967-9603

CAGE:73877

==

====== Composition/Information on Ingredients ========
Ingred Name:POTASSIUM BROMIDE CAS:7758-02-3 RTECS #:TS7650000 Fraction by Wt: 20-25%
Ingred Name:ACETIC ACID (SARA III) CAS:64-19-7 RTECS #:AF1225000 Fraction by Wt: 5-10% OSHA PEL:10 PPM ACGIH TLV:10 PPM/15 STEL; 9192 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS
Ingred Name:WATER CAS:7732-18-5 RTECS #:ZC0110000 Fraction by Wt: BALANCE Other REC Limits:NONE ESTABLISHED
======== Hazards Identification ====================================
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:PRODUCT IS CORROSIVE TO EYES AND SKIN. I VAPORS MAY CAUSE RESPIRATORY IRRITATION. Effects of Overexposure:EYE:CAUSES IRRITATION,BURNS. SKIN:CAUSE IRRITATION, AND MAY CAUSE BURNS. INHALED:MAY CAUSE IRRITATION. INGESTED:MAY HARMFUL IF SWALLOWED. HMIS:MAY CAUSE G/I IRRITATION,NAUSEA,VOMITING Medical Cond Aggravated by Exposure :NONE SPECIFIED BY MANUFACTURER.
======================================
First Aid:EYE:FLUSH WITH WATER 15 MIN. SKIN:FLUSH WITH WATER AND WASH WITH ALKALINE CLEANER. INHALED: REMOVE TO FRESH AIR.INGESTED:IF CONSCIOUS,GIVE 1-2 GLASSES OF WATER. DO NOT INDUCE VOMITING.(NOTHING BY MOUTH IF UNCONSCIOUS.) GET IMMEDIATE MEDICAL CARE. IF ANY IRRITATI PERSISTS OR IS SEVERE, GET MEDICAL CARE.
======================================

Flash Point: NON-FLAMMABLE Extinguishing Media: CARBON DIOXIDE, FOAM, DRY CHEM., WATER FOG Fire Fighting Procedures: FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCB & FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER SPRAY TO CO NEARBY CONTAINERS EXPOSED TO FIRE. Unusual Fire/Explosion Hazard:NONE ========= Accidental Release Measures =============== Spill Release Procedures: RECOVER AS LIQUID OR MOP UP WITH CLOTH, PAPER, ETC. Neutralizing Agent:SODIUM BICAR **BONATE** ============ Handling and Storage =========================== Handling and Storage Precautions: STORE IN A COOL, DRY, WELL VENTILATED AREA. KEEP TIGHTLY CLOSED WHEN NOT IN USE. Other Precautions: DO NOT TAKE INTERNALLY. DO NOT BREATHE MIST. AVOID CONTACT WITH EYES AND SKIN. WASH THOROUGHLY AFTER HANDLING. ====== Exposure Controls/Personal Protection ======== Respiratory Protection: NONE NORMALLY REQUIRED. USE NIOSH/MSHA APPROVED RESPIRATOR FOR ACID VAPORS IF PEL/TLV IS EXCEEDED. Ventilation: NORMAL ROOM VENTILATION IS SUFFICIENT. Protective Gloves: RUBBER, VINYL, OTHER IMPERVIOUS Eye Protection: SAFETY GLASSES OR SPLASH GOGGLES Other Protective Equipment:CLOTHING TO PROTECT FROM PROLONGED/REPEATED CONTACT. Work Hygienic Practices: USE GOOD CHEMICAL HYGIENE PRACTICE. AVOID ALL UNNECESSARY CONTACT. Supplemental Safety and Health AVOID PROLONGED OR REPEATED EXPOSURE. DO NOT GET ON SKIN OR IN EYES. ======== Physical/Chemical Properties = _____ HCC:C3 Boiling Pt:=100.C, 212.F Vapor Pres:16 MM Spec Gravity:1.192 pH:2.0 Solubility in Water: COMPLETE Appearance and Odor:CLEAR LIQUID, VINEGAR ODOR ======== Stability and Reactivity Data =========== Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS, STRONG ALKALIS Stability Condition to Avoid: HIGH TEMPERATURES, Hazardous Decomposition Products: CARBON DIOXIDE, CARBON MONOXIDE, SULFUR DIOXIDE

====== Disposal Consideratio

ns =========

Waste Disposal Methods:DISPOSE I/A/W FEDERAL,STATE,LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their particular situation.