

PACIFIC AEROSOL,INC.2424 MERCED ST.,SAN LEANDRO CA -- 16187 -- 8010-00-852-9034
===== Product Identification =====

Product ID:16187
MSDS Date:01/01/1987
FSC:8010
NIIN:00-852-9034
MSDS Number: BFSSY
=== Responsible Party ===
Company Name:PACIFIC AEROSOL,INC.2424 MERCED ST.,SAN LEANDRO CA
Emergency Phone Num:415-351-4860
CAGE:34451
=== Contractor Identification ===
Company Name:AERVOE-PACIFIC CO, IN
C.
Address:1198 SAWMILL RD
Box:City:GARDNERVILLE
State:NV
ZIP:89410
Country:US
Phone:(702)-782-0100
CAGE:33451
Company Name:PACIFIC AEROSOL, INC.
CAGE:34451

===== Composition/Information on Ingredients =====

Ingred Name:TOLUENE (SARA III)
CAS:108-88-3
RTECS #:XS5250000
Fraction by Wt: 20.0%
OSHA PEL:200 PPM/150 STEL
ACGIH TLV:50 PPM; 9293
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:ACETONE (SARA III)
CAS:67-64-1
RTECS #:AL3150000
Fraction by Wt: 36.0%
OSHA PEL:10

00PPM
ACGIH TLV:750PPM/1000STEL;9293
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:ALIPHATIC THINNER
Fraction by Wt: 8.0%

Ingred Name:ISOBUTYL ALCOHOL (SARA III)
CAS:78-83-1
RTECS #:NP9625000
Fraction by Wt: 18.0%
OSHA PEL:100 PPM
ACGIH TLV:50 PPM; 9293
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:PROPANE
CAS:74-98-6
RTECS #:TX2275000
Fraction by Wt: 18.0%
OSHA PEL:1000 PPM
ACGIH TLV:ASPHYXIAN; 9192

==== Hazards Identification =====

Effects of Overexposure:IRRITATION OF EYES AND RESPIRATORY TRACT.
POSSIBLE HEADACHES AND DIZZINESS.

==== First Aid Measures =====

First Aid:FUMES--MOVE AFFECTED TO FRESH AIR, RESTORE BREATHING, GET
MEDICAL AID. EYE CONTACT--FLUSH THOROUGHLY WITH WATER, GET MEDICAL
AID.

==== Fire Fighting Measures =====

Flash Point:-2.2F
Lower Limits:1.0
Extinguishing Media:CO2, DRY CHEMICAL OR FOAM
Fire Fighting Procedures:USE

WATER SPRAY TO COOL CLOSED CONTAINERS
EXPOSED TO HEAT.

Unusual Fire/Explosion Hazard:KEEP FROM HEAT,SPARKS OR OPEN
FLAME.CLOSED CONTAINERS MAY EXPLODE IF EXPOSED TO EXTREME HEAT OR
FIRE

===== Accidental Release Measures =====

Spill Release Procedures:ELIMINATE SOURCES OF IGNITION---VENTILATE AREA

===== Handling and Storage =====

Handling and Storage Precautions:STORE BELOW 120F. KEEP CONTAINERS AWAY
FROM HEAT AND
OPEN FLAME

Other Precautions:AVOID INHALATION OF SPRAY MIST. DO NOT TAKE
INTERNALLY

===== Exposure Controls/Personal Protection =====

Respiratory Protection:PAINT SPRAY MASK

Ventilation:PROVIDE VENTILATION TO KEEP VAPORS BELOW TLV

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:V3

Boiling Pt:B.P. Text:-10F

Vapor Density:1+

Spec Gravity:0.9

Evaporation Rate & Reference:10

Solubility in Water:NONE

=====

=== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

Hazardous Decomposition Products:CARBON MONOXIDE FUMES ON IGNITION

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE IN ACCORDANCE WITH LOCAL REGULATIONS. DO
NOT INCINERATE CLOSED CONTAINERS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense.

The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.