

OCTAGON PROCESS, INC -- MIL-B-24155B(SH)BOILER SCALE REMVG CMPD -- 6850-00-926-8960
===== Product Identification =====

Product ID:MIL-B-24155B(SH)BOILER SCALE REMVG CMPD

MSDS Date:01/27/1989

FSC:6850

NIIN:00-926-8960

MSDS Number: BFWXJ

=== Responsible Party ===

Company Name:OCTAGON PROCESS, INC

Address:596 RIVER ROAD

City:EDGEWATER

State:NJ

ZIP:07020

Country:US

Info Phone Num:201-945-9400

Emergenc

y Phone Num:201-945-9400

CAGE:DO973

=== Contractor Identification ===

Company Name:OCTAGON PROCESS INC.

Address:596 RIVER ROAD

Box:City:EDGEWATER

State:NJ

ZIP:07020

Country:US

Phone:201-945-9400

CAGE:82925

Company Name:OCTAGON PROCESS,INC.

Address:596 RIVER ROAD

City:EDGEWATER

State:NJ

ZIP:07020-1105

Country:US

Phone:201-945-9400

CAGE:DO973

===== Composition/Information on Ingredients =====

Ingred Name:SULFAMIC ACID

CAS:5329-14-6

RTECS #:WO5950000

===== Haza

Product Identification =====

Health Hazards Acute and Chronic:ACUTE:EYES AND SKIN BURNS,DAMAGE TO
RESPIRATORY TRACT OR MUCOUS MEMBRANES;COUGHING,SNEEZING.
CHRONIC:RESPIRATORY DISEASE;DERMATITIS.
Effects of Overexposure:SEE HEALTH HAZARDS DATA.
Medical Condition Aggravated by Exposure:PRE-EXISTING CONDITIONS MAY BE
WORSEN.

===== First Aid Measures =====

First Aid:WASH AFFECTED AREAS OF SKIN WITH SOAP & WATER. FLUSH EYES
WITH PLENTY
OF WATER.

===== Fire Fighting Measures =====

Flash Point:NONE
Extinguishing Media:USE SUITABLE MEDIA FOR SURROUNDING FIRE.
Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA IN AN ENCLOSED
AREA.
Unusual Fire/Explosion Hazard:EMITS TOXIC FUMES OF SULFUR OXIDES WHEN
HEATED TO DECOMPOSITION.

===== Accidental Release Measures =====

Spill Release Procedures:SWEEP UP WITH SODA ASH, PUT INTO CARTONS &
INCINERATE

=====

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL, DRY PLACE AWAY FROM
OXIDIZERS

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATOR FOR MIST OR
DUST IF ABOVE TLV/PEL.
Ventilation:GENERAL/MECHANICAL TO MAINTAIN TLV/PEL.
Protective Gloves:RUBBER/NEOPRENE
Eye Protection:GOGGLES/FACE SHIELD
Other Protective Equipment:RUBBER APRON
Work Hygienic Practices:AVOID

CONTACT WITH EYES AND SKIN;DO NOT BREATHE
VAPORS/MIST.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:C1

Decomp Temp:Decomp Text:410F

Vapor Density:2.03

Solubility in Water:COMPLETE

Appearance and Odor:WHITE TO OFF WHITE CRYSTALLINE SOLID,SLIGHT ACIDIC
ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

CHLORINE, NITRIC ACID, STRONG OXIDIZERS

Stability Condition t

o Avoid:EXTREME HEAT

Hazardous Decomposition Products:OXIDES OF NITROGEN OR SULFUR.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSAL MUST BE IN ACCORDANCE WITH LOCAL,STATE
AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants thi
s information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.