View NSN Online: https://aerobasegroup.com/nsn/8010-00-935-7064

Product ID:11136 MSDS Date:01/01/1987 FSC:8010 NIIN:00-935-7064 MSDS Number: BFXTV === Responsible Party === Company Name: PACIFIC AEROSOL, INC.2424 MERCED ST., SAN LEANDRO CA Emergency Phone Num:415-351-4860 CAGE:34451 === Contractor Identification === Company Name: AERVOE-PACIFIC CO, I NC. Address:1198 SAWMILL RD Box:City:GARDNERVILLE State:NV ZIP:89410 Country:US Phone:(702)-782-0100 CAGE:33451 Company Name: PACIFIC AEROSOL, INC. CAGE:34451

Ingred Name:TOLUENE (SARA III) CAS:108-88-3 RTECS #:XS5250000 Fraction by Wt: 17.0% OSHA PEL:200 PPM/150 STEL ACGIH TLV:50 PPM; 9293 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name:ACETONE (SARA III) CAS:67-64-1 RTECS #:AL3150000 Fraction by Wt: 38.0% OSHA PEL:1 000PPM ACGIH TLV:750PPM/1000STEL;9293 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name:BUTYL CELLOSOLVE ACETATE CAS:112-07-2 RTECS #:KJ8925000 Fraction by Wt: 5.0%

Ingred Name:DICHLORODIFLUOROMETHANE (SARA III) CAS:75-71-8 RTECS #:PA8200000 Fraction by Wt: 40.0% OSHA PEL:1000 PPM ACGIH TLV:1000 PPM; 9192 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS Ozone Depleting Chemical:1

Effects of Overexposure: IRRITATION OF EYES AND RESPIRATORY TRACT. POSSIBLE HEADACHES AND DIZZINESS

First Aid:FUMES--MOVE AFFECTED TO FRESH AIR, RESTORE BREATHING, GET MEDICAL AID. EYE CONTACT--FLUSH THOROUGHLY WITH WATER, GET MEDICAL AID.

Flash Point:-2.2F Lower Limits:1.0 Extinguishing Media:CO2, DRY CHEMICAL OR FOAM Fire Fighting Procedures:USE WATER SPRAY TO COOL CLOSED CONTAINERS E XPOSED TO HEAT Unusual Fire/Explosion Hazard:KEEP FROM HEAT, SPARKS OR OPEN FLAME.CLOSED CONTANERS MAY EXPLODE IF EXPOSED TO EXTREME HEAT OR FIRE

Spill Release Procedures: ELIMINATE SOURCES OF IGNITION --- VENTILATE AREA

Handling and Storage Precautions:STORE BELOW 120F. KEEP CONTAINERS AWAY FROM HEAT AND OPEN FLAME Other Precautions:AVOID INHALATIO

N OF SPRAY MIST. DO NOT TAKE INTERNALLY

======= Exposure Controls/Personal Protection ==========

Respiratory Protection: PAINT SPRAY MASK Ventilation: PROVIDE VENTILATION TO KEEP VAPORS BELOW TLV. Supplemental Safety and Health

HCC:V3 Boiling Pt:B.P. Text:-10F Vapor Density:1+ Spec Gravity:0.9 Evaporation Rate & amp; Reference:10 Solubility in Water:NONE

==========

======== Stability and Reactivity Data =======

Stability Indicator/Materials to Avoid:YES Hazardous Decomposition Products:CARBON MONOXIDE FUMES ON IGNITION

Waste Disposal Methods:DISPOSE IN ACCORDANCE WITH LOCAL REGULATIONS. DO NOT INCINERATE CLOSED CONTAINERS

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.