

XERTEX CORP -- UXF 18895,WIDE RANGE INDICATOR SOLUTION -- 6810-00-937-0975
===== Product Identification =====

Product ID:UXF 18895,WIDE RANGE INDICATOR SOLUTION

MSDS Date:01/01/1987

FSC:6810

NIIN:00-937-0975

MSDS Number: BFYFW

=== Responsible Party ===

Company Name:XERTEX CORP

Address:1400 BUSINESS CENTER DR

City:MT PROSPECT

State:IL

ZIP:60056

Country:US

Emergency Phone Num:847-803-5100

CAGE:MO31

6

=== Contractor Identification ===

Company Name:SENSALL INSTRUMENTS INC DIV OF ROSEMOUNT INC

Address:1400 BUSINESS CENTER DR

Box:City:MT PROSPECT

State:IL

ZIP:60056

Country:US

CAGE:29924

Company Name:XERTEX CORP

Address:1400 BUSINESS CENTER DR

Box:City:MT PROSPECT

State:IL

ZIP:60056

Country:US

CAGE:MO316

===== Composition/Information on Ingredients =====

Ingred Name:METHYL ALCOHOL (METHANOL) (SARA III)

CAS:67-56-1

RTECS #:PC1400000

Fraction by Wt: 26%

OSHA PEL:S,200PPM/250S

TEL
ACGIH TLV:S,200PPM/250STEL; 93
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

=====
Hazards Identification
=====

Effects of Overexposure:ACUTE:INEBRIAT,NAUS,VOMIT,CNS DAMAGE,BLIND,SKIN
DEFAT.CHRONIC:DAILY CONT WILL HAVE CUMULATIVE EFFECT

=====
First Aid Measures
=====

First Aid:PROVIDE ADEQUATE FRESH AIR.IF INGESTED,INDUCE VOMITING.GET
MEDICAL ATTENTION.

=====
Fire Fighting Measures
=====

Flash Point:52F,11C CC
Autoignition Temp:Autoignition Temp Text:878F
Lower Limits:6.7
Upper Limits:35
Extinguishing Media:CO*2,DRY CHEMICAL,FOAM,WATER SPRAY
Fire Fighting Procedures:WEAR SELF CONTAINED BREATHING APPARATUS

=====
Accidental Release Measures
=====

Spill Release Procedures:WEAR ORGANIC VAPOR MASK AND PROTECTIVE
GLOVES.ABSORB ON TOWELS,PUT IN FLAMMABLE CAN.

=====
Handling and Storage
=====

Handling and
Storage Precautions:WASH THOROUGHLY AFTER HANDLING.AVOID
BREATHING VAPORS.
Other Precautions:NO SMOKING.

=====
Exposure Controls/Personal Protection
=====

Ventilation:LOCAL EXHAUST,MECHANICAL
Protective Gloves:RUBBER,PLASTIC
Eye Protection:SAFETY GOGGLES
Other Protective Equipment:SPLASH APRON
Supplemental Safety and Health
MSDS PREP:86140.CALLED MFR:DIVISION OF COMPANY,% HAZ
INGRED,%VOLATILE,EVAPORATION RATE,IDENTITY OF CO*X,GLOVES.

=====
Physical/Chem
=====

ical Properties =====

HCC:F2

Boiling Pt:B.P. Text:149F,65C

Vapor Pres:96

Vapor Density:1.1

Spec Gravity:0.79

Evaporation Rate & Reference:5.91(BUAC=1)

Solubility in Water:SOLUBLE

Appearance and Odor:DYE COLOR,ALCOHOLIC ODOR

Percent Volatiles by Volume:100

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

OXIDIZERS

Stability Condition to Avoid:HEAT,SPARKS,OPEN FLAME

Hazardous Decomposition Products:CO,CO*2

=====

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATION.DISPOSE IN ACCORDANCE WITH
LOCAL,STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utiliz
ing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.