

3-M COMPANY -- SCOTCHKOTE ELECTRICAL COATING -- 5970-00-962-3335

=====
Product Identification
=====

Product ID:SCOTCHKOTE ELECTRICAL COATING

MSDS Date:01/01/1985

FSC:5970

NIIN:00-962-3335

MSDS Number: BFZJM

=== Responsible Party ===

Company Name:3-M COMPANY

Address:3M CTR

City:ST PAUL

State:MN

ZIP:55144-1000

Country:US

Emergency Phone Num:800-854-0631

CAGE:GO802

=== Contractor Identification ===

Company Name:3-M COMPANY

Address:3M CTR 224-2S-25

Box:City:ST. PAUL

State:MN

ZIP:55144-1000

Country:US

Phone:612-733-1341

CAGE:GO802

Company Name:MINNESOTA MINING AND MFG CO INDUSTRIAL MINERALS DIV

Address:3M CTR

Box:City:SAINT PAUL

State:MN

ZIP:55144-1000

Country:US

Phone:612-737-4114

CAGE:94962

=====
Composition/Information on Ingredients
=====

Ingred Name:METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA III)

CAS:78-93-3

RTECS #:EL6475000

Fraction by Wt: 60%

OSHA PEL:200 PPM/3

00 STEL
ACGIH TLV:200 PPM/300STEL 9192
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingrid Name:TOLUENE (SARA III)
CAS:108-88-3
RTECS #:XS5250000
Fraction by Wt: 30%
OSHA PEL:200 PPM/150 STEL
ACGIH TLV:50 PPM; 9293
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

=====
Hazards Identification
=====

Effects of Overexposure:VAPORS MAY IRRITATE EYES, NOSE & THROAT & CAUSE
NAUSEA, HEADACHES & NARCOSIS. EYE & SKIN IRRITANT.

=====
First Aid Measures
=====

First Aid:EYES: FLUSH IMMEDIATELY WITH PLENTY OF WATER. SEEK MEDICAL
ATTENTION. SKIN: WASH WITH SOAP & WATER. INHALATION: PROVIDE FRESH
AIR.

=====
Fire Fighting Measures
=====

Flash Point:25F (TOC)
Extinguishing Media:CARBON DIOXIDE, FOAM, DRY CHEMICAL

=====
Accidental Release Measures
=====

Spill Release Procedures:EXTINGUISH ALL IGNITION SOURCES. COLLECT
SPILLED MATERIAL. CLEAN UP RESIDUE.

=
=====
Handling and Storage
=====

Handling and Storage Precautions:KEEP AWAY FROM HEAT, SPARKS, & FLAMES.
USE IN WELL-VENTILATED AREAS. AVOID PROLONGED OR REPEATED SKIN
CONTACT.

=====
Exposure Controls/Personal Protection
=====

Ventilation:LOCAL EXHAUST
Eye Protection:GOGGLES
Supplemental Safety and Health

=====
Physical/Chemical Properties
=====

HCC:F2
Boiling Pt:=26.1C, 79.F
Spec Gravity:0.89
Solubility

in Water:INSOLUBLE

Appearance and Odor:BROWN, VISCOUS LIQUID, KETONE ODOR

Percent Volatiles by Volume:81

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE PROPERLY. DO NOT LANDFILL.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense.

The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.