

GENERAL ELECTRIC CO., SILICONE PRODUCT DIV. -- G635;SILICONE COMPOUND --  
6850-00-963-5402

===== Product Identification =====

Product ID:G635;SILICONE COMPOUND

MSDS Date:03/22/1988

FSC:6850

NIIN:00-963-5402

MSDS Number: BFZKQ

=== Responsible Party ===

Company Name:GENERAL ELECTRIC CO., SILICONE PRODUCT DIV.

Address:260 HUDSON RIVER ROAD

City:WATERFORD

State:NY

ZIP:12188

Country:US

Info Phone Num:5

18-237-3330/FAX 518-233-3795

Emergency Phone Num:518-237-3330

Preparer's Name:DA POLSINELLI

CAGE:01139

=== Contractor Identification ===

Company Name:GENERAL ELECTRIC CO, SILICONE PRODUCTS BUSINESS DEPT

Address:260 HUDSON RIVER RD

Box:City:WATERFORD

State:NY

ZIP:12188

Country:US

Phone:518-237-3330/800-332-3390

CAGE:01139

Company Name:THE SMITH GROUP INC.

Address:811 E. CAYUGA STREET

Box:City:PHILADELPHIA

State:PA

ZIP:19124-3893

Country:US

Phone:215-743-8200

CAGE:2B613

===== Composition

/Information on Ingredients =====

Ingred Name:POLYDIMETHYLDIPHENYLSILOXANE

Fraction by Wt: >99%

ACGIH TLV:NOT SPECIFIED

===== Hazards Identification =====

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:SEE SIGNS & SYMPTOMS OF OVEREXPOSURE

Effects of Overexposure:MAY CAUSE MILD EYE IRRITATION

Medical Cond Aggravated by Exposure:NONE KNOWN.

===== First Aid Measures =====

Fir

st Aid:EYE:IMMEDIATELY FLUSH WITH WATER FOR AT LEAST 15 MIN.GET  
MEDICAL ATTENTION IF IRRITATION PERSISTS;SKIN:WASH WITH SOAP &  
WATER;INHALATION:REMOVE TO FRESH AIR;INGESTION:DO NOT INDUCE  
VOMIT.GIVE LARGE QU ANTITIES OF WATER & GET MEDICAL  
ATTENTION.NOTHING BY MOUTH IF UNCONSCIOUS.

===== Fire Fighting Measures =====

Flash Point:>500F/260 (COC)

Extinguishing Media:ALL STANDARD FIREFIGHTING MEDIA,CO\*2.

Fire Fighting Procedures:NONE NOTED.USE NIOS

H/MSHA APPROVED SCBA WITH

FULL PROTECTION

Unusual Fire/Explosion Hazard:NONE NOTED

===== Accidental Release Measures =====

Spill Release Procedures:USE PROPER PERSONAL PROTECTION; USE INERT  
ABSORBANT MATERIAL AND PUT IN A CONTAINER FOR PROPER DISPOSAL.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOLD DRY AND VENTILATED  
AREA. KEEP CONTAINER AWAY FROM HEAT AND OPEN FLAMES.

Other Precautio

ns:AVOID CONTACT WITH SKIN AND EYES:WASH THOROUGHLY  
AFTER EACH USE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NO SPECIAL REQMNTS UNDER ORDINARY  
CONDITIONS/ADEQUATE VENT.

Ventilation:MECH(GEN)OR LOCAL EXHAUST THAT PROVIDES ADEQUATE  
VENTILATION

Protective Gloves:IMPERVIOUS

Eye Protection:SAFETY GLASSES

Other Protective Equipment:FULL PROTECTIVE CLOTHING,SAFETY SHOWER,EYE  
WASH STATION

Work Hygienic Practices:STANDARD HYGIENIC PRACTI  
CES.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:N1

Vapor Pres:NEG

Vapor Density:NEG

Spec Gravity:1.045

Evaporation Rate & Reference: