

BEESTON INC -- 931-V HIGH VACUUM GREASE -- 9150-00-965-2408

=====  
Product Identification  
=====

Product ID:931-V HIGH VACUUM GREASE

MSDS Date:04/08/1985

FSC:9150

NIIN:00-965-2408

MSDS Number: BFZSB

=== Responsible Party ===

Company Name:BEESTON INC

Address:540-DEERING AVE

City:PORTLAND

State:ME

ZIP:04103

Country:US

Info Phone Num:207-883-5541

Emergency Phone Num:207-883-5541

CAGE:JO838

=== Contrac

tor Identification ===

Company Name:BEESTON

Address:540 DEERING AV

Box:1116

City:SCARBOROUGH

State:ME

ZIP:04074

Country:US

Phone:207-883-5541

CAGE:43728

Company Name:BEESTON INC

Address:540 DEERING AVE

City:PORTLAND

State:ME

ZIP:04103

Country:US

Phone:207-883-5541

CAGE:JO838

=====  
Composition/Information on Ingredients  
=====

Ingred Name:GREASE,SILICONE

Other REC Limits:NOT SPECIFIED

Ingred Name:UNIDENTIFIED COMPONENTS

=====  
Hazards Identification  
=====

=====

Routes of Entry: Inhalation:UNKNOWN Skin:YES Ingestion:YES  
Health Hazards Acute and Chronic:ACUTE:NONE NOTED BY MFR;MAY IRRITATE  
EYES AND SKIN ON PROLONGED CONTACT. CHRONIC:NONE KNOWN  
Effects of Overexposure:PER MFR,NO HAZARDOUS INGREDIENTS;MAY IRRITATE  
EYES OR SKIN ON PROLONGED CONTACT  
Medical Cond Aggravated by Exposure:NO DATA AVAILABLE

===== First Aid Measures =====

First Aid:INHALE:REMOVE TO FRESH AIR, GIVE CPR/O\*2 IF  
NEED;  
EYES/SKIN:FLUSH W LG AMTS H\*2O FOR 15 MIN;INGEST:RINSE MOUTH;  
GET MEDICAL ATTENTION FOR EYES, BREATHING DIFFICULTY, OR OTHER  
SYMPTOMS OF OVEREXPOSURE.

===== Fire Fighting Measures =====

Flash Point:NONE  
Extinguishing Media:USE ANY MEDIA FOR SURROUNDING FIRES.  
Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA IN AN ENCLOSED  
AREA  
Unusual Fire/Explosion Hazard:NONE NOTED

===== Accidental Release Measures =====

Spill R  
elease Procedures:USE PROPER PERSONAL PROTECTION;WIPE UP  
MATERIAL;RESIDUE IS SLIPPERY.APPLY SAWDUST OR SWEEPING COMPOUND TO  
AREA OF SPILL TO MINIMISE SLIP.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL,DRY AND WELL VENTILATED  
AREA.KEEP AWAY FROM HEAT,OPEN FLAMES.  
Other Precautions:AVOID CONTACT WITH EYES AND SKIN.USE WITH CARE.

===== Exposure Controls/Personal Protection =====

Respiratory Prote

ction:NO SPECIAL REQMNTS UNDER ORDINARY  
CONDITIONS/ADEQUATE VENT.

Ventilation:NORMAL ROOM VENTILATION.

Protective Gloves:AS REQUIRED

Eye Protection:SAFETY GLASSES

Other Protective Equipment:AS REQUIRED TO PREVENT PROLONGED CONTACT.

Supplemental Safety and Health

MSDS ISSUE DATE:04/08/85

===== Physical/Chemical Properties =====

HCC:V6

Solubility in Water:NEGLIGIBLE

Appearance and Odor:OPAQUE,WHITE/GRAY GREASE

Percent Volatiles by Volume:2.0

===== St  
ability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

AVOID CONTACT WITH MATERIALS THAT REACT WITH WATER.

Stability Condition to Avoid:EXTREME HEAT

Hazardous Decomposition Products:NONE NOTED

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE OR DISPOSE OF COLLECTED MATERIAL IN  
ACCORDANCE WITH LOCAL STATE AND FEDERAL REGULATIONS

Disclaimer (provided with this information by the compiling agencies):

T

his information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.