

I G TECHNOLOGIES,INC. -- ALNICO -- 5999-00-974-4778

===== Product Identification =====

Product ID:ALNICO

MSDS Date:01/01/1987

FSC:5999

NIIN:00-974-4778

MSDS Number: BGBFJ

=== Responsible Party ===

Company Name:I G TECHNOLOGIES,INC.

Emergency Phone Num:219-462-3131

CAGE:JO809

=== Contractor Identification ===

Company Name:I G TECHNOLOGIES,INC

CAGE:JO809

Company Name:IG TECHNOLOGIES INC

Address:405

ELM ST

Box:City:VALPARAISO

State:IN

ZIP:46383-3620

Country:US

Phone:219-462-3131

CAGE:82901

===== Composition/Information on Ingredients =====

Ingred Name:ALUMINUM (SARA III)

CAS:7429-90-5

RTECS #:BD0330000

Fraction by Wt: 6-13%

OSHA PEL:15MG/M3 DUST/5 FUME

ACGIH TLV:10MG/M3 DUST; 9192

Ingred Name:COBALT (SARA III)

CAS:7440-48-4

RTECS #:GF8750000

Fraction by Wt: 1-40%

OSHA PEL:0.1 MG/M3;AS CO

ACGIH TLV:0.05 MG/M3;DUST 9293

Ingred Name:COPPER (SARA III)

CAS:7440-50-8

RTEC

S #:GL5325000  
Fraction by Wt: 1-7%  
OSHA PEL:0.1MG/M3 FUME/1 DUST  
ACGIH TLV:0.2MG/M3 FUME; 9192  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

Ingred Name:IRON OXIDE  
CAS:1309-37-1  
RTECS #:NO7400000  
OSHA PEL:10 MG/M3 (FE)  
ACGIH TLV:5 MG/M3(FE),B2; 9293

Ingred Name:NICKEL (SARA III)  
CAS:7440-02-0  
RTECS #:QR5950000  
OSHA PEL:1 MG/M3  
ACGIH TLV:1 MG/M3; 9192

===== Hazards Identification =====

Effects of Overexposure:UNDER NORMAL HANDLING AND USE EXPOS TO ALNICO  
PRO  
DUCTS PRESENT NO OR FEW HEALTH HAZARD.SUPP DATA.

===== Fire Fighting Measures =====

Fire Fighting Procedures:NONE (PER MFR)  
Unusual Fire/Explosion Hazard:MAY OCCUR IN CASE OF RAISING DRY,FINE  
GRAINED DUST IN AIR.HAZARD IS REDUCED BY MACHINING WET

===== Accidental Release Measures =====

Spill Release Procedures:N/R (PER MFR)

===== Handling and Storage =====

Handling and Storage Precautions:W  
HEN MACHINING ALNICO USE COOLANT TO  
REDUCE DUSTING.  
Other Precautions:HANDLE W/ CARE WHEN MAGNETIZED TO PREVENT INJURY OR  
DAM BY STRONG ATTRACTIVE/REPULSIVE FORCES.CONTROL THE MOVEMENT OF  
OTHER MAGNETIC MATERIALS WHEN NEAR STRONG MAGNETIC FIELD.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:OSHA/MSHA APPRVD POWDERS & DUST PROPER  
RESPIRATOR  
Ventilation:MECHANICAL  
Protective Gloves:RUBBER  
Eye Protection:PROTECTIVE GOGGLES  
Other Protect

ive Equipment:N/R(PER MFR)  
Supplemental Safety and Health  
MSDS PREP:30JAN86.BP:>2500C.SPECIFIC GRAVITY:6.9-7.4.OVEREXPO:POWDER OR  
DUST FROM MACHINING MAY CAUSE SOME SKIN IRRITATION IN THE CASES OF  
SENSITIVE INDIVIDUALS.EYE:DUST,FUMES MAY CAUSE IRRIT.

===== Physical/Chemical Properties =====

HCC:M1  
Boiling Pt:B.P. Text:>4532F  
Spec Gravity:SUPP  
Solubility in Water:INSOLUBLE  
Appearance and Odor:SILVERY GRAY METAL-NO ODOR

===== Stability and Reacti  
vity Data =====

Stability Indicator/Materials to Avoid:YES  
STRONG ACIDS  
Hazardous Decomposition Products:HAZARDOUS FUMES MAY OCCUR WHEN  
MACHINING ALNICO

===== Disposal Considerations =====

Waste Disposal Methods:RECYCLING OF SCRAP METAL IS THE PREFERRED  
METHOD.DISPOSAL IN ACCORDANCE TO STATE,FEDERAL,LOCAL REGULATION.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements  
of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.