

SOUTHWEST PETRO-CHEM INC. -- SA 823 9222 -- 9150-00-985-7316

=====  
Product Identification  
=====

Product ID:SA 823 9222

MSDS Date:01/01/1987

FSC:9150

NIIN:00-985-7316

MSDS Number: BGBXG

=== Responsible Party ===

Company Name:SOUTHWEST PETRO-CHEM INC.

Emergency Phone Num:913-782-5800

CAGE:70878

=== Contractor Identification ===

Company Name:EXXON CO USA-SOUTHWEST GREASE BUSINESS UNIT

Address:1400 S

HARRISON

Box:1974

City:OLATHE

State:KS

ZIP:66061

Country:US

Phone:913-656-3701/800-424-9300(CHEMTREC)

CAGE:70878

=====  
Composition/Information on Ingredients  
=====

Ingred Name:MINERAL OIL (EXPOSURE REGULATED AS 'OIL MIST')

CAS:8012-95-1

RTECS #:PY8030000

OSHA PEL:5 MG/M3

ACGIH TLV:5 MG/M3/10 STEL;9192

Ingred Name:MOLYBDENUM DISULFIDE

CAS:1317-33-5

RTECS #:QA4697000

Fraction by Wt: 550F/>285C(COC)

Extinguishing Media:DRY CHEM,CO\*2,FOAM,WATERFOG,SAND,EARTH.

Fire Fighting Proc

cedures:WEAR SELF-CNTD BRTHG,APP H\*20 SPRAY TO COOL  
CONTR.

Unusual Fire/Explosion Hazard:DENSE SMOKE

===== Accidental Release Measures =====

Spill Release Procedures:TRANSFER BULK OF MATERIAL INTO ANOTHER  
CONTAINER.ABSORB REMAINING RESIDUE WITH PROPER ABSORBENTS.SWEEP UP  
& DISPOSE AS SOLID WASTE IN ACCORDANCE WITH LOCAL, STATE & FEDERAL  
REGULATIONS.

===== Handling and Storage =====

Handling and Storage Precautions:

STORE IN COOL,DRY,WELL VENTILATED

AREA. PROTECT FROM PHYSICAL DAMAGE.AVOID ANY PHYSICAL CONTACT. KEEP  
CONTAINERS TIGHTLY CLOSED

Other Precautions:AVOID PROLONGED SKIN CONTACT.LAUNDER CONTAMINATED  
CLOTHING BEFORE REUSE.KEEP OUT OF REACH OF CHILDREN.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE SHOULD BE NEEDED

Ventilation:NORMAL ROOM VENTILATION.

Protective Gloves:RUBBER OR PLAST

Eye Protection:SAFETY GOGGLES OR F.SHLD.

Other Protec

tive Equipment:NORMAL WORK CLOTHING COVERING ARMS & LEGS.

Supplemental Safety and Health

MSDS FROM SOUTHWEST PETROLEUM EFFECTIVE:11/12/85; SPEC REFERENCE:  
MIL-G-23549C; COMPONENT NAMES & %AGES PER SPECIFICATION; OLD P/N  
MAY HAVE BEEN SA 8239222(16710)

===== Physical/Chemical Properties =====

HCC:V6

Spec Gravity:0.90

Solubility in Water:NEGLIGIBLE

Appearance and Odor:GRAY SEMI-SOLID GREASE,W/MINERAL OIL ODOR

===== Stability and Reactivity Data

=====

Stability Indicator/Materials to Avoid: YES

STRONG OXIDIZERS SUCH AS CHROMIC ACID, HYDROGEN PEROXIDE, BR\*2

Stability Condition to Avoid: HEAT, IGNITION SOURCES

Hazardous Decomposition Products: INCOMPLETELY BURNED CARBON PRODUCTS,  
CO\*2, CO.

===== Disposal Considerations =====

Waste Disposal Methods: KEEP IN COVERED DRUMS, PENDING DISPOSAL. HANDLE &  
DISPOSE IN FULL COMPLIANCE WITH ALL APPLICABLE  
INTERNATIONAL, FEDERAL, STATE, & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular  
situation.