

TURCO PRODUCTS,INC -- TURCO 4848-257 -- 6850-01-016-3482

=====
Product Identification
=====

Product ID:TURCO 4848-257

MSDS Date:01/01/1985

FSC:6850

NIIN:01-016-3482

MSDS Number: BGDQJ

=== Responsible Party ===

Company Name:TURCO PRODUCTS,INC

Address:24700 SOUTH MAIN STREET

Box:6200

City:CARSON

State:CA

ZIP:90749

Country:US

Info Phone Num:714-890-3600

Emergency Phone Num:614-387-6200

CAGE:D9808

==

= Contractor Identification ===

Company Name:TURCO PRODUCTS, INC. DIVISON OF ELF ATOCHEM NORTH AMERICA

Address:2000 MARKET ST

Box:City:PHILADELPHIA

State:PA

ZIP:19103-3222

Country:US

Phone:215-419-7890

CAGE:61102

Company Name:TURCO PRODUCTS,INC.

Box:6200

City:PHILADELPHIA

State:PA

ZIP:19103

Country:US

Phone:215-419-7890

CAGE:D9808

=====
Composition/Information on Ingredients
=====

Ingred Name:NAPHTA (PETROLEUM SPIRITS OR BENZIN)

CAS:8030-30-6

RTECS #:DE3030000

Fraction by Wt:

50.0%
OSHA PEL:100 PPM

Ingred Name:ETHYL ACETATE (SARA III)
CAS:141-78-6
RTECS #:AH5425000
Fraction by Wt: 20.0%
OSHA PEL:400 PPM
ACGIH TLV:400 PPM; 9192
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA III)
CAS:78-93-3
RTECS #:EL6475000
Fraction by Wt: 20.0%
OSHA PEL:200 PPM/300 STEL
ACGIH TLV:200 PPM/300STEL 9192
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:ISOPROPYL ALCOHOL (SARA III)
CAS:67-63-0
RTECS #:NT8050000
Fraction by Wt: 10.0%
OSHA PEL:400 PPM/500 STEL
ACGIH TLV:400 PPM/500STEL;9192

===== Hazards Identification =====

Effects of Overexposure:EYES:MILD TO SEV IRRIT:SKIN:DEFATTING;INH:LOSS OF COORDNATION & DROWSYNESS;ING:NAUSEA & VOMITING.

===== First Aid Measures =====

First Aid:SKIN:WASH W/WATER;EYES:FLUSH W/WATER FOR 15 MINUTES,OBTAIN MED ATTN+INGESTION:DO NOT INDUCE VOMITING.OBTAINED MED HELP;INHALATION:REMOVE TO FRESH AIR.GIVE OXY/CPR IF NEEDED.

===== Fire Fighting Measures =====

Flash Point:28F TOC
Lower Limits:1.0
Upper Limits:12.0
Extinguishing Media:CO*2,DRY CHEM,FOAM
Fire Fighting Procedures:NONE KNOWN
Unusual Fire/Explosion Hazard:HIGHLY DANGEROUS WHEN EXPOSED TO HEAT OR OPEN FLAME.

===== Accidental Release Measures =====

Spill Release Procedures:ELIMINATE ALL SOURCE OF IGNITIONS.ABSORB SMALL SPILLS ON RAGS OR ABSORBENT MATL.LARGE SPILLS

PILL SHOULD BE DIKED & LIQD

TRANSFERRED TO SALVAGE TANK.REMAINING LIQ BE ABSORBED ON ABSORBENT
MATL & SHOVEL INTO CONTAINERS SUITABLE FOR SHIPMENT TO DISPOSAL
AREA

=====
Handling and Storage
=====

Handling and Storage Precautions:TRANSPORT & STORE IN CLOSED CONTAINERS
AT TEMPERATURE BELOW 110F AWAY FROM HEAT & OPEN FLAMES.
Other Precautions:OPEN CAUTIOUSLY TO AVOID SPURTING

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:FRESH AIR HOOD OR CANISTER GAS MASK IN ENCLOSED
AREAS.

Ventilation:LOCAL EXHAUST

Protective Gloves:RESISTANT

Eye Protection:CHEM SPLASH GOGGLES

Other Protective Equipment:RUBBER APRON & BOOTS.

Supplemental Safety and Health

EFFECTS OF OVEREXPOSURE(CONTD): INGESTION-NAUSEA & VOMITING.

=====
Physical/Chemical Properties
=====

HCC:F2

Boiling Pt:=76.7C, 170.F

Vapor Pres:80

Vapor Density:>2.0

Spec Gravity:0.814

Evaporation Rate & Reference:

>1.0(BU ACETATE)

Solubility in Water:APPRECIABLE

Appearance and Odor:WATER WHITE-SOLVENT ODOR

Percent Volatiles by Volume:100

=====
Stability and Reactivity Data
=====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZERS & CORROSIVE

Hazardous Decomposition Products:CARBON DIOXIDE

=====
Disposal Considerations
=====

Waste Disposal Methods:LIQD MAY BE DISPOSED OF BY INCINERATION OR
SHIPPED TO RECYCLING DISTILLATION PLANT.ABSO

RBED MATL BE SHIPPED TO

APPROVED LANDIFLL FOR DISPOL IAW LOCAL, STATE & FED REGULATION.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their particular situation.