

CHEMICAL COMMODITIES AGENCY, INC. -- DWG 642AS0810C (NAVAIR) -- 6850-01-029-0632

===== Product Identification =====

Product ID:DWG 642AS0810C (NAVAIR)

MSDS Date:09/17/1987

FSC:6850

NIIN:01-029-0632

MSDS Number: BGFTY

=== Responsible Party ===

Company Name:CHEMICAL COMMODITIES AGENCY, INC.

Address:27447 PACIFIC STREET

City:HIGHLAND

State:CA

ZIP:92346-2640

Country:US

Info Phone Num:909-864-2310/FAX

6220 D. ANGELO

Emergency Phone Num:909-864-2310

Preparer's Name:CHARLES A. EISENHARD

CAGE:60777

=== Contractor Identification ===

Company Name:CHEMICAL COMMODITIES AGENCY, INC.

Address:27447 PACIFIC STREET

Box:City:HIGHLAND

State:CA

ZIP:92346-2640

Country:US

Phone:909-864-2310

CAGE:60777

===== Composition/Information on Ingredients =====

Ingred Name:METHYLENE CHLORIDE (SARA III)

CAS:75-09-2

RTECS #:PA8050000

Fraction by Wt: >68.0%

OSHA PEL:500 PPM/C,1000; Z2

ACGIH TLV:50 PPM

, A2; 9192
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:NAPHTHA ALIPHATIC
Fraction by Wt: >28.0%

Ingred Name:XYLENES (O-,M-,P- ISOMERS) (SARA III)
CAS:1330-20-7
RTECS #:ZE2100000
Fraction by Wt: >4.0%
OSHA PEL:100 PPM/150 STEL
ACGIH TLV:100 PPM/150STEL;9192
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health H

azards Acute and Chronic:ACUTE:ANESTHETIC

EFFECTS:HEADACHE,NAUSEA DIZZINESS;IRRITATION OF EYES AND SKIN.
CHRONIC:CARBOXYHEMOGLOBIN LEVELS MAY BE ELEVATED.

Explanation of Carcinogenicity:ACGIH:SUSPECTED CARCINOGEN ON HUMAN;
IARC & NTP:ANIMAL SUFFICIENT EVIDENCE,INADEQUATE EVIDENCE ON HUMAN.

Medical Cond Aggravated by Exposure:LIVER OR KIDNEY
DAMAGE,CABOXYHEMOGLOBIN LEVEL MAY BE ELEVATED.

=====
===== First Aid Measures =====

First Aid:EYE:FLUSH W/C

OPIOUS AMOUNT OF WATER;SKIN:WASH WITH SOAP &

WATER;INHALE:REMOVE TO FRESH AIR,GIVE ARTIFICIAL RESPIRATION IF
NEEDED;ING:INDUCE VOMITING,IMMEDIATELY CALL PHYSICIAN.

CAUTION:W/SOME SOLVENTS ,DRINK ALCOHOL SHORTLY BEFORE,AFTER CAUSE
BAD EFF.

=====
===== Fire Fighting Measures =====

Flash Point:60F/15.6C

Extinguishing Media:WATER FOG.

Fire Fighting Procedures:WEAR SELF-CNTND BRTHG APP

Unusual Fire/Explosion Hazard:NONE

=====
===== Accidental Rel

Spill Release Procedures: SMALL SPILLS: MOP UP, WIPE UP OR SOAK UP IMMEDIATELY, REMOVE TO OUT OF DOORS; LARGE SPILLS: EVACUATE AREA, CONTAIN LIQUID, TRANSFER TO CLOSED METAL CONTAINERS, KEEP OUT OF WATER SUPPLY.

=====
Spill Release Procedures: SMALL SPILLS: MOP UP, WIPE UP OR SOAK UP IMMEDIATELY, REMOVE TO OUT OF DOORS; LARGE SPILLS: EVACUATE AREA, CONTAIN LIQUID, TRANSFER TO CLOSED METAL CONTAINERS, KEEP OUT OF WATER SUPPLY.

=====
Handling and Storage
=====

Handling and Storage Precautions: AVOID BREATHING VAPORS, STORE IN A COOL PLACE.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection: USE NIOSH/MSHA APPROVED RESPIRATOR FOR ORGANIC VAPORS IF ABOVE TLV OR PEL.

Ventilation: PROVIDE MECHAN(GEN/LOCAL EXHAUST) VENT TO MAINTN