View NSN Online: https://aerobasegroup.com/nsn/9150-01-035-5390

SULFLO -- GL-5 GEAR OIL 75W -- 9150-01-035-5390

Product ID:GL-5 GEAR OIL 75W

MSDS Date:04/05/1988

FSC:9150

NIIN:01-035-5390

MSDS Number: BGGHY === Responsible Party === Company Name:SULFLO Address:1158 ERIE AVE City:NORTH TONAWANDA

State:NY ZIP:14120 Country:US

Info Phone Num:716-695-3585

Emergency Phone Num:716-695-3585

Preparer's Name: THOMAS MUSILLI, TECH DIR

С

AGE:MO654

=== Contractor Identification ===

Company Name:SULFLO Address:1158 ERIE AVE

Box:City:NORTH TONAWANDA

State:NY ZIP:14120 Country:US

Phone:716-695-3585

CAGE:MO654

Company Name:SULFLO INC

Address:1158 ERIE AVE

Box:285

City:NORTH TONAWANDA

State:NY

ZIP:14120-3507 Country:US

Phone:716-695-3585

CAGE:1V074

====== Composition/Information on Ingredients ========

Ingred Name: MINERAL OIL

CAS:64742-53-6 RTECS #:PY8036000 Fraction by Wt: 70%

Ingred Name: MINERAL OIL

CAS:72623-83-7

F

Ingred Name:HITEC E-320 Fraction by Wt: 7%
======================================
Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:NONE GIVEN BY MFR. Effects of Overexposure:MILD IRRITANT TO SKIN & EYES.
======================================
First Aid:EYES-FLUSH W/WATER 15 MIN,GET MED ATTN. SKIN-REMOVE CONTAM CLOTHING
& LAUNDER;WASH AREAS W/SOAP & WATER. INGEST-DO NOT INDUCE VOMITING;GET MED ATTN.
======================================
Flash Point:380F Extinguishing Media:WATER FOG,CARBON DIOXIDE,FOAM,EARTH & SAND Fire Fighting Procedures:WATER MAY CAUSE FROTHING Unusual Fire/Explosion Hazard:NONE
======== Accidental Release Measures ==========
Spill Release Procedures:ABSORB W/SAND OR INERT MATL;SWEEP OR SCOOP UP & REMOVE.
Handling and Storage ====================================
Handling and Storage Precautions:KEEP AWAY FROM SPARKS & OPEN FLAMES. WASH THOROUGHLY AFTER HANDLING. DO NOT GET IN EYES OR ON CLOTHING.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NOT REQD Ventilation:PROVIDE ADEQUATE VENTILATION. Protective Gloves:PVC,NEOPRENE,POLYETHYLENE Eye Protection:FACE SHIELD Other Protective Equipment:NOT REQD Supplemental Safety and Health
======================================

raction by Wt: 23%

hemical Properties =========
HCC:V6 Boiling Pt:B.P. Text:700F Spec Gravity:0.90 Solubility in Water:NEGLIGIBLE Appearance and Odor:FLUID,BLAND
======== Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES STRONG OXIDIZERS Stability Condition to Avoid:OPEN FLAMES Hazardous Decomposition Products:CARBON MONOXIDE & CARBON DIOXIDE IF COMBUSTION INCOMPLETE
====== Disposal Considerations =========
Waste Disp osal Methods:INCINERATE
Disclaimer (provided with this information by the compiling agencies):

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their

particular situation.