

SOUTHWEST PETROLEUM CORP -- SWEPCO 201 GEAR LUBE,SAE 80W/90 -- 9150-01-035-5392
===== Product Identification =====

Product ID:SWEPCO 201 GEAR LUBE,SAE 80W/90

MSDS Date:01/01/1985

FSC:9150

NIIN:01-035-5392

MSDS Number: BGGJS

=== Responsible Party ===

Company Name:SOUTHWEST PETROLEUM CORP

Emergency Phone Num:817-332-2336

CAGE:FO609

=== Contractor Identification ===

Company Name:SOUTHWEST PETROLEUM
CHEM.

Address:1400 S. HARRISON

City:OLATHE

State:KS

ZIP:66061

Phone:(913) 782-5800

CAGE:FO609

Company Name:SOUTHWESTERN PETROLEUM CORP

Address:534 N MAIN ST

Box:961005

City:FORT WORTH

State:TX

ZIP:76106

Country:US

Phone:817-348-7235

CAGE:14392

===== Composition/Information on Ingredients =====

Ingred Name:PARAFFINIC BASE OIL

Ingred Name:SULFUR-PHOSPHOROUS ADDITIVE

===== Hazards Identification =====

Effects of Overexposure:IRRITANT

=====

===== First Aid Measures =====

First Aid:INGESTION: TAKE LIQUIDS AND INDUCE VOMITING. EYES: FLUSH WITH WATER FOR 15 MINUTES. SKIN: WASH WITH SOAP AND WATER. CLEAN CUTS AND SCRATCHES. CALL PHYSICIAN.

===== Fire Fighting Measures =====

Flash Point:405F, 207C, COC
Extinguishing Media:SAND, CO*2, FOAM AND DRY CHEMICALS.
Fire Fighting Procedures:THE USE OF WATER IS NOT RECOMMENDED.
Unusual Fire/Explosion Hazard:PRODUCT IS OIL
BASED MATERIAL.

===== Accidental Release Measures =====

Spill Release Procedures:WIPE UP WITH ABSORBENT MATERIAL.

===== Handling and Storage =====

Handling and Storage Precautions:PRODUCT SHOULD BE STORED IN A CLEAN DRY PLACE AWAY FROM OPEN FLAME, FIRE OR EXCESSIVE HEAT.
Other Precautions:EXCESSIVE COLD, HEAT AND MOISTURE SHOULD BE AVOIDED.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:MFR RECOMMENDS NONE.
Ventilation:LOCAL EXHAUST RECOMMENDED.
Protective Gloves:RECOMMENDED
Eye Protection:SAFETY GLASSES
Supplemental Safety and Health
CONTAINER SIZE: 1 QT CAN

===== Physical/Chemical Properties =====

HCC:V6
Appearance and Odor:LIGHT AMBER AND AN OILY ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
NONE

===== Disposal Considerations =====

W

Waste Disposal Methods: MFR RECOMMENDS FOLLOWING LOCAL REQUIREMENTS FOR WASTE OIL DISPOSAL. WASTE DISPOSAL METHOD MUST BE IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATION.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.