

WITCO CORP GOLDEN BEAR DIVISION -- MIL-L-2105C;LUBRICATING OIL.GEAR,GRD 80W-90 --  
9150-01-035-5393

===== Product Identification =====

Product ID:MIL-L-2105C;LUBRICATING OIL.GEAR,GRD 80W-90

MSDS Date:01/01/1987

FSC:9150

NIIN:01-035-5393

MSDS Number: BGGKX

=== Responsible Party ===

Company Name:WITCO CORP GOLDEN BEAR DIVISION

Address:10100 SANTA MONICA BLVD SUITE 1470

City:LOS ANGELES

State:CA

ZIP:

90067

Country:US

Info Phone Num:805-393-7110

Emergency Phone Num:805-393-7110

CAGE:07750

=== Contractor Identification ===

Company Name:WITCO CORP GOLDEN BEAR DIVISION

Address:10100 SANTA MONICA BLVD SUITE 1470

City:LOS ANGELES

State:CA

ZIP:90067

Country:US

Phone:805-393-7110

CAGE:07750

===== Composition/Information on Ingredients =====

Ingred Name:LUBRICATING OIL (A HOMOGENEOUS PETROLEUM PRODUCTS).

Ingred Name:ADDITIVES(TYPE NOT SPECIFIED)

===== Hazards Identification =====

Routes of Entry: Inhalation:UNKNOWN Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Effects of Overexposure:SKIN:IRRIT/DERMATITIS ON PROLNGD

CONTCT;EYES:MAY CAUSE IRRIT;INH/INGEST:NOT STATED BY MFR

Medical Cond Aggravated by Exposure:PERSONS WITH A HISTORY OF AILMENTS

OR WITH A PRE-EXISTING DISEASE INVOLVING THE EYES, SKIN, OR

RESPIRATORY TRACT MAY BE AT INCREASED RISK FROM EXPOSURE.

===== First Ai

d Measures =====

First Aid:INHALATION:REMOVE TO FRESH AIR. RESUSCITATE IF NOT BREATHING. GET MEDICAL ATTENTION. EYES:IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR 15 MINUTES HOLDING EYELIDS OPEN. GET MEDICAL ATTENTION. SKIN:REMOVE CONTAMINATED CLOTHING. WASH WITH SOAP AND WATER. IF IRRITATION PERSISTS, GET MEDICAL ADVICE. INGESTION:DO NOT INDUCE VOMITING. GIVE NOTHING BY MOUTH IF UNCONSCIOUS. GET IMMEDIATE MEDICAL ATTENTION.

===== Fire  
Fighting Measures =====

Flash Point Method:COC  
Flash Point:>300F,>149C  
Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL.  
Fire Fighting Procedures:FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE.  
Unusual Fire/Explosion Hazard:AVOID USE OF WATER ON FIRES; CAUSES DENSE SMOKE.CONTNRS MAY EXPLODE IN HEAT OF FIRE.COOL W/H\*20

===== Accidental Release Measures =====

Spill Release Procedures:USE PROPER PERSONAL PROTECTION;CONTAIN FREE MATERIAL IF POSSIBLE;USE SUITABLE INERT ABSORBENT MATERIAL AND RECOVER FOR PROPER DISPOSAL IN AN APPROVED CONTAINER.  
Neutralizing Agent:NOT APPLICABLE.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL, DRY, WELL VENTILATED AREA. KEEP CONTAINERS TIGHTLY CLOSED WHEN NOT IN USE. PROTECT CONTAINERS FROM PHYSICAL DAMAGE.  
Other Precautions:DO NOT TAKE INTERNALLY. DO NOT BREATHE MIST. AVOID PROLONGED OR REPEATED BREATHING OF VAPOR. AVOID CONTACT WITH EYES. USE WITH ADEQUATE VENTILATION. WASH THOROUGHLY AFTER HANDLING.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATOR AS REQUIRED IF ABOVE PEL/TLV OR SCBA IN AN ENCLOSED AREA.  
Ventilation:LOCAL/GENERAL TO MAINTAIN PEL/TLV.  
Protective Gloves:NEO

PRENE, NITRILE, OR NATURAL RUBBER

Eye Protection:SAFETY GOGGLES WITH OPTIONAL FACE SHIELD

Other Protective Equipment:EYE WASH STATION AND SAFETY SHOWER,WORK CLOTHING AND APRON AS REQUIRED.

Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR FOOTWEAR.

Supplemental Safety and Health

AVOID PROLONGED OR REPEATED EXPOSURE. DO NOT GET ON SKIN OR IN EYES. DO NOT BREATHE VAPORS OR MISTS.

=====  
Physical/Chemical Properties

HCC:V6

Boiling Pt:B.P. Text:>550F,>288C

Vapor Pres: