

TEXACO, INC. -- TL-10446,2316 MULTIGEAR LUBIRCANT 80W/90 -- 9150-01-035-5393

=====
Product Identification
=====

Product ID:TL-10446,2316 MULTIGEAR LUBIRCANT 80W/90

MSDS Date:01/01/1985

FSC:9150

NIIN:01-035-5393

MSDS Number: BGGLL

=== Responsible Party ===

Company Name:TEXACO, INC.

Emergency Phone Num:(914) 831-3400 X406

CAGE:EO421

=== Contractor Identification ===

Company Name:TEXACO INC

Box:509

City:BEACON

State:NY

ZIP:12508-0509

Country:US

Phone:914-831-3400

CAGE:7B131

Company Name:TEXACO, INC.

Box:509

CAGE:EO421

=====
Composition/Information on Ingredients
=====

Ingred Name:NAPHTHA (PETROLEUM SPIRITS OR BENZIN)

CAS:8030-30-6

RTECS #:SE7555000

OSHA PEL:100 PPM

Ingred Name:METHACRYLATE COPOLYMER (0-9%)

Ingred Name:ADDITIVE PACKAGE (CONTAINING SULFUR, NITROGEN & PHOSPHORUS)
(0-9%)

Ingred Name:DEFOAMANT (0-9%)

=====
Hazards Identification
=====

=====

Effects of Overexposure:EYES/SKIN: BELIVED TO BE MIN IRRIT BY MFR. INH:
BELIEVED MIN IRRIT IF < PERMISSIBLE CONC.

===== First Aid Measures =====

First Aid:EYES: AS W/ MOST FOREIGN MATERIALS, SHOULD CNTCT OCCUR,FLUSH
W/PLENTY OF WATER.

===== Fire Fighting Measures =====

Flash Point:350F COC

Extinguishing Media:WATER SPRAY, CO*2. DRY CHEMICAL, ALCOHOL FOAM.

Fire Fighting Procedures:USE WATER TO
COOL FIRE EXPOS CANS. WATER/FOAM
- POSS FROTHNG

Unusual Fire/Explosion Hazard:HEAT/COMBUST WILL EVOLVE CO*2, CO,
ALDEHYDES & KETONES, COMBUST PRODUCTS OF NITROGEN & SULFUR

===== Accidental Release Measures =====

Spill Release Procedures:CONTAIN SPILL. ABSORB W/ INERT POROUS
MATERIAL. IN FIRE: IF A LEAK OR SPILL HAS NOT IGNITED, USE WATER
SPRAY TO DISPERSE THE VAPORS & PROVIDE PROTECTION FOR PERSONS
ATTEMPTING TO STOP THE LEAK.

=====

==== Handling and Storage =====

Handling and Storage Precautions:PERIODS OF EXPOSURE TO HIGH TEMP
SHOULD BE MINIMIZED.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:MFR STATES NONE REQ'D IF EXPOS ARE W/IN
PERMISSIBLE CONC

Ventilation:NORMAL

Eye Protection:GOG/FACE SHIELD,OPTIONAL

Other Protective Equipment:PERSONAL CLEANLINESS, WASH W/ SOAP/WATER,
LAUNDER CLOTHING

Supplemental Safety and Health

VAPOR PRESSURE: NIL. % V

OLATILE BY VOL: NIL. 5 GALLON CONTAINER SIZE.

===== Physical/Chemical Properties =====

HCC:V6
Spec Gravity:0.904
Solubility in Water:NEGLIGIBLE
Appearance and Odor:RED, GREEN BLOOM

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
Hazardous Decomposition Products:SEE UNUSUAL FIRE & EXPLOSION HAZARDS.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE IAW
FED, STATE & LOCAL CODES. MFR RECM
CONTACTING A WASTE OIL CONTRACTOR OR DISPOSAL SPECIALIST IF NEC.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice
to verify and
assume responsibility for the suitability of this information to their
particular situation.