

J.T.BAKER CHEMICAL CO. -- TRISODIUM PHOSPHATE 12-HYDRATE -- 6810-01-038-1175

=====  
Product Identification  
=====

Product ID:TRISODIUM PHOSPHATE 12-HYDRATE

MSDS Date:05/23/1989

FSC:6810

NIIN:01-038-1175

MSDS Number: BGGWS

=== Responsible Party ===

Company Name:J.T.BAKER CHEMICAL CO.

Address:222 RED SCHOOL LANE

City:PHILLIPSBURG

State:NJ

ZIP:08865-2219

Country:US

Info Phone Num:201-859-2151

Emergency

Phone Num:201-859-2151

CAGE:DO870

=== Contractor Identification ===

Company Name:J.T.BAKER CHEMICAL CO.

Address:222 RED SCHOOL LANE

City:PHILLIPSBURG

State:NJ

ZIP:08865-2219

Country:US

Phone:201-859-2151

CAGE:DO870

Company Name:MALLINCKRODT BAKER, INC.

Address:222 RED SCHOOL LANE

Box:City:PHILLIPSBURG

State:NJ

ZIP:08865

Country:US

Phone:800-582-2537

CAGE:70829

=====  
Composition/Information on Ingredients  
=====

Ingred Name:SODIUM PHOSPHATE, TRIBASIC (SARA III)

CAS:10101-89-0

RTECS #:TC9575000  
Fraction by Wt: 100%  
Other REC Limits:NONE SPECIFIED  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

=====  
===== Hazards Identification =====

LD50 LC50 Mixture:ORAL RAT LD50 IS 7400 MG/KG  
Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:SODIUM PHOSPHATE IS SEVERLY IRRITATING TO BODY TISSUES, ESPECIALLY MOIST ONES SUCH AS THE MUCOUS MEMBRANES. DUSTS WILL IRRITATE THE UPPER RESPIRATORY TRACT CAUSING COUGHING.  
Explanation of Carcinogenicity:SODIUM PHOSPHATE IS NOT LISTED AS A CARCINOGEN BY IARC, NTP, OR OSHA.  
Effects of Overexposure:EYE:SEVERE IRRITATION. SKIN:IRRITATION,POSSIBLE DERMATITIS. INHALED;RESPIRATORY IRRITATION,COUGHING,CHOKING,LARGE QUANTITIES MAY BE TOXIC. INGESTED:IRRITATION,BURNS OF MOUTH & THROAT. WILL PRODUCE NAUSEA,VOMITING,DIARRHEA.  
Medical Cond Aggravated by Exposure:NONE GIVEN BY MANUFACTURER.

=====  
===== First Aid Measures =====

First Aid:EYE:FLUSH W/WATER 15 MIN, HOLD LIDS OPEN. SKIN:REMOVE CONTAMINATED CLOTHING AND LAUNDRER BEFORE REUSE. WASH WITH SOAP & WATER. INHALED:REMOVE TO FRESH AIR. RESTORE BREATHING AS NEEDED. INGESTED:GIVE 2 LARGE GLASSES OF MILK OR WATER AND IMMEDIATELY INDUCE VOMITING. GIVE NOTHING BY MOUTH IF UNCONSCIOUS. GET IMMEDIATE MEDICAL CARE.

=====  
===== Fire Fighting Measures =====

Flash Point:NON-FLAMMABLE  
Extinguishing Media:PRODUCT IS NON FLAMMABLE. EXTINGUISH FIRE WITH MEDIA APPROPRIATE FOR SOURCE OF FIRE.  
Fire Fighting Procedures:FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE.  
Unusual Fire/Explosion Hazard:FIRE OR EXCESSIVE HEAT MAY CAUSE PRODUCTION OF HAZARDOUS DECOMPOSITION PRODUCTS.

=====  
===== Accidental Release Measures ===

=====

Spill Release Procedures:SWEEP,VACUUM OR OTHERWISE COLLECT, BEING CAREFUL NOT TO RAISE DUST. THEN FLUSH AREA WITH WATER.

Neutralizing Agent:NONE

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL,DRY AREA,PROTECTED FROM MOISTURE. KEEP TIGHTLY CLOSED.

Other Precautions:NONE

===== Exposure Controls/Personal Protection =====

Respiratory Protection:RESPIRATOR WILL NOT NORMALLY BE NECESSARY. USE

NIOSH/MSHA APPROVED AIR SUPPLIED RESPIRATOR OR RESPIRATOR FOR DUST/MIST IF EXPOSURE IS ABOVE THE TLV/PEL. SEE 29 CFR 1910.134 FOR REGULATIONS PERTAINING TO RESPIRATOR USE.

Ventilation:NORMAL ROOM VENTILATION IS SUFFICIENT. SUPPLEMENT WITH LOCAL EXHAUST IF PEL/TLV IS EXCEEDED.

Protective Gloves:RUBBER,VINYL OR OTHER IMPERVIOUS

Eye Protection:SAFETY GLASSES OR SPLASH GOGGLES

Other Protective Equipment:SAFETY SHOWER AND EYE WASH STATION, WORK CLOTHING TO PROTECT AGAINST SKIN CONTACT.

Work Hygienic Practices:USE GOOD CHEMICAL HYGIENE PRACTICE. AVOID UNNECESSARY CONTACT.

Supplemental Safety and Health

MFR PRODUCT CODE = S1770-04.

===== Physical/Chemical Properties =====

HCC:N1

Spec Gravity:POWDER

Solubility in Water:APPRECIABLE

Appearance and Odor:WHITE CRYSTALLINE POWDER, NO ODOR

Percent Volatiles by Volume:NONE

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STR

ONG ACIDS,IRON AND OTHER HEAVY METALS.

Stability Condition to Avoid:HEAT

Hazardous Decomposition Products:OXIDES OF PHOSPHORUS

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE I/A/W ALL FEDERAL, STATE AND LOCAL REGULATIONS. MANUFACTURER MAKES NO SUGGESTION OF DISPOSAL METHOD.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The Unite

d States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their

particular situation.