

QUAKER STATE OIL REFINING CORP. -- SUPER QUADROLUBE GEAR LUBRICANT, 85W/140 --
9150-01-048-4591

===== Product Identification =====

Product ID: SUPER QUADROLUBE GEAR LUBRICANT, 85W/140

MSDS Date: 01/01/1985

FSC: 9150

NIIN: 01-048-4591

MSDS Number: BGHTN

=== Responsible Party ===

Company Name: QUAKER STATE OIL REFINING CORP.

Emergency Phone Num: 814-676-2726

CAGE: DO899

=== Contractor Identification ===

C

Company Name: QUAKER STATE CORPORATION

Address: 255 E JOHN CARPENTER FREEWAY

Box: City: IRVING

State: TX

ZIP: 75062

Country: US

Phone: 800-562-5928

CAGE: 77493

Company Name: QUAKER STATE OIL REFINING CORPORATION

Address: Box: 989

City: OIL CITY

State: PA

ZIP: 16301

Country: US

Phone: 814-676-7676

CAGE: DO899

===== Composition/Information on Ingredients =====

Ingred Name: PETROLUEM HYDROCARBONS (MFR SUGGESTS TLV FOR PRODUCT OF 5
MG/CUM AS OIL MIST)

Ingred Name: ADDITIVES

=====

==== First Aid Measures =====

First Aid:EYES:FLUSH W/COPIOUS AMT OF WATER & OBTAIN MEDICAL
ATTN.INGEST:DO NOT INDUCE VOMITING.OBTAIN MEDICAL ATTN.SKIN:AVOID
RPTD/PRLNG CNTCT W/SKIN.WASH CONTAM AREAS W/SOAP & WATER.

===== Fire Fighting Measures =====

Flash Point:385F MIN COC
Extinguishing Media:CO*2,FOAM,DRY CHEMICA
Fire Fighting Procedures:COOL EXPOS CONTAINERS W/WATER
Unusual Fire/Explosion Hazard:DO NOT STORE OR MIX W/STRONG OXIDA
NTS.

===== Accidental Release Measures =====

Spill Release Procedures:DIKE SPILLS.TAKE UP SPILLED MATERIAL W/DRY
CHEMICAL ABSORBENT.PREVENT ENTRY INTO SEWERS &/OR WATER COURSES.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINERS CLSD.AVOID EXCESSIVE
HEAT OR DIRECT FLAME.
Other Precautions:AVOID CONTACT W/EYES.AVOID PRLNG/RPTD CNTCT W/SKIN.

===== Exposure Controls/Personal Protection =====

Ventilation:ADEQUATE
Protective Gloves:NEOPRENE
Eye Protection:GOGGLES OR FACE SHIELD
Other Protective Equipment:LONG SLEEVES.MFR ALSO RECM NITRILE TY
GLOVES.
Supplemental Safety and Health
SPECIFIC GRAVITY: 0.8871/0.8816 1 QUART CONTAINER SIZE.

===== Physical/Chemical Properties =====

HCC:V6
Solubility in Water:NEGLIGIBLE
Appearance and Odor:LIGHT AMGER LIQ W/ORGANIC ODOR

===== Stability and Reactivity Data =====

St

ability Indicator/Materials to Avoid: YES
STRONG OXIDANTS SUCH AS LIQ CHLORINE & CONC OXYGEN
Hazardous Decomposition Products: OXIDES OF CARBON

===== Disposal Considerations =====

Waste Disposal Methods: MFR RECM INCIN OR SANITARY LANDFILL DISPOSAL IAW
FED, STATE & LOCAL CODES.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America
in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.