View NSN Online: https://aerobasegroup.ae/nsn/6850-01-060-5921

B&B CHEMICAL COMPANY, INC. -- 6166, 2023 A -- 6850-01-060-5921

Product ID:6166,2023 A MSDS Date:08/26/1996

FSC:6850

NIIN:01-060-5921

MSDS Number: BGJSD === Responsible Party ===

Company Name: B&B CHEMICAL COMPANY, INC.

Address:875 WEST 20TH. STREET,

City:HIALEAH

State:FL ZIP:33010 Country:US

Info Phone Num:305-888-5247

Emergency Phone Num:305-888-5247

Chemtrec Ind/Ph one:(800)424-9300

CAGE:21361

=== Contractor Identification ===

Company Name:B & B TRITECH, INC. Address:875 WEST 20TH. STREET,

Box:City:HIALEAH

State:FL

ZIP:33010-2310 Country:US

Phone:305-888-5247

Contract Num:SP0450-00-M-D970

CAGE:21361

======= Composition/Information on Ingredients ========

Ingred Name:DIETHANOLAMINE (SARA 313) (CERCLA)

CAS:111-42-2

RTECS #:KL2975000

Other REC Limits: NONE RECOMMENDED

OSHA PEL:3 PPM

ACGIH TLV:0.46 PPM; 9596

EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB

===

========= Hazards Identification ===========
LD50 LC50 Mixture:LD50 (ORAL, RAT) IS UNKNOWN. Health Hazards Acute and Chronic:OVEREXPOSURE MAY CAUSE IRRITATION OR BURNING TO EYES, IRRITATION TO SKIN AND RESPIRATORY SYSTEM AND CENTRAL NERVOUS SYSTEM DEPRESSION. Explanation of Carcinogenicity:NOT ESTABLISHED.
======================================
First Aid:INGESTION: INDUCE VOMITING. DRINK WATER. DERMAL: FLUSH WITH SOAP AND WATER. EYES: FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES. GET MEDICAL ATTENTION. INHALATION: REMOVE TO FRESH AIR.
======================================
Flash Point Method:COC Flash Point:NONE TO BOIL Extinguishing Media:WATER FORG, CARBON DIOXIDE, DRY CHEMICAL. Fire Fighting Procedures:NONE. Unusual Fire/Explosion Hazard:NONE.
========== Accidental Release Measures ==========
Spill Release Procedures:ABSORB WITH SAND OR INERT MATERI AL. MOP, SQUEEGEE AND INDUSTRIAL VACUUM.
============== Handling and Storage ==============
Handling and Storage Precautions:AVOID EXTREME TEMPERATURES. AVOID CONTACT WITH SKIN AND EYES.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:APPROVED ORGANIC VAPOR/AMINE IF VENTILATION IS INADEQUATE. Ventilation:USE WITH ADEQUATE VENTILATION. Protective Gloves:CHEMICAL GLOVES. Eye Protection:SAFETY GOGGLES. Other Protective Eq

uipment:NONE SPECIFIED BY MANUFACTURER.
Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.
Supplemental Safety and Health
NONE SPECIFIED BY MANUFACTURER.
======== Physical/Chemical Properties =========
HCC:T6
NRC/State Lic Num:NOT RELEVANT
Boiling Pt:=93.3C, 200.F
Spec Gravity:1.01
Evaporation Rate & Day Reference: ETHER-SLOWER
Solubility in Water:COMPLETE
Appearance and Odor:SLIGHTLY VISCOUS LIQUID - MILD ODOR
======== Stability and Reactivity Data ======
========
Stability Indicator/Materials to Avoid:YES
OXIDIZERS.
Stability Condition to Avoid:NONE SPECIFED BY MANUFACTURER.
Hazardous Decomposition Products:NONE Conditions to Avoid Polymerization:WILL NOT OCCUR.
Conditions to Avoid Folymenzation. WILL NOT OCCOR.
======= Disposal Considerations ==========
Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH ALL LOCAL, STATE AND FEDERAL REGULATIONS.
======================================
Disclaimer (provided with this information by
the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.