

THE LOCKREY CO. INC. -- LIQUI MOLY NV THREAD COMPOUND -- 8030-01-087-8254  
===== Product Identification =====

Product ID:LIQUI MOLY NV THREAD COMPOUND  
MSDS Date:01/01/1985  
FSC:8030  
NIIN:01-087-8254  
MSDS Number: BGLGK  
=== Responsible Party ===  
Company Name:THE LOCKREY CO. INC.  
Emergency Phone Num:609-665-4794  
CAGE:KO338  
=== Contractor Identification ===  
Company Name:LOCKREY CO LUBRICANTS DIVISION  
A  
Address:CEDAR SHORES  
Box:City:SOUTHAMPTON  
State:NY  
ZIP:11968  
Country:US  
CAGE:98113  
Company Name:THE LOCKREY CO. INC.  
CAGE:KO338

===== Composition/Information on Ingredients =====

Ingred Name:ETHYLENE GLYCOL (SARA III)  
CAS:107-21-1  
RTECS #:KW2975000  
OSHA PEL:C 50 PPM  
ACGIH TLV:C 50 PPM,VAPOR; 9192  
EPA Rpt Qty:1 LB  
DOT Rpt Qty:1 LB

Ingred Name:MOLYBDENUM DISULFIDE  
CAS:1317-33-5  
RTECS #:QA4697000  
OSHA PEL:10 MG/M3 TDUST (MO)  
ACGIH TLV:10 MG/M3 (MO); 8990

=====

Hazards Identification =====

Effects of Overexposure:NONE

===== First Aid Measures =====

First Aid:EYES,SKIN: FLUSH W/ WATER FOR AT LEAST 15 MINUTES.

===== Fire Fighting Measures =====

Flash Point:470F, 243.3 (OC)

Extinguishing Media:CO\*2, DRY CHEMICAL, FOAM

Fire Fighting Procedures:NIOSH/MSHA APPRVD AIR PACK

Unusual Fire/Explosion Hazard:BURNING CAN PRODUCE OXIDES OF NITROGEN,  
SULFUR & CO\*2.

===

===== Accidental Release Measures =====

Spill Release Procedures:COLLECT FOR DISPOSAL

===== Handling and Storage =====

Handling and Storage Precautions:NONE

Other Precautions:NONE

===== Exposure Controls/Personal Protection =====

Respiratory Protection:MFR RECOMMENDS NONE

Ventilation:LOCAL EXHAUST

Protective Gloves:PLASTIC

Eye Protection:SAFETY GLASSES

Other Protective Equipment:EYE & SAFETY SHOWER

Supplemental Sa

fety and Health

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:482F, 250C

Vapor Density:1

Spec Gravity:0.999

Evaporation Rate & Reference:NEGLIGIBLE

Solubility in Water:NEGLIGIBLE

Appearance and Odor:BLUISH GRAY;SWEET,PLEASANT ODOR.

Percent Volatiles by Volume:0

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

CONTACT WITH CHEMICAL OXIDANTS SHOULD BE AVOIDED

Stability Condition

to Avoid:ABNORMAL CONDITIONS PRODUCE INSTABILITY  
Hazardous Decomposition Products:BURNING CAN PRODUCE OXIDES OF  
NITROGEN, SULFUR, CO\*2.

===== Disposal Considerations =====

Waste Disposal Methods:MFR RECOMMENDS INCINERATION. WASTE DISPOSAL  
METHOD MUST BE IAW FEDERAL, STATE & LOCAL CODES.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.