

PRATT AND LAMBERT,INC. -- EN ALKYD LUST RED 31136 -- 8010-01-088-0099

=====  
Product Identification  
=====

Product ID:EN ALKYD LUST RED 31136  
MSDS Date:01/01/1987  
FSC:8010  
NIIN:01-088-0099  
MSDS Number: BGLGY  
=== Responsible Party ===  
Company Name:PRATT AND LAMBERT,INC.  
Address:16116 E 13TH ST  
Box:2153  
City:WICHITA  
State:KS  
ZIP:67201  
Country:US  
CAGE:61196

==== Contractor Identification ====

Company Name  
PRATT AND LAMBERT INC  
Box:6027  
City:CLEVELAND  
State:OH  
ZIP:44101-1027  
Country:US  
Phone:216-566-2902  
CAGE:61196

=====  
Composition/Information on Ingredients  
=====

Ingred Name:ISOBUTYL ALCOHOL (SARA III)  
CAS:78-83-1  
RTECS #:NP9625000  
OSHA PEL:100 PPM  
ACGIH TLV:50 PPM; 9293  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

Ingred Name:TOLUENE (SARA III)  
CAS:108-88-3  
RTECS #:XS5250000  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:200 PPM; Z-2  
ACGIH TLV:S, 50 PPM; 9394  
EPA Rpt Qty:1000

LBS  
DOT Rpt Qty:1000 LBS

Ingred Name:TALC (CONTAINING NO ASBESTOS)  
CAS:14807-96-6  
RTECS #:WW2710000  
OSHA PEL:2 MG/M3 RDUST  
ACGIH TLV:2 MG/M3 RDUST; 9192

Ingred Name:SILICA, CRYSTALLINE - CRISTOBALITE  
CAS:14464-46-1  
RTECS #:VV7325000  
OSHA PEL:SEE TABLE Z3  
ACGIH TLV:0.05 MG/M3 RDUST9293

Ingred Name:SILICA, AMORPHOUS, DUST  
CAS:112945-52-5  
RTECS #:VV7310000  
OSHA PEL:6 MG/M3  
ACGIH TLV:10 MG/M3; 8990

Ingred Name:TALC (CONTAINING NO ASBESTOS)  
CAS:14807-96-6  
RTECS #:WW2710000  
OSHA PEL:2 MG/M3 RDUST  
ACGIH TLV:2 MG/M3 RDUST; 9192

Ingred Name:SILICA, CRYSTALLINE-CRISTOBALITE  
CAS:14464-46-1  
OSHA PEL:SEE TABLE Z3  
ACGIH TLV:0.05 MG/M3 RDUST9293

Ingred Name:SILICA, CRYSTALLINE - FUSED  
CAS:60676-86-0  
RTECS #:VV7328000  
OSHA PEL:SEE TABLE Z3  
ACGIH TLV:0.1 MG/M3 RDUST;9293

==== Hazards Identification =====

Effects of Overexposure:PNEUMOCONIOSIS,PERMANENT NERVOUS SYSTEM  
DAMAGE,INTERNAL ORGAN DAMAGE.DELIBERATE INHALATION HARMFUL.

===== Firs

First Aid Measures =====

First Aid:INGESTION:INDUCE VOMITING-CONSULT PHYSICIAN.INHALATION:REMOVE TO FRESH AIR.RESTORE BREATHING.KEEP WARM AND QUIET.GET PHYSICIAN.EYES:15 MINUTE WATER FLUSH.SKIN:REMOVE CONTAMINATED CLOTHING.WASH SKIN WITH SOAP AND WATER.

===== Fire Fighting Measures =====

Flash Point:20F,-7C  
Extinguishing Media:CARBON DIOXIDE,DRY CHEMICALS,ALCOHOL,POLYMER FOAMS.  
Fire Fighting Procedures:SELF CONTAINED BREATHING APPARATUS.WATER-FOG TO COOL CONTAINERS.  
Unusual Fire/Explosion Hazard:CONTAINER EXPLOSION HAZARD DUE TO EXTREME HEAT,EXPOSURE TO SOURCES OF IGNITION.

===== Accidental Release Measures =====

Spill Release Procedures:REMOVE SOURCES OF IGNITION.CONTAIN WITH INERT MATERIAL.TRANSFER TO COVERED METAL CONTAINERS.PREVENT ENTRY TO DRAINS,SEWERS AND GROUND WATER,WEAR RESPIRATORS,EYE,SKIN PROTECTION.REMOVE LIQUID WITH INERT ABSORBENT AND NON-SPARKING TOOLS.

==

===== Handling and Storage =====

Handling and Storage Precautions:DO NOT STORE ABOVE 120F.STORE LARGE QUANTITIES IN ACCORDANCE WITH OSHA 29CFR1910-106.KEEP CONTAINER CLOSED.DO NOT BREATHE DUST,FUMES.  
Other Precautions:GROUND AND BOND CONTAINER TO RECEIVING VESSEL.DO NOT PUNCTURE,CUT OR WELD EMPTY CONTAINER.DO NOT WASH AND RE-USE CONTAINERS.DO NOT USE PRESSURE TO EMPTY CONTAINER.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH/OSHA RESPIRATOR IN ACCORDANCE WITH 29 CFR 1910.134  
Ventilation:LOCAL EXHAUST TO REMOVE FLAMMABLE DECOMPOSITION PRODUCTS.  
Protective Gloves:SOLVENT RESISTANT  
Eye Protection:SHIELDED SAFETY GLASSES.  
Other Protective Equipment:EYEWASH FACILITY,SAFETY SHOWER.  
Supplemental Safety and Health

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:190F,88C  
Vapor Density:>AIR  
Evaporation Rate & Reference:SLOWER THAN ETHER  
Percent Volatile

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES  
STRONG ACIDS, ALKALINES, OXIDIZERS.  
Stability Condition to Avoid: EXCESSIVE HEAT. SOURCES OF IGNITION.  
Hazardous Decomposition Products: CO, CO\*2, SMOKE FROM IGNITION

===== Disposal Considerations =====

Waste Disposal Methods: DO NOT INCINERATE CLOSED CONTAINERS. DISPOSE OF  
IN ACCORDANCE WITH EPA, LOCAL, STATE AND FEDERAL REGULATIONS FOR  
FLAMMABLE, HAZOURDOUS WASTES.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this informat  
ion to their  
particular situation.