

MALLINCKRODT INC. SCIENCE PRODUCTS DIVISION -- CALCIUM CARBONATE -- 6810-01-097-4735

===== Product Identification =====

Product ID:CALCIUM CARBONATE

MSDS Date:04/06/1989

FSC:6810

NIIN:01-097-4735

MSDS Number: BGLRC

=== Responsible Party ===

Company Name:MALLINCKRODT INC. SCIENCE PRODUCTS DIVISION

Address:PARIS BYPASS

Box:M

City:PARIS

State:KY

ZIP:40361

Country:US

Info Phone Num:314-982-5000

Emerge

ncy Phone Num:314-982-5000

CAGE:62910

=== Contractor Identification ===

Company Name:MALLINCKRODT SPECIALTY CHEMICALS CO

Address:222 RED SCHOOL LANE

Box:City:PHILLIPSBURG

State:NJ

ZIP:08865

Country:US

Phone:908-859-2151

CAGE:62910

===== Composition/Information on Ingredients =====

Ingred Name:CALCIUM CARBONATE

CAS:471-34-1

RTECS #:FF9335000

Fraction by Wt: >99%

Other REC Limits:NONE SPECIFIED

OSHA PEL:15 MG/M3 TDUST

ACGIH TLV:10 MG/M3 TDUST; 9192

===== Hazar

ds Identification =====

LD50 LC50 Mixture:NO INFORMATION FOUND

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: NASAL IRRITATION. CHRONIC:  
ALKALOSIS.

Effects of Overexposure:EYES: IRRITATION. SKIN: NOT EXPECTED TO BE A  
HAZARD. INHALATION: COUGHING, SNEEZING AND NASAL IRRITATION.  
INGESTION: NON-TOXIC.

Medical Cond Aggravated by Exposure:NO INFORMATION FOUND.

=====

===== First Aid Measures =====

First Aid:EYES: FLUSH WITH PLENTY OF WATER. IF IRRITATION PERSISTS, SEE  
DOCTOR. SKIN: WASH WITH SOAP AND WATER.IF IRRITATION PERSISTS SEE  
DOCTOR. INHALATION: REMOVE TO FRESH AIR. GET MEDICAL ATTENTION.  
INGESTION: IF LARGE AMOUNT SWALLOWED DRINK LARGE AMOUNT OF WATER,  
SEE DOCTOR.

===== Fire Fighting Measures =====

Flash Point:NONE

Extinguishing Media:NON-FLAMMABLE. USE EXTINGUISHING ME  
DIA APPROPRIATE  
FOR SURROUNDING FIRE.

Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A  
FULL FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED  
CONTAINERS WITH WATER SPRAY.

Unusual Fire/Explosion Hazard:COMBUSTION OR HEAT OF FIRE MAY PRODUCE  
HAZARDOUS DECOMPOSITION PRODUCTS AND VAPORS.

===== Accidental Release Measures =====

Spill Release Procedures:CLEAN-UP PERSONNEL REQUIRE PROTECTIVE CLOTHING  
& RESPIRATORY PROTECTI  
ON FROM DUST. COLLECT BY SWEEPING, MOPPING OR  
WET VACUUMING AS APPROPRIATE. COLLECTED WASTE MAY BE TRANSFERRED TO  
A CLOSED METAL CO NTAINER. AVOID DUSTING CONDITIONS.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP IN TIGHTLY CLOSED CONTAINERS AT  
COOL, DRY, VENTILATED PLACE. PROTECT AGAINST PHYSICAL DAMAGE.

Other Precautions:AVOID PROLONGED EXPOSURE TO DUST. PRACTICE GOOD  
INDUSTRIAL AND PERSONAL HYGIENE AND SFETY PROCEDU

RES BY AVOIDING

ALL UNNECESSARY EXPOSURE TO CHEMICAL SUBSTANCES. ENSURE PROMPT  
REMOVAL FROM SKIN, EYES AND CLOTHING.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY REQUIRED. USE NIOSH/MSHA-APPROVED  
RESPIRATOR WITH DUST CARTRIDGE IF TLV IS EXCEEDED.

Ventilation:LOCAL AND/OR GENERAL EXHAUST TO MAINTAIN EXPOSURE LEVEL  
BELOW TLV.

Protective Gloves:IMPERVIOUS

Eye Protection:SAFETY GLASSES W/SIDE SHIELD OR GOGGLES.

Other Prot

ective Equipment:EMERGENCY EYE LAVAGE AND SHOWER. LAB COAT,  
APRON OR COVERALLS.

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING. AVOID  
GENERATING DUST. CONTACT LENSES SHOULD NOT BE WORN.

Supplemental Safety and Health

NONE.

===== Physical/Chemical Properties =====

HCC:N1

Melt/Freeze Pt:M.P/F.P Text:825C DECOMP

Decomp Temp:Decomp Text:1517F,825C

Spec Gravity:2.7-2.95

Solubility in Water:NEGLIGIBLE

Appearance and Odor:FINE WHITE POWDER, ODORLESS

=====

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

ACIDS, FLOURINE, MAGNESIUM WITH HYDROGEN

Stability Condition to Avoid:HIGH HEAT, OPEN FLAMES AND OTHER SOURCES  
OF IGNITION

Hazardous Decomposition Products:CALCIUM OXIDE FUMES AND CARBON DIOXIDE  
WHEN HEATED TO DECOMPOSITION.

===== Disposal Considerations =====

Waste Disposal Methods:COLLECTED WASTE MAY BE TRANSFERRED TO A CLOSED,  
PREFERABLY MET

AL, CONTAINER AND SENT TO A RCRA-APPROVED WASTE  
DISPOSAL FACILITY. ENSURE COMPLIANCE WITH LOCAL, STATE & FEDERAL  
REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek

competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.