

CARE LABORATORIES, INC. -- CARE 1910 -- 8030-01-099-3443

=====  
Product Identification  
=====

Product ID:CARE 1910

MSDS Date:01/01/1985

FSC:8030

NIIN:01-099-3443

MSDS Number: BGLSX

=== Responsible Party ===

Company Name:CARE LABORATORIES, INC.

Emergency Phone Num:215-279-3777

CAGE:58365

=== Contractor Identification ===

Company Name:CARE LABORATORIES INC

CAGE:58365

Company Name:GENERAL SERVICES ADM

INISTRATION FEDERAL SUPPLY SVC

Address:CRYSTAL MALL BLDG 4 1941 JEFFERSON DAVIS

Box:HWY

City:WASHINGTON

State:DC

ZIP:20406

Country:US

CAGE:80244

=====  
Composition/Information on Ingredients  
=====

Ingred Name:SILICONE RESIN SOLUTION(45% TOLUENE,21% N-BUTANOL)

Fraction by Wt: 10.2%

ACGIH TLV:100PPM

Ingred Name:SILICONE ALKYD RESIN SOLUTION(10% TOLUENE)

Fraction by Wt: 30%

ACGIH TLV:100 PPM

Ingred Name:AROMATIC 150

Fraction by Wt: 21.2%

ACGIH TLV:100PPM

Ingred Name:ISOPROPYL A

LCOHOL (SARA III)  
CAS:67-63-0  
RTECS #:NT8050000  
Fraction by Wt: 4.6%  
OSHA PEL:400 PPM/500 STEL  
ACGIH TLV:400 PPM/500STEL;9192

Ingred Name:1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE (FREON 113) (SARA III)  
CAS:76-13-1  
RTECS #:KJ4000000  
Fraction by Wt: 28.6%  
OSHA PEL:1000PPM/1250STEL  
ACGIH TLV:1000PPM/1250STEL9192  
Ozone Depleting Chemical:1

=====  
Hazards Identification  
=====

Effects of Overexposure:AVOID BREATH VAPOR. INHALATION:HIGH VAPOR CONCENTRATIONS  
RESULTS RANGING FROM DIZZINESS, HEADACHE TO UNCONSCIOUSNESS.

=====  
First Aid Measures  
=====

First Aid:INHALATION:OVERCOME BY VAPOR REMOVE TO FRESH AIR. BREATH IS IRREGULAR OR STOPPED,GIVE RESUSCITATION,ADMINISTER OXYGEN.CALL PHYSICIAN. IF SWALLOWED DO NOT INDUCE VOMITING. EYES:FLUSH WITH WATER AT LEAST 15 MIN.

=====  
Fire Fighting Measures  
=====

Flash Point:NONE  
Extinguishing Media:FOAM,DRY CHEMICAL,CO<sub>2</sub>, WATER SPRAY, FOG  
Fire Fighting Procedures:COOL EXPOSE CONTAINERS WITH WATER  
Unusual Fire/Explosion Hazard:DO NOT STORE OR MIX WITH STRONG OXIDANTS

=====  
Accidental Release Measures  
=====

Spill Release Procedures:REMOVE PEOPLE FROM AREA AND ALL SOURCES OF IGNITION. PROVIDE VENT. PREVENT LIQUID FROM ENTERING SEWERS & WATERWAYS. ADD ABSORBENT TO SPILL AREA. LARGE SPILLS MAY BE SCOOPED UP WITH NONSPARKING TOOLS

=====  
Handling and Storage  
=====

Hand

ling and Storage Precautions:KEEP AWAY FROM HEAT,SPARKS,OPEN FLAME.  
GROUND CONTAINERS WHEN POURING. USE WITH ADEQUATE VENT. KEEP  
CONTAINERS CLOSED WHEN NOT IN USE

Other Precautions:AVOID BREATH VAPORS. AVOID PROLONGED OR REPEATED  
CONTACT WITH SKIN. WASH SKIN WITH SOAP & WATER AFTER CONTACT

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH/MSHA APPROVED RESP DEVICE IN ACCORD WITH  
EXPOS OF CONCERN

Ventilation:LOCAL EXHAUST/EXPLOSION  
PROOF MOTOR

Protective Gloves:CHEM RESISTANT

Eye Protection:CHEM SPLASH GOGGLES

Other Protective Equipment:HYDROCARBON-INSOLUBLE APRON

Supplemental Safety and Health

ADDED INGRED:ALKYL AMMONIUM ORGANIC PHOSPATE .1%,ANTHRAQUINENE DYE .1%

=====  
===== Physical/Chemical Properties =====

HCC:N1

Solubility in Water:NEGLIGIBLE

=====  
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
STRONG OXIDANTS. DISSOLVE OR SOFTEN SOME  
PLASTICS

Stability Condition to Avoid:HIGH TEMP, HEAT AND UVRADIATION

Hazardous Decomposition Products:INCOMP COMBUST:CO, CO\*2 & SIO\*2

=====  
===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF WASTE BY SUPERVISED INCINERATION OR  
IN A CHEMICAL DISPOSAL AREA IN COMPLIANCE WITH STATE AND FEDERAL  
REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Departm  
ent

of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.