

GENERAL ELECTRIC CO/SILICONE PROD. DIV -- POLYSILOXANE SBF1001 -- 9150-01-102-9455  
===== Product Identification =====

Product ID:POLYSILOXANE SBF1001

MSDS Date:07/15/1988

FSC:9150

NIIN:01-102-9455

MSDS Number: BGLXM

=== Responsible Party ===

Company Name:GENERAL ELECTRIC CO/SILICONE PROD. DIV

City:WATERFORD

State:NY

ZIP:12188

Info Phone Num:(518) 237-3330

Emergency Phone Num:(518) 237-3330

Prepar

er's Name:DA POLSINELLI

CAGE:01139

=== Contractor Identification ===

Company Name:GENERAL ELECTRIC CO, SILICONE PRODUCTS BUSINESS DEPT

Address:260 HUDSON RIVER RD

Box:City:WATERFORD

State:NY

ZIP:12188

Country:US

Phone:518-237-3330/800-332-3390

CAGE:01139

===== Composition/Information on Ingredients =====

Ingred Name:TRIBUTYL PHOSPHATE

CAS:126-73-8

RTECS #:TC7700000

Fraction by Wt: 1-5%

Other REC Limits:0.2 PPM

OSHA PEL:5 MG/M3

ACGIH TLV:0.2 PPM; 9293

Ingred Name:DIOCTYLAZELA

TE  
CAS:103-24-2  
RTECS #:CM2000000  
Fraction by Wt: 1-5%

Ingred Name:DIBUTYLTETRACHLOROPHTHLATE  
CAS:3015-66-5  
Fraction by Wt: 1-5%

=====  
Hazards Identification  
=====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:INGESTION: HARMFUL IF SWALLOWED. SKIN:  
MAY CAUSE MODERATE IRRITATION. EYE: MAY IRRITATE.  
Explanation of Carcinogenicity:NONE  
Effects of Overexposure:INGESTION: HARMFUL IF SWALLOWED. SKIN: MAY  
CAUSE MODERATE IRRITATION. EYE: MAY IRRITATE.

=====  
First Aid Measures  
=====

First Aid:INGESTION: IF SWALLOWED DON'T INDUCE VOMITING, GIVE LARGE  
QUANTITIES OF WATER TO DRINK & GET MEDICAL ATTENTION, NEVER GIVE  
ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. SKIN: WASH WITH SOAP &  
WATER. EYE S: IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR AT LEAST  
15 MINS & GET MEDICAL ATTENTION IF IRRITATION PERSISTS.

=====  
=====  
Fire Fighting Measures  
=====

Flash Point Method:PMCC  
Flash Point:400F  
Extinguishing Media:ALL STANDARD FIREFIGHTING MEDIA  
Fire Fighting Procedures:WEAR RESPIRATORY PROTECTION IF IN A CONFINED  
AREA.

=====  
Accidental Release Measures  
=====

Spill Release Procedures:WIPE, SCRAPE OR SOAK UP IN AN INERT MATERIAL &  
PUT IN A CONTAINER FOR DISPOSAL

=====  
Handling and Storage  
=====

Handling and

Storage Precautions:AVOID CONTACT WITH EYES.

===== Exposure Controls/Personal Protection =====

Protective Gloves:CLOTH

Eye Protection:SAFETY GLASSES

Other Protective Equipment:EYEWASH STATIONS

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:>560F

Vapor Pres:NEGLIGIBLE

Vapor Density:NEGLIGIBLE

Spec Gravity:0.997

Evaporation Rate & Reference:(BUTYL ACETATE = 1): NEGL

Solubility in Water:NEGLI

GIBLE

Appearance and Odor:PURPLE, SLIGHT ODOR.

Percent Volatiles by Volume: