

CHEMTRONICS,INC. -- HEATER ASSEMBLY SOLUTION -- 6665-01-112-1644

=====  
Product Identification  
=====

Product ID:HEATER ASSEMBLY SOLUTION

MSDS Date:01/01/1987

FSC:6665

NIIN:01-112-1644

MSDS Number: BGMHH

=== Responsible Party ===

Company Name:CHEMTRONICS,INC.

Emergency Phone Num:704 298-7941

CAGE:EO089

=== Contractor Identification ===

Company Name:CHEMTRONICS INC.

CAGE:0CG91

Company Name:CHEMTRONI

CS,INC.

Address:681 OLD WILLETS PATH

Box:City:HAUPPAUGE

State:NY

ZIP:11787

Country:US

Phone:800-645-5244

CAGE:EO089

=====  
Composition/Information on Ingredients  
=====

Ingred Name:CUPRIC CHLORIDE (SARA III)

CAS:7447-39-4

RTECS #:GL7000000

Fraction by Wt: 40%.

OSHA PEL:1 MG CU/M3

ACGIH TLV:1 MG/M3

EPA Rpt Qty:10 LBS

DOT Rpt Qty:10 LBS

Ingred Name:ETHYLENE GLYCOL (SARA III)

CAS:107-21-1

RTECS #:KW2975000

Fraction by Wt: 20%.

OSHA PEL:C 50 PPM

ACGIH TLV:C 50 PPM,VAPOR; 9192

EP

A Rpt Qty:1 LB  
DOT Rpt Qty:1 LB

Ingred Name:WATER,CAS#7732-18-5/  
CAS:7732-18-5  
RTECS #:ZC0110000  
Fraction by Wt: 40%.

=====  
Hazards Identification  
=====

Effects of

Overexposure:EYE:IRR,IRIDOCYCL;SKIN:INTOX;INH:INTOX,DIZZ,LOSS  
APETITE;ING:DIZZ,ABD.PAIN,3-4OZ CAUSE DEATH

=====  
First Aid Measures  
=====

First Aid:INH:REMOVE TO FRESH AIR,GIVE CPR,O\*2 IF NECESS;EYE:FLUSH  
W/WTR AT LEAST 15 MIN;SKIN:WASH W/SOAP&WTR;  
ING:GIVE 2 GLASSES WTR  
OR MILK&INDUCE VOMIT.SUPPORT RESP.IF NECESSARY

=====  
Fire Fighting Measures  
=====

Flash Point:>212F,>100C  
Extinguishing Media:DRY CHEM,ALC.FOAM.COOL CONT W/WTR.WTR/FOAM MAY  
CAUSE FROTHIN  
Fire Fighting Procedures:USE SCBA ON FIRES IN ENCLOSED AREAS.  
Unusual Fire/Explosion Hazard:NONE

=====  
Accidental Release Measures  
=====

Spill Release Procedures:ELIMINATE IGN.SOURCES.DO NOT BREATHE  
VAPORS.USE VE  
RMICULITE OR OTHER SUITABLE ABSORBENT TO ABSORB  
SPILLS.REMOVE RESIDUE BY FLUSHING W/WTR.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:1.DO NOT STORE W/OXIDIZING MTL.  
2.KEEP AWAY FROM SPARKS&FLAMES. 3.AVOID BREATHNG VAPORS. 4.AVOID  
SKIN/EYE CONTACT.  
Other Precautions:1.USE ONLY W/ADEQUATE VENITLATION. 2.NO SMOKING WHEN  
HANDLING. 3.COMBUSTIBLE LIQUID.

=====  
Exposure Controls/Personal Protection  
=====

Res

piratory Protection: MESA APPVD RESP. W/ORG. VAPOR CANNISTER  
Ventilation: PROVIDE MECHAN(GEN/LOCAL EXHAUST) VENT TO MAINTN 1.  
Spec Gravity: 1.  
Evaporation Rate & Reference: