View NSN Online: https://aerobasegroup.ae/nsn/6850-01-121-0945

MAGNAFLUX CORPORATION -- ZL-30A ZYGLO PENETRANT (PRE 10/85) -- 6850-01-121-0945

Product ID:ZL-30A ZYGLO PENETRANT (PRE 10/85)

MSDS Date:10/13/1983

FSC:6850

NIIN:01-121-0945

MSDS Number: BGMTF === Responsible Party ===

Company Name: MAGNAFLUX CORPORATION

Address:7300 WEST LAWRENCE AVE

City:CHICAGO

State:IL

ZIP:60656-3504 Country:US

Info Phone Num:312-867-8000

**Emerg** 

ency Phone Num:312-867-8000

Preparer's Name: BRUCE C. GRAHAM

CAGE:37676

=== Contractor Identification ===

Company Name: ILLINOIS TOOL WORKS INC MAGNAFLUX DIV

Address:3624 WEST LAKE AVENUE

Box:City:GLENVIEW

State:IL ZIP:60025 Country:US

Phone:847-657-5300/

CAGE:37676

======= Composition/Information on Ingredients ========

Ingred Name: NAPHTHA (PETROLEUM SPIRITS OR BENZIN)

CAS:8030-30-6

RTECS #:SE7555000 Fraction by Wt: 35.0% OSHA PEL:100 PPM

Ingred Name:FLUORESCENT DYE

Fraction by Wt

: 4%
========== Hazards Identification ===========
Effects of Overexposure:DIZZ, DERM, SKIN & EYE IRRIT.
======================================
First Aid:INHAL:RMV TO FRESH AIR. IF NOT BRTHNG GIVE CPR; IF BRTHNG DIFF GIVE OXYGEN. EYE:IMMED FLUSH W/PLENTY OF WATER. SKIN:WASH W/SOAP&WATER. RMV CONTAM CLTHG&SHOES. INGEST:INDUCE VOMIT. RPT UNTIL VOMIT IS C LEAR. NOTHG BY MOUTH IF UNCONSC. GET MEDICAL ATTN.
======================================
ire Fighting Measures ==============
Flash Point:200F, 93C PMCC
Extinguishing Media:CO*2, FOAM Fire Fighting Procedures:NONE SPECIFIED BY MFG. WEAR SCBA & PROTECT CLTHG.
Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MFG.
========= Accidental Release Measures =========
Spill Release Procedures:SOAK UP W SWEEPING COMPOUND/ABSORBING MATL & SWEEP UP. CAN BE FLUSHED AWAY W WATER SPRAY.LARGE SPILL:STOP SPILL AT SOURCE.ELIM ALL IGN SOURCES.DIKE SPILL AREA.PU MP LIQ TO SALVAGE
TANK.ABSORB REMAINING LIQ ON ABSORBENT MATL & TRANSFER TO CONTAINERS.
======================================
Handling and Storage Precautions:STORE AWAY FROM HEAT IN DRY LOC.KEEP CONTAINERS CLOSED.ALWAYS WEAR PROTECTIVE EQUIPMENTS DURING HANDLING TO AVOID PROLONGED/REPEATED SKIN CONTACT Other Precautions:EMPTY CONTR MAY BE HAZ.OBSERVE ALL PRECAUTIONS GIVEN IN THIS DATA SHEET.USE SPRAY PAINT BOOTH FOR SPRAYING MATL ON OBJEC
TS.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:SELF-CNTND.BRTHG. APP JOINTLY APPROVED BY NIOSH/MESA
Ventilation:LOCAL EXHAUST REQUIRED.
Protective Gloves:RUBBER/NEOPRENE  Eye Protection:SAFETY/CHEM GOGGLES
Other Protective Equipment:IMPERVIOUS CLOTHING, & BOOTS.FILTER TYPE RESP TO TRAP MIST
Supplemental Safety and Health
ITEM IS ZL-30A ZYGLO PENETRANT.UNDER THE SAME TRADE NAME,P/N,MAGNAFLUX CHANGED FORMULATION IN SEP 85 (SEE P/N IND "B

86,MANUFACTURER CHANGD THE FORMULATION AS WELL AS THE P/N TO READ Z L-30B ZYGLO PENETRANT (SEE P/N IND "C",SAME NSN.
========= Physical/Chemical Properties =========
HCC:N1 Boiling Pt:B.P. Text:410F,210C Vapor Pres:.25 Spec Gravity:0.96 Solubility in Water:NEGLIGIBLE Appearance and Odor:GREEN OILY LIQUID, OILY SMELL Percent Volatiles by Volume:5-10
========= Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES MAY DISSOLVE OR SOFTEN SOME RUBBER AND PLASTICS Stability Condition to Avoid:HEAT, OPEN FLAME OR OTHER SOURCES OF IGNITION.
Hazardous Decomposition Products:NONE

").EFFECTIVE NOV

Waste Disposal Methods:INCINERATE I/A/W ALL LOCAL, STATE & FEDERAL

======= Disposal Considerations ===========

REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United S tates of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.