View NSN Online: https://aerobasegroup.ae/nsn/3040-01-139-6575 HARNISCHFEGER CORP -- 1015M1-1 -- 6110-01-139-6575 Product ID:1015M1-1 MSDS Date:01/01/1985 FSC:6110 NIIN:01-139-6575 MSDS Number: BGNQC === Responsible Party === Company Name: HARNISCHFEGER CORP Address:13400 BISHOPS LN City:BROOKFIELD State:WI ZIP:53005-6203 Country:US CAGE:27315 === Contractor Identification === Company Name: HARNISCHFEGER CORP Address:13400 BIS **HOPS LN** Box:City:BROOKFIELD State:WI ZIP:53005-6203 Country:US Phone:414-671-4400 CAGE:27315 ======= Composition/Information on Ingredients ======== Ingred Name: ASBESTOS (AMIANTHUS, OBSOLETE AMOSITE), (FOR OSHA PEL, SEE 29CFR 1910.1101) CAS:1332-21-4 RTECS #:CI6475000 OSHA PEL:0.2 FIBERS/CC ACGIH TLV:0.5 FIBERS/CC; A1;89 EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB

============ Hazards Identification =========================

Effects of Overexposure: ASBESTOS DUST IS KNOWN HUMAN

CARCINOGEN.ALSO COUGH,SHORT OF BREATH,WEAKNESS,CYANOSIS,ETC.
======================================
First Aid:SKIN:CONSULT DOCTOR FOR DERMATITIS.EYES:FLUSH WITH WATER FOLLOWED BY TREATMENTS OF OPHTHALMOLOGIST.INHALATION:CONSULT PHYSICIAN AT ONCE.
======================================
Extinguishing Media:EXTINQUISH W. AGENT SUITABLE FOR SURROUNDING FIRE. Fire Fighting Procedures:WEAR SELF-CNTND BRTHG APP
======================================
Spill Release Procedures:PICK UP MATERIAL & RETURN TO CONTAINER.IF ANY BROKEN MATERIAL EXISTS,BE CAREFUL TO AVOID DUSTING CONDITIONS.PLACE BROKEN MATERIAL INTO A SEALED CONTAINER.VACUUM OR WET CLEAN ONLY. DO NOT DRY SWEEP.
========== Handling and Storage ============
Handling and Storage Precautions:AVOID CUTTING OR GRINDING ON ITEM.AVOID ANY DUSTING CONDITIONS.MAINTAIN GOOD HOUSEKEEPING.
======================================
= Exposure Controls/Personal Protection ========
Respiratory Protection:NIOSH APPROVED DUST MASK AS A MINIMUM.SELF CONT APP FOR DUSTING COND
Ventilation:PROVIDE GOOD LOCAL VENTILATION TO KEEP BELOW PEL Protective Gloves:WORKING GLOVES
Eye Protection:SAFETY GLASSES
Other Protective Equipment: FULL WORK CLOTHING TO PREVENT REPEATED OR PROLONGED CONTACT.

Supplemental Safety and Health SAFETY DATA DEVELOPED BY DGSC-STF.STORAGE BASED ON FACT THAT ASBESTOS

IS BOUND UP & NOT LOOSE.

======================================
HCC:T6 Appearance and Odor:ASBESTOS FIBERS IN BOUND FORM IN FRICTION LINING.
========= Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES NONE KNOWN Hazardous Decomposition Products:NONE KNOWN
======== Disposal Considerations ==========
Waste Disposal Methods:PLACE IN SEALED PLASTIC BAG OR

Waste Disposal Methods:PLACE IN SEALED PLASTIC BAG OR
CONTAINER.ULTIMATE DISPOSAL MUST COMPLY WITH ALL LOCAL,ST
ATE &

FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this informat ion to their particular situation.