

XEROX CORP -- FUSER LUBRICANT, 8R111 -- 6850-01-164-5738

===== Product Identification =====

Product ID:FUSER LUBRICANT, 8R111

MSDS Date:04/19/1995

FSC:6850

NIIN:01-164-5738

MSDS Number: BGPMW

=== Responsible Party ===

Company Name:XEROX CORP

Address:100 CLINTON AVE SOUTH

City:ROCHESTER

State:NY

ZIP:14644-1877

Country:US

Info Phone Num:716-422-2177/800-828-6571

Emergency Phone Num:716-422-2177/800-

828-6571

CAGE:0E6G9

=== Contractor Identification ===

Company Name:XEROX CORP

Address:300 MAIN ST NO 27C

City:EAST ROCHESTER

State:NY

ZIP:14645

Country:US

Phone:800-828-6571; 800-351-2024

CAGE:0E6G9

Company Name:XEROX CORPORATION

Address:100 CLINTON AVE SOUTH

Box:City:ROCHESTER

State:NY

ZIP:14644-1877

Country:US

Phone:800-828-6571/716-422-2177

CAGE:26921

===== Composition/Information on Ingredients =====

Ingred Name:POLY (DIMETHYLSILOXANE)

CAS:63148-62-9

RTECS #:JJ6484500

Fra

ction by Wt: 100%  
Other REC Limits:NONE RECOMMENDED

Ingred Name:VOLITILE ORGANIC CONTENT AS LISTED ON MSDS, VOC:980 G/L.  
RTECS #:9999999VC  
Fraction by Wt: NA  
Other REC Limits:NONE RECOMMENDED

=====  
===== Hazards Identification =====

LD50 LC50 Mixture:ORAL LD50:>35G/KG(RATS)PRACT NON-TOXIC  
Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:MINIMAL RESPIRATORY TRACT IRRITATION

MAY OCCUR AS WITH EXPOSURE TO LARGE AMTS OF ANY NON-TOXIC DUST. NOT  
AN EYE/SKIN IRRITANT. NOT A SKIN SENSITIZER.

Explanation of Carcinogenicity:PER MSDS:CARCINOGENS:NONE PRESENT.  
Effects of Overexposure:MINIMAL RESPIRATORY TRACT IRRITATION MAY OCCUR  
AS WITH EXPOSURE TO LARGE AMTS OF ANY NON-TOXIC DUST.  
Medical Cond Aggravated by Exposure:NONE WHEN USED AS DESCRIBED BY  
PRODUCT LITERATURE.

=====  
===== First Aid Measures =====

First Aid:EYES:FLUSH W/  
WATER. SKIN:WASH W/SOAP/WATER. INHAL:REMOVE FROM  
EXPO. INGEST:DILUTE STOMACH CONTENTS W/SEVERAL GLASSES OF WATER.

=====  
===== Fire Fighting Measures =====

Flash Point Method:COC  
Flash Point:>500F,>260C  
Autoignition Temp:Autoignition Temp Text:NP  
Lower Limits:NA  
Upper Limits:NA  
Extinguishing Media:FOAM, CARBON DIOXIDE, WATER SPRAY.  
Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS &  
PROTECTIVE CLOTHING.  
Unusual Fire/Explosion Hazard:NONE.

=====  
=====

===== Accidental Release Measures =====

Spill Release Procedures:SOAK UP W/AN ABSORBENT MATERIAL.  
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:USE REASONABLE CARE & CAUTION. CLEAN  
UP SPILLS COMPLETELY AS RESIDUE IS SLIPPERY.  
Other Precautions:NONE SPECIFIED BY MANUFACTURER.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED WHEN USED AS INTENDED IN XEROX  
EQUIPMENT.  
Ventilation:NONE SPECIFIED BY MANUFACTURER.  
Protective Gloves:PVC,PLASTIC GLOVES RECOMMENDED.  
Eye Protection:NONE REQUIRED WHEN USED AS INTENDED.  
Other Protective Equipment:NONE REQUIRED WHEN USED AS INTENDED IN XEROX  
EQUIPMENT.  
Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.  
Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:N1  
Boiling Pt:B.P. Text:300F,149C  
Melt/  
Freeze Pt:M.P/F.P Text:NA  
Decomp Temp:Decomp Text:NP  
Vapor Pres: