

EASTMAN KODAK COMPANY -- 124 9259 RP X-OMAT DEVELOPER REPLENISHER, PART C --
6525-01-199-1985

===== Product Identification =====

Product ID:124 9259 RP X-OMAT DEVELOPER REPLENISHER, PART C

MSDS Date:04/23/1997

FSC:6525

NIIN:01-199-1985

Kit Part:Y

MSDS Number: BGQKZ

=== Responsible Party ===

Company Name:EASTMAN KODAK COMPANY

Address:343 STATE STREET

City:ROCHESTER

State:NY

ZIP:14650

Country:US

Inf

o Phone Num:716-477-3194 MSDS :800- 242-2424

Emergency Phone Num:716-722-5151

CAGE:19139

=== Contractor Identification ===

Company Name:EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST

Box:City:ROCHESTER

State:NY

ZIP:14650-1115

Country:US

Phone:716-722-5151/(800) 242-2424

CAGE:19139

Company Name:EASTMAN KODAK CO US CUSTOMER SERVICE/GOVERNMENT SALES

Address:800 LEE RD

Box:City:ROCHESTER

State:NY

ZIP:14650-3129

Country:US

Phone:800-828-6203

CAGE:5K871

===== Composition/

Information on Ingredients =====

Ingred Name:WATER
CAS:7732-18-5
RTECS #:ZC0110000
Fraction by Wt: 40-45%
Other REC Limits:NONE RECOMMENDED

Ingred Name:GLUTARALDEHYDE
CAS:111-30-8
RTECS #:MA2450000
Fraction by Wt: 40-45%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:C 0.2 PPM
ACGIH TLV:C 0.2 PPM; 9596

Ingred Name:ACETIC ACID (CERCLA)
CAS:64-19-7
RTECS #:AF1225000
Fraction by Wt: 5-10%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:10 PPM
ACGIH TLV:10 PPM/15 STEL; 9596
EPA Rpt Qty:5000 LBS
D
OT Rpt Qty:5000 LBS

Ingred Name:5-NITRO-1H-INDAZOLE
CAS:5401-94-5
RTECS #:NK7962000
Fraction by Wt: 1-5%
Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:POSSIBLE RISK OF RESPIRAOTRY/SKIN
SENS.MINOR COMPO(5-NITROINDAZOLE)MAY CAUSE LIVER DMG BASED

ON
ANIMAL DATA.INHAL:VAP IRRIT.ALTHOUGH ITS KNOWN THAT GLUTARALDEHYDE
IS RESP TRACT IRRIT & MAY AGGRAVATE P RE-EXISTING ASTHAMTIC
DISORDERS SUPPORTING DATA FOR RESPIRATORY SENS ARE LESS
CONCLUSIVE.EYE:CAUSES SEVERE (SIGNS/SYPMTO)
Explanation of Carcinogenicity:PER MSDS:CARCINOGENICITY
CLASSIFICATION:IARC/ACGIH/NTP/OSHA:NONE.
Effects of Overexposure:HEALTH:BURNS.VAPOR IRRIT.SKIN:CAUSES SEVERE
BURNS.MAY CAUSE ALLERGIC SKIN REACTION.INGEST:HARMFUL IF
SWALLOWED.MAY CAUSE
BURNS OF GASTROINTESTINAL TRACT IF SWALLOWED.
Medical Cond Aggravated by Exposure:ALTHOUGH ITS KNOWN THAT
GLUTARALDEHYDE IS A RESPIRATORY TRACT IRRITANT & MAY AGGRAVATE
PRE-EXISTING ASTHMATIC DISORDERS, THE SUPPORTING DATA FOR
RESPIRATORY SENSITIZATION ARE LESS CONCLUSIVE.

===== First Aid Measures =====

First Aid:INHAL:MOVE TO FRESH AIR.TREAT SYMPTOMATICALLY.SYMPTOMS OCCUR
GET MED ATTN.EYES:IMMED FLUSH W/PLENTY OF WATER FOR @LEAST
15MIN
S.GET MED ATTN.SKIN:IMMED FLUSH W/PLENTY OF H2O FOR @LEAST
15MINS WHILE REM Oving CONTAM CLOTH/SHOES.GET MED ATTN
IMMED.INGEST:DONT INDUCE VOMIT.GIVE A GLASS OF WATER.NEVER GIVE
ANYTHING BY MOUTH IF UNCONSC.CALL DR/POIS CNTRL CNTR IMMED.

===== Fire Fighting Measures =====

Flash Point:NONE
Autoignition Temp:Autoignition Temp Text:NP
Extinguishing Media:WATER SPRAY, CARBON DIOXIDE (CO2),DRY
CHEMICAL,ALCOHOL FOAM.
Fire Fighting Procedures:WEAR SEL
F-CONTAIN BREATH APPARATUS/PROTECTIVE
CLOTHING.FIRE/EXCESSIVE HEAT MAY PRODUCE HAZ DECOMPOSITION
PRODUCTS.
Unusual Fire/Explosion Hazard:MAY FORM PEROXIDES OF UNKNOWN
STABILITY.MAY CAUASE SPONTANEOUS HEATING & IGNITION WHEN ABSORBED
ON COMBUSTIBLE,POROUS MTL(E.G. RAGS,PAPER,SAWDUST,COTTON,CLOTH).

===== Accidental Release Measures =====

Spill Release Procedures:FLUSH TO SEWER W/LG AMTS OF WATER.OTHERWISE
ABSORB W/VERMICULITE OR OTHER INERT MATERIA

L, THEN PLACE IN
CONTAINER FOR CHEMICAL WASTE. CLEAN SURFACE THOROUGHLY TO REMOVE
RESIDUAL CONTAMINATION.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:DONT GET IN EYES/SKIN/CLOTH.AVOID
BREATH VAP.USE W/ADEQU VENTI.KEEP FRM CONTACT W/OXIDIZ MATLS.KEEP
CNTNR TIGHTLY CLSD.STORE AWAY FRM HEAT/LIGHT.

Other Precautions:MIN EXPO TO AIR.IF PEROXIDE FORMATION SUSPECTED DONT
OPN

/MOVE CNTNR.MODERATELY ACIDIC AQU SOLN.PROPERT:LOW BIOCHEM OXY
DEMAND,LITTLE POT TO CAUSE OXY DEPLETION IN AQU SYS,MOD POT TO
AFFECT SOME AQU OR GN,MOD POT TO AFFECT 2ND WASTE(SUPPLE)

===== Exposure Controls/Personal Protection =====

Respiratory Protection:ENGINEERING CONTROLS DONT MAINTAIN AIRBORNE
CONCEN BELOW RECOMMENDED EXPO LIMITS APPROVED RESP MSUT BE
WORN.RESP TYPE:ORGANIC VAP.IF RESP USED PROGRAM SHOLD BE INSTITUTED
TO ASSURE COMPLIANCE W/OSHA S TD
29CFR1910.134.

Ventilation:USE GOOD GEN VENTI(TYP 10 AIR CHANGES/HR).MATCH VENTI RATES
W/CONDITIONS.USE PROCESS ENCLSR,LOC EXHA VENTI,OTHER (SUPPL)

Protective Gloves:IMPERVIOUS GLOVES.

Eye Protection:SAF GLASSES W/SIDESHIELDS,GOGG,FCSHIELD.

Other Protective Equipment:EYEBATH, WASHING FACILITIES, SAFETY
SHOWER.PROTECTIVE CLOTHING APPROPRIATE FOR RISK OF EXPOSURE.

Work Hygienic Practices:WASH CONTAM CLOTH BEF REUSE;DESTROY/CLEAN WELL
CONTAM SHOES.WASH THOROUGHLY AFT HNDLG.KEY1-HCC:C3.

Supplemental Safety and Health

OTHER PREC:TREAT MICRO METABOLISM,MOD POT TO AFFECT GERM/EARLY GROWTH
OF PLANTS,HI POT TO BIODEGRADE-LOW PERSIST-W/UNACCLIMATE MICROORG
FRM ACT SLUDGE,LOW POT TO PERSIST IN ENVIRO & BIOCONC.AFT DIL W/
LOTS OF H2O/2ND WASTE TREAT NOT EXPECT TO CAUSE ADVERSE ENVIRO
EFFECTS. VENTI:ENG CNTRL-MAINTAIN AIRBORNE LEV BEL LIMITS

===== Physical/Chemical Properties =====

HCC:C2

Boiling Pt:>100.C, 212.F

B.P. Text:>212F,>100C

Melt/

Freeze Pt:M.P/F.P Text:NP
Decomp Temp:Decomp Text:NP
Vapor Pres:18
Vapor Density:1.8
Spec Gravity:1.127
pH:2.7
Viscosity:NP
Evaporation Rate & Reference:NP
Solubility in Water:COMPLETE
Appearance and Odor:LIQUID, YELLOW-GREEN COLOR, ALDEHYDE ODOR
Percent Volatiles by Volume:95-99
Corrosion Rate:NP

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS.
Stability Condition to Avoid:NORMALLY STABLE;HOWEVER ON LONG TERM
STORAGE MATLS CONTAINING SIMILAR FUNCTIONAL GROUPS FORM PEROXIDES
OF UNKNOWN STABILITY.
Hazardous Decomposition Products:CARBON DIOXIDE, CARBON MONOXIDE.

===== Disposal Considerations =====

Waste Disposal Methods:DISCHARGE/TREATMENT/DISPOSAL MAY BE SUBJECT TO
NATIONAL/STATE/LOCAL LAWS.FLUSH TO SEWER WITH SMALL AMOUNTS OF WATER.SINCE EMPTIED
CONTAINER RETAIN PRODUCT RESIDUE FOLLOW LABEL WARNINGS EVEN AFTER CONTAINER
EMPTIED.CHEMICAL SUBJECT TO REPORTING REQUIREMENTS OF SECTION 313 TITLE I
II
SARA/40CFR372:NONE

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to
their
particular situation.