

U.S.GYPSUM CO.,ACCOUSTICAL PRODUCTS -- INSBLOK-19 -- 5330-01-213-6776

=====
Product Identification
=====

Product ID:INSBLOK-19

MSDS Date:08/30/1985

FSC:5330

NIIN:01-213-6776

MSDS Number: BGQRP

=== Responsible Party ===

Company Name:U.S.GYPSUM CO.,ACCOUSTICAL PRODUCTS

Address:101 S.WACKER DR.

City:CHICAGO

State:IL

ZIP:60606

Country:US

Info Phone Num:SAME

Emergency Phone Num:312-321-4383 OR -4382 (NIGHT)

CAGE:NO222

=== Contractor Identification ===

Company Name:U.S.GYPSUM CO.,ACCOUSTICAL PRODUCTS

Address:101 S.WACKER DR.

Box:City:CHICAGO

State:IL

ZIP:60606

Country:US

Phone:SAME

CAGE:NO222

Company Name:UNITED STATES GYPSUM CO

Address:101 S WACKER DR

Box:City:CHICAGO

State:IL

ZIP:60606-4302

Country:US

Phone:312-606-4000 (EMERG /4542)

CAGE:61357

=====
Composition/Information on Ingredients
=====

Ingred Name:SILICA, CRYSTALLINE - QUARTZ

CAS:14808-60-7

RTECS #:VV7330000

OSH

A PEL:SEE TABLE Z3
ACGIH TLV:0.1 MG/M3 RDUST;9293

Ingred Name:MINERAL WOOL
RTECS #:PY8070000
OSHA PEL:NONE ESTABLISHED
ACGIH TLV:10 MG/CUM TOTAL DUST

Ingred Name:STARCH
CAS:9005-25-8
RTECS #:GM5090000
Other REC Limits:10 MG/CUM TOTAL DUST
OSHA PEL:15 MG/M3 TDUST
ACGIH TLV:10 MG/M3; 9192

Ingred Name:PERLITE
CAS:93763-70-3
RTECS #:SD5254000
OSHA PEL:15 MG/M3 TDUST
ACGIH TLV:10 MG/M3 TDUST; 9192

Ingred Name:CELLULOSE (PAPER FIBER)
CAS:9004-34-6
RTECS #:FJ5691460
Other REC Limits:10 MG/CUM TOTAL
DUST
OSHA PEL:15 MG/M3 TDUST
ACGIH TLV:10 MG/M3; 9192

Ingred Name:KAOLIN
CAS:1332-58-7
RTECS #:GF1670500
Other REC Limits:10 MG/CUM TOTAL DUST
OSHA PEL:15 MG/M3 TDUST
ACGIH TLV:2 MG/M3 TDUST; 9293

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO
Health Hazards Acute and Chronic:CONTAINS MINERAL FIBER WHICH MAY CAUSE
TRANSITDRY ITCHING AND MECHANICAL IRRITATION TO SKIN AND EYES.
CUTTING,SANDING ETC. MAY PRODUCE

DUST CONTAINING RESPIRABLE ALPHA QUARTZ. LONG TERM OVER EXPOSURE TO ALPHA QUARTZ CAUSES SILICOSIS. Effects of Overexposure:EYE/SKIN: ITCHING,IRRITATION INHALED: IRRITATION,COUGHING. Medical Cond Aggravated by Exposure:HMIS:BREATHING DUST MAY AGGRIVATE PRE-EXISTING RESPIRATORY PROBLEMS.

=====
===== First Aid Measures =====

First Aid:EYES:FLUSH WITH WATER SKIN:WASH WITH SOAP AND WATER. INHALED: REMOVE TO FRESH AIR. IF ANY IRRITATION CONTINUES,CONSULT A PHYSICIAN.

=====
===== Fire Fighting Measures =====

Extinguishing Media:EXTINGUISHING MEDIA FOR SUROUNDING FIRE
Fire Fighting Procedures:NONE
Unusual Fire/Explosion Hazard:NONE

=====
===== Accidental Release Measures =====

Spill Release Procedures:NORMAL CLEAN-UP PROCEDURES. AVOID CREATING DUST.
Neutralizing Agent:NONE

=====
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN DRY AREA.
Other Precautions:WASH WORK CLOTHING SEPARATELY FROM OTHER CLOTHING.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF EXPOSED TO DUST OVER TLV, USE NIOSH DUST RESPIRATOR.
Ventilation:PROVIDE LOCAL EXHAUST TO MAINTAIN EXPOSURE UNDER TLV.
Protective Gloves:WORK GLOVES
Eye Protection:SAFETY GLASSES OR GOGGLES
Other Protective Equipment:LONG SLEEVED SHIRTS,LONG TROUSERS TO MINIMIZE SKIN EXPOSURE.
Supplemental Safety and Health UPDATE

===== Physical/Chemical Properties =====

HCC:N1
Spec Gravity:DENS.16-20 PCF
Solubility in Water:INSOLUBLE
Appearance and Odor:TAN BOARD

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
NONE
Stability Condition to Avoid:NONE
Hazardous Decomposition Products:NONE

===== Disposal Considerations =====

Waste Disposal Methods:LANDFILL I/A/W FEDERAL,STATE,LOCAL REGS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.