

KONICA BUSINESS MACHINES U.S.A., INC.(IMPORTER) -- ROYAL TONER 5003ZMR/5503ZMR PC/UA  
945-351 -- 6850-01-235-0930

===== Product Identification =====

Product ID:ROYAL TONER 5003ZMR/5503ZMR PC/UA 945-351  
MSDS Date:08/24/1987  
FSC:6850  
NIIN:01-235-0930  
MSDS Number: BGRCT  
=== Responsible Party ===  
Company Name:KONICA BUSINESS MACHINES U.S.A., INC.(IMPORTER)  
Address:500 DAY HILL ROAD  
City:WINDSOR  
State:C  
T  
ZIP:06095  
Country:US  
Info Phone Num:203-683-2222 EXT. 2093  
Emergency Phone Num:800-424-9300  
Preparer's Name:SECURITY & SAFETY DEPT.  
CAGE:89431  
=== Contractor Identification ===  
Company Name:SHIN-ETSU CHEMICAL CO LTD  
Address:6-1, 2-CHOME, OHTEMACHI, CHIYODAKU  
Box:City:TOKYO, JAPAN  
Phone:03-3246-5171  
CAGE:89431

===== Composition/Information on Ingredients =====

Ingred Name:CARBON BLACK  
CAS:1333-86-4  
RTECS #:FF5800000  
Fraction by Wt: 7-12%  
OSHA PEL:3.5 MG/M3  
ACGIH TLV:3.5 MG/M  
3; 9192

Ingred Name:SILICA, AMORPHOUS, DUST  
CAS:112945-52-5  
RTECS #:VV7310000  
Fraction by Wt: 5000MG/KG  
Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:AFTER EXTENSIVE TESTING IT HAS BEEN  
DETERMINED THAT THIS PRODUCT REPRESENTS NO KNOWN HEALTH OR SAFETY  
HAZARD.  
Effects of Overexposure:MINIMAL RESPIRATORY TRACT IRRITATION MAY OCCUR  
AS WITH ANY LGE AMTS OF NON-TOXIC DUST.  
Medical Cond Aggravat

ed by Exposure:NONE KNOWN

===== First Aid Measures =====

First Aid:EYES/FLUSH W/WATER 15 MIN;GET MED ATTN. SKIN-WASH W/SOAP & WATER. INHAL-REMOVE FROM EXPOSURE. INGEST-DILUTE STOMACH CONTENTS W/SEVERAL GLASSES WATER.

===== Fire Fighting Measures =====

Flash Point:NONE

Extinguishing Media:WATER,FOAM,CARBON DIOXIDE OR DRY CHEMICAL

Fire Fighting Procedures:WHEN IN A MACHINE,TREAT AS ELECTRICAL FIRE & DO NOT USE

WATER OR FOAM.

Unusual Fire/Explosion Hazard:IS A COMBUSTIBLE POWDER;WHEN DISPERSED INTO AIR AT HIGH CONCEN CAN FORM EXPLOSIVE MIXTURES. WHEN IGNITED THESE MISTURES COULD CAUSE DUST EXPLOSIONS

===== Accidental Release Measures =====

Spill Release Procedures:MINIMIZE DUSTING SITUATION;SWEEP UP OR VACUUM.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP FM CONTACT W/OXIDIZING MATLS.

KEEP OUT OF REA

CH OF CHILDREN

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQD WHEN USED AS INTENDED

Ventilation:NONE REQD WHEN USED AS INTENDED

Protective Gloves:NONE REQD WHEN USED AS INTENDED

Eye Protection:NONE REQD WHEN USED AS INTENDED

Other Protective Equipment:NONE REQD WHEN USED AS INTENDED

Supplemental Safety and Health

FOR USE OTHER THAN IN NORM OPERATIONS-GOGGLES & RESPIRATORS MAY BE REQD.

===== Physical/Chemical Properties =

=====

HCC:N1

Spec Gravity:1.1

Solubility in Water:NEGLIGIBLE

Appearance and Odor:FINE BLACK POWDER W/SLIGHT MILD ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZERS

Stability Condition to Avoid:EXTREME HEAT

Hazardous Decomposition Products:CARBON MONOXIDE & CARBON DIOXIDE AVOID  
BREATHING SMOKE.

===== Disposal Considerations =====

Waste Disposal Methods:NO SPECIAL

PROCEDURES REQD. INSURE CONFORMITY

W/FED,STATE & LOCAL REGS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility fo  
r the suitability of this information to their  
particular situation.