

OCTAGON PROCESS INC. -- MIL-C-85570B TYPE II,CLEANING COMPOUND -- 6850-01-236-0128
===== Product Identification =====

Product ID:MIL-C-85570B TYPE II,CLEANING COMPOUND

MSDS Date:09/25/1986

FSC:6850

NIIN:01-236-0128

MSDS Number: BGRCW

=== Responsible Party ===

Company Name:OCTAGON PROCESS INC.

Address:596 RIVER ROAD

City:EDGEWATER

State:NJ

ZIP:07020-1105

Country:US

Info Phone Num:201-945-9400

Emer

gency Phone Num:201-945-9400

CAGE:82925

=== Contractor Identification ===

Company Name:OCTAGON PROCESS INC.

Address:596 RIVER ROAD

Box:City:EDGEWATER

State:NJ

ZIP:07020

Country:US

Phone:201-945-9400

CAGE:82925

===== Composition/Information on Ingredients =====

Ingred Name:DIPROPYLENE GLYCOL METHYL ETHER

CAS:34590-94-8

RTECS #:JM1575000

Fraction by Wt: 10%

OSHA PEL:S,100PPM/150STEL

ACGIH TLV:S,100PPM/150STEL9192

Ingred Name:MORPHOLINE

CAS:110-91-8

RTECS #:QD6475000

Fraction b

y Wt: 1%
OSHA PEL:S,20 PPM/30 STEL
ACGIH TLV:S, 20 PPM; 9192

=====
Hazards Identification
=====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:MAY CAUSE TEMPORARY EYE
IRRITATION.FLAKING AND DRYNESS OF SKIN.PROLONGED SKIN CONTACT MAY
CAUSE DERMATITIS.
Effects of Overexposure:EYES:BURNING,STINGING;SKIN:MILD IRRITATION.
Medical Cond Aggravated by Exposure:NO DATA
AVAILABLE.

=====
First Aid Measures
=====

First Aid:INHAL:RMV TO FRESH AIR. IF NOT BRTHNG GIVE CPR; IF BRTHNG
DIFF GIVE OXYGEN. EYE:IMMED FLUSH W/PLENTY OF WATER. SKIN:WASH
W/SOAP&WATER. RMV CONTAM CLTHG&SHOES. INGEST:INDUCE VOMIT. RPT
UNTIL VOMIT IS C LEAR. NOTHG BY MOUTH IF UNCONSC. GET MEDICAL ATTN.

=====
Fire Fighting Measures
=====

Flash Point:NONE
Extinguishing Media:CO*2, FOAM, DRY CHEM & H*2O FOG.
Fir
e Fighting Procedures:WEAR SCBA AND PROTECTIVE CLOTHING. USE WATER
SPRAY TO KEEP FIRE EXPOSED CONTAINERS COOL.
Unusual Fire/Explosion Hazard:NONE

=====
Accidental Release Measures
=====

Spill Release Procedures:DIKE AREA OF SPILL.ABSORB SMALL
QUANTITIES.LARGE SPILLS SHOULD BE VACUUMED UP AND RECOVER FREE
LIQUID IF POSSIBLE.DO NOT GET INTO SEWERS,DRAINS OR WATERWAYS.

=====
Handling and Storage
=====

Handling and Storag

e Precautions:STORE IN COOL,DRY WELL VENTED LOW FIRE RISK AREA. PROTECT FROM HEAT,SHOCK,FRICTION. KEEP CONTAINERS CLOSED.

Other Precautions:DO NOT MIX W.STRONG AC OR OXIDIZERS.WASH HANDS & FACE AFTER USING.LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT NORMALLY NEED-NIOSH APPVD RESP IF TLV IS EXCEEDED.

Ventilation:MECHANICAL (GENERAL) VENTILATION AND LOCAL EXHAUST TO KEEP BELOW TLV.

Protective Gloves:CHEM.RESIST.

Eye Protection:GOGGLES/FACE SHIELD

Other Protective Equipment:AS NEEDED TO AVOID SPLASHING ON SKIN. EYEWASH STATION.

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING.LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Health

=====
===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:212F,100C

Spec Gravity:1.015

Solubility in Water:COMPLETE

Appearance and Odor:PALE YELLOW LIQUID,MILD ODOR

=====

=====
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
OXIDIZING AGENTS.

Stability Condition to Avoid:NONE NOTED

Hazardous Decomposition Products:CARBON MONOXIDE,CARBON DIOXIDE,UNIDENTIFIED CARBON PRODUCTS.

=====
===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IAW LOCAL,STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information

is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.