

MOBIL OIL CORPORATION -- MOBILGREASE 28 -- 9150-01-262-3358

===== Product Identification =====

Product ID:MOBILGREASE 28

MSDS Date:03/19/1988

FSC:9150

NIIN:01-262-3358

MSDS Number: BGRLY

=== Responsible Party ===

Company Name:MOBIL OIL CORPORATION

Address:3225 GALLOWS ROAD

City:FAIRFAX

State:VA

ZIP:22037

Country:US

Info Phone Num:703-849-3265

Emergency Phone Num:212-883-4411

CAGE:1G112

=== Contra

ctor Identification ===

Company Name:MOBIL OIL CORP, NORTH AMERICAS MARKETING AND REFINING

Address:3225 GALLOWS ROAD

Box:City:FAIRFAX

State:VA

ZIP:22037

Country:US

Phone:800-662-4525/ 856-224-4644

CAGE:3U728

Company Name:MOBIL OIL CORPORATION

Address:3225 GALLOWS RD

City:FAIRFAX

State:VA

ZIP:22037-0001

Phone:(703) 846-1482

CAGE:1G112

===== Composition/Information on Ingredients =====

Ingred Name:ACETONE (SARA III)

CAS:67-64-1

RTECS #:AL3150000

Fraction by Wt: 2.0%

OSHA PEL:1

000PPM
ACGIH TLV:750PPM/1000STEL;9293
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:SYNTHETIC OILS
Fraction by Wt: 70.0%
Other REC Limits:5MG/CUM AS OIL MIST

Ingred Name:ADDITIVES AND/OR OTHER INGREDIENTS (CONTAINS
ANILINE,2-PROPANONE,1,3-PROPANEDIOL,2,2-B1(HYDROXYMETHYL)- IN
TRACES)
Fraction by Wt: 30.0%

=====
Hazards Identification
=====

LD50 LC50 Mixture:ORAL RAT =5G/KG
Health Hazards Acute and Chronic:ACUTE:PER MSDS NOT EXPECTED TO BE A
P
ROBLEM;MAY IRRITATE EYE OR SKIN. CHRONIC:NO DATA AVAILABLE.
Effects of Overexposure:SEE HEALTH HAZARDS DATA.
Medical Cond Aggravated by Exposure:NO DATA AVAILABLE.

=====
First Aid Measures
=====

First Aid:EYES:FLUSH WITH WATER;CALL A PHYSICIAN. SKIN:WASH WITH SOAP &
WATER. INHALATION:REMOVE TO FRESH AIR,IF NEEDED. INGESTION:NOT
EXPECTED TO BE A PROBLEM;IF NEEDED CONSULT A PHYSICIAN AT ONCE.

=====
Fire Fighting Measures
=====

Flash Point Method:COC
Flash Point:450F/232C
Lower Limits:0.6
Upper Limits:7.0
Extinguishing Media:CO*2,FOAM,DRY CHEMICAL & WATERFOG
Fire Fighting Procedures:WATER OR FOAM MAY CAUSE FROTHING;USE WATER TO
COOL CONTAINER;USE NIOSH/MSHA APPROVED SCBA IN AN ENCLOSED AREA.
Unusual Fire/Explosion Hazard:NONE NOTED

=====
Accidental Release Measures
=====

Spill Release Procedures:USE PROPER PERSONAL PROTECTION;SWEEP UP AND
REMOVE & KEEP FOR PROPER DISPO

SAL.

=====
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL,DRY AND WELL VENTILATED
AREA.KEEP AWAY FROM HEAT,OPEN FLAMES.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NO SPECIAL REQUIREMENTS;USE ADEQUATE VENTILATION
UNDER NORMAL USE.

Ventilation:GENERAL TO MAINTAIN AN ADEQUATE VENTILATION

Protective Gloves:AS REQUIRED (IMPERVIOUS)

Eye Protection:AS REQUIRED (AT LEAST SAFETY GLASS
ES)

Other Protective Equipment:SKIN AND EYES PROTECTION;EYE-WASH

Work Hygienic Practices:AVOID CONTACT WITH EYES AND SKIN;WASH
THOROUGHLY AFTER EACH USE.

Supplemental Safety and Health

FOR MSDS AND OTHER RELATED INFORMATION,CALL (703)849-3265, AT FAIRFAX
OFFICE IN VIRGINIA.

=====
===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:600F/316C

Vapor Pres:0.1

Spec Gravity:0.887

Solubility in Water:NEGLIGIBLE

Appearance and Odor:RED GREASE,MILD ODOR

=

=====
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZERS

Stability Condition to Avoid:EXTREME HEAT

Hazardous Decomposition Products:CO AND/OR CO*2

=====
===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF COLLECTED MATERIAL IN ACCORDANCE WITH
LOCAL,STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formu

lated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.