View NSN Online: https://aerobasegroup.com/nsn/6850-01-263-7245

MAGNAFLUX CORPORATION -- ZL-30B ZYGLO PENETRANT -- 6850-01-263-7245

Product ID:ZL-30B ZYGLO PENETRANT

MSDS Date:11/19/1986

FSC:6850

NIIN:01-263-7245

MSDS Number: BGRNB === Responsible Party ===

Company Name: MAGNAFLUX CORPORATION

Address:7300 W. LAWRENCE AVENUE

City:CHICAGO

State:IL

ZIP:60656-3504 Country:US

Info Phone Num:312-867-8000 Emergency Phone Num:312-867

-8000

Preparer's Name: BRUCE C. GRAHAM

CAGE:37676

=== Contractor Identification ===

Company Name: ILLINOIS TOOL WORKS INC MAGNAFLUX DIV

Address:3624 WEST LAKE AVENUE

Box:City:GLENVIEW

State:IL ZIP:60025 Country:US

Phone:847-657-5300/

CAGE:37676

======= Composition/Information on Ingredients ========

Ingred Name:LUBRICATING OIL(PETROLEUM),CLAY TREATED (MINERAL OIL-CLAY

TREATED)
CAS:64742-50-3
Fraction by Wt: 10.0%

Ingred Name: KEROSENE

CAS:8008-20-6

RTECS #:OA5500000

Fraction by

Wt: 05.0%

ACGIH TLV:100 MG/CUM

Ingred Name:DISTILATES(PETROLEUM),CATALYTIC REFORMER FRACTIONATER

RESIDUE, LOW BOILING

CAS:68477-31-6 Fraction by Wt: 30.0%

ACGIH TLV:5MG/CUM FOR OIL MIST

Ingred Name: UNIDENTIFIED COMPONENTS

Fraction by Wt: 55.0%

========== Hazards Identification ===============

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO Health Hazards Acute and Chronic:IRRITATES EYES.

Effects of Overexposure:INHALATION:CAUSES DIZZINESS,DROWSINESS,NAUSEA;

SK

IN:LIQUID IRRITATES BY DISSOLVING SKIN OIL; EYES:VAPORS/LIQUID CAUSES IRRITATION.

Medical Cond Aggravated by Exposure: NOT KNOWN.

First Aid:INHALATION:REMOVE TO FRESH AIR.IF BREATHING IS DIFFICULT, GIVE OXYGEN; SKIN:REMOVE CONTAMINATED CLOTHES.WASH OFF WITH FLOWING WATER.USE SOOTHING LOTION.IF IRRITATION PERSISTS, GET MEDICAL ATTN; EYES:IMM EDIATELY RINSE/FLUSH WITH COPIOUS AMOUNT OF RUNNING WATER.AND GET MED

ICAL ATTENTION.

Flash Point Method:PMCC Flash Point:>200F/>93C

Extinguishing Media: CARBON DIOXIDE, FOAM.

Fire Fighting Procedures: KEEP CONTAINERS COOL WITH WATER SPRAY.

Unusual Fire/Explosion Hazard:WHEN INVOLVE IN COMBUSTION,MAY EMIT TOXIC GASES AT OR ABOVE DECOMPOSITION TEMPERATURE.

======== Accidental Release Measures ===========

Spill Release Procedures: REMOVE IGNITION SOURCES. SM QTY: WIPE UP OR MOP

Handling and Storage Precautions:STORE AWAY FROM HEAT SOURCES IN WELL VENTILATED AREA.AVOID AGAINST PHYSICAL DAMAGE TO CONTAINERS.KEEP CONTAINERS TIGHTLY CLOSED.

Other Precautions:DO NOT BREATHE VAPORS.DO NOT S

MOKE WHILE USING.DO NOT

HEAT ABOVE 130F(54C).AVOID FREQUENT OR PROLONGED SKIN CONTACT.

===== Exposure Controls/Personal Protection ========

Respiratory Protection: USE NIOSH APPROVED RESPIRATOR FOR CONFINED AREAS.

Ventilation: GENERAL ROOM VENTILATION TO KEEP BELOW TLV LIMITS.

Protective Gloves: USE NITRILE RUBBER GLOVES IF NEEDED.

Eye Protection: FULL GOGGLES/SAFETY GLASSES W/SIDESHIELD

Other Protective Equipment: NOT KNOWN.

Work Hygienic Practices: WASH OFF PROMPTLY WITH WAT

ER.AVOID SKIN

CONTACT.

Supplemental Safety and Health

NSN OF MIL-I-25135, TYPE I, METHOD C, LEVEL4; PER QPL-25135-15, MAGNAFLUX MAY SUPPLY ONE OF THE FOLLOWING PENETRANTS FOR TYPE I, METHOD C, LEVEL 4 UNDER THIS NSN: ZL-56, ZL-38, ZL-37, OR ZL-30B; THIS ENTRY DESCRI BES ZL-30B; PRODUCT NOT AVAILABLE IN AEROSOL CANS. SEE OTHER PNI OF THIS NSN FOR MORE QUALIFIED ITEMS.

========= Physical/Chemical Properties ===========

HCC:N1

Boiling Pt:B.P. Text:410F/210C

Vapor Pres:1.0 Spec Gravity:0.96

Solubility in Water: NEGLIGIBLE

Appearance and Odor: GREEN LIQUID.

Percent Volatiles by Volume:5%

======== Stability and Reactivity Data ==========

Stability Indicator/Materials to Avoid:YES

NONE KNOWN.

Stability Condition to Avoid: HEAT, HIGH TEMPERATURES.

Hazardous Decomposition Products: EMITS OXIDES OF CARBON AND NITROGEN ON COMBUSTION.

======= Disposal Considerations ===========

Waste Disposal Methods: INCINERATE OR DISPOSE OF AS

EPA HAZARDOUS WASTE
D001 (IGNITABLE WASTE),IN ACCORDANCE WITH ALL APPLICABLE
FEDERAL,STATE,LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent profe ssional advice to verify and assume responsibility for the suitability of this information to their particular situation.