

PRODUCTS RESEARCH & CHEMICAL CORPORTION -- PR-1201-RLS PART A POLYSULFIDE SEALANT -- 8030-00-148-7362

===== Product Identification =====

Product ID:PR-1201-RLS PART A POLYSULFIDE SEALANT

MSDS Date:03/15/1988

FSC:8030

NIIN:00-148-7362

Kit Part:Y

MSDS Number: BGSMK

=== Responsible Party ===

Company Name:PRODUCTS RESEARCH & CHEMICAL CORPORTION

Address:5430 SAN FERNANDO ROAD

Box:1800

City:GLENDALE

St

ate:CA

ZIP:91209

Country:US

Info Phone Num:(818) 240-2060

Emergency Phone Num:(800) 228-5635

Preparer's Name:RW

CAGE:DO563

=== Contractor Identification ===

Company Name:PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Phone:818-240-2060

CAGE:83574

Company Name:PRODUCTS RESEARCH & CHEMICAL

Address:NOW DBA COURTAULDS AEROSPACE

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Phone:818-240-2060

CAGE:DO563

=====

=== Composition/Information on Ingredients =====

Ingred Name:LEAD PEROIXIDE (CATALYST)

CAS:1309-60-0

RTECS #:OG0700000

Fraction by Wt: 75%

OSHA PEL:0.05 MG/M3

ACGIH TLV:0.15 MG/M3

===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:LEAD DIOXIDE IS BY INHAL OF AIRBORNE
DUST PARTICLES. IN THIS PRODUCT, LEAD DIOXIDE IS THOROUGHL

Y &

PERMANENTLY WETTED, & THEREFORE DOES NOT PRESENT A RISK OF EXPOSURE
TO DUST PARTICLES. HOWEVER, INORG ANIC LEAD COMPOUNDS IN GENERAL
ARE TOXICBY INGES, ALTHOUGH NOT READILY ABSORBED.

Effects of Overexposure:SEE ABOVE. ALSO ANEMIA, CENTRAL NERVOUS SYSTEM
EFFECTS, ABDOMINAL COLIC OR KIDNEY FUNCTION LOSS CAN OCCUR AT BLOOD
LEAD LEVELS OF 60 MICROGRAMS/100 GRAMS. THE MAXIMUM IS 40
MIRCROGRAMS/100 GRAMS

===== First Aid Measures =====

First Aid:EYES: IMMED FLUSH WITH WATER. IF IRRI PERSISTS, CONSULT
PHYSICIAN. SKIN: WASH THOROUGHLY WITH SOAP AND WATER. INHALATION:
NOT APPLICABLE. AND INGESTION: CONSULT A PHYSICIAN

===== Fire Fighting Measures =====

Flash Point:NA

Extinguishing Media:WATER

Unusual Fire/Explosion Hazard:OXIDIZER

===== Accidental Release Measures =====

Spill Release Procedures:SCOOP UP SPILLED MATERIAL. CLEAN UP RESIDUE
WITH RAGS AND

sclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.