View NSN Online: https://aerobasegroup.ae/nsn/6750-00-577-4624

CLAYTON CHEMICAL COMPANY -- 471-090; 418-94A; SUPERSTRENGTH SHORT STOP 6750-00-577-4624

Product ID:471-090; 418-94A; SUPERSTRENGTH SHORT STOP MSDS Date:07/27/1992 FSC:6750 NIIN:00-577-4624 MSDS Number: BGSTL === Responsible Party === Company Name: CLAYTON CHEMICAL COMPANY Address:13310 S. FIGUEROA ST. **City:LOS ANGELES** State:CA ZIP:90061 Country:US Info Phone Nu m:213-538-9530 Emergency Phone Num:213-538-9530 Preparer's Name: JOHN B. TAYLOR CAGE:61803 === Contractor Identification === Company Name: CLAYTON CHEMICAL CO. Address:13310 S. FIGUEROA STREET Box:City:LOS ANGELES State:CA ZIP:90061 Country:US Phone:310-538-9530/800-424-9300(CHEMTREC) CAGE:61803 Company Name: CLAYTON CHEMICAL CO., A DIV OF VARICHEM CORP Address:RR 1 Box:276-Z City:HEATHSVILLE State:VA ZIP:22473 Country:US Phone:703-759-9399 CAGE:6W820

======== Composition/Information on Ingr

edients =========

Ingred Name: ACETIC ACID (SARA III) CAS:64-19-7 RTECS #:AF1225000 Fraction by Wt: 60-65% Other REC Limits:NONE RECOMMENDED **OSHA PEL:10 PPM** ACGIH TLV:10 PPM/15 STEL; 9293 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: PRODUCT MAY CAUSE SEVERE IRRITATION AND BURNS TO BODY TISSUES WHICH IT CONTACTS. INHALATION OF MISTS OR VAPORS IS HIGHLY UNLIKELY DURING ANY NORMAL USEAGE. CHRONIC EFFECTS:NONE FOUND BY MANUFACTURER. Explanation of Carcinogenicity: THIS CHEMICAL IS NOT LISTED BY IARC, NTP, OR OSHA AS A CARCINOGEN. Effects of Overexposure: EYES: SEVERE IRRITATION OR BURNS. SKIN: POSSIBLE IRRITATION, BURNS. INHALED: UNLIKELY EXPOSURE BUT MAY CAUSE **RESPIRATORY IRRITATION IF MISTS ARE INHALED. INGESTED:SEVERE IRRITATION OF THE DIGESTIVE TRAC** Τ. Medical Cond Aggravated by Exposure:NO INFORMATION GIVEN ON MSDS BY MFR. 

First Aid:INHALATION:REMOVE TO FRESH AIR. EYES:IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR 15 MINUTES. GET PROMPT MEDICAL ATTENTION. SKIN:REMOVE CONTAMINATED CLOTHING. WASH WITH PLENTY OF WATER FOR 15 MINUTES. I NGESTION:DRINK MILK OR WATER. DO NOT INDUCE VOMITING. GET IMMEDIATE MEDICAL ATTENTION.

======= Fire Fight

Flash Point:NON-FLAMMABLE

Extinguishing Media: ANY EXTINGUISHING MEDIA APPLICABLE TO SURROUNDING AREA.

Fire Fighting Procedures: EVACUATE PERSONNEL TO A SAFE AREA. KEEP PERSONNEL REMOVED AND UPWIND OF FIRE. WEAR SELF-CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard:WHEN HEATED TO DECOMPOSITION, EMISSION OF TOXIC FUMES IS POSSIBLE.

Spill Release Procedures:USE APPRO

PRIATE PERSONAL PROTECTIVE EQUIPMEMT.

DIKE SPLL. PREVENT FROM ENTERING SEWERS, WATERWAYS OR LOW AREAS. SOAK UP WITH SAND, OIL DRY OR OTHER ABSORBENT MATERIAL. Neutralizing Agent:POWDERED SODIUM BICARBONATE

Handling and Storage Precautions:STORE IN WELL VENTILATED AREA. KEEP CONTAINERS TIGHTLY CLOSED. DO NOT STORE WITH INCOMPATABLE MATERIALS.

Other Precautions: DO NOT STORE OR CONSUME FOOD, DRINK OR TOBACCO IN

AREA WHERE THEY MAY BECOME CONTAMINATED WITH THIS MATERIAL.

======= Exposure Controls/Personal Protection ===============

Respiratory Protection:NO INFORMATION GIVEN ON MSDS BY MFR. SUFFICIENT ROOM VENTILATION

Ventilation:SUFFICIENT ROOM VENTILATION

Protective Gloves:RECOMMENDED

Eye Protection: EYEGLASSES W/ SIDE SHIELDS

Other Protective Equipment: APRON. (SPLASH PROTECTION IS ALL THAT IS RECOMMENDED BY MANUFACTURER.)

Work Hygienic Practices:MFR: ? HMIS:USE GOOD CHEMICAL HYGIENE

PRACTICE. AVOID UNNECESSARY CONTACT. WASH THOROUGHLY BEFORE EATING OR DRINKING. Supplemental Safety and Health

NONE

HCC:C3
NRC/State Lic Num:NONE
Boiling Pt:B.P. Text:>212F,>100C
Spec Gravity:1.065
pH:1.5
Solubility in Water:100%
Appearance and Odor:YELLOW ORANGE, VINEGAR ODOR

REDUCING AGENTS Stability Condition to Avoid:NO INFORMATION GIVEN ON MSDS BY MFR. Hazardous Decomposition Products:CARBON MONOXIDE AND CARBON DIOXIDE Conditions to Avoid Polymerization:WILL NOT OCCUR

Waste Disposal Methods:RECOVER NON-USEABLE FREE LIQUID AND/OR CONTAMINATED WATER AND DISPOSE OF IN AN APPROVED/PERMITTED TREATMENT SYSTEM AND SOLIDS TO AN APPROVED/PERMITTED LANDFILL. DISCHARGE TO SEWER REQUIRES APPRO VAL OF PERMITTING AUTHORITY AND MAY REQUIRE PRETREATMENT

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for t he suitability of this information to their particular situation.