

AMERICAN WRITING INK CO.,INC. -- MIL-L-7870 (LUBRICATING OIL GENERAL PURPOSE --
9150-00-263-3490

===== Product Identification =====

Product ID:MIL-L-7870 (LUBRICATING OIL GENERAL PURPOSE

MSDS Date:01/01/1985

FSC:9150

NIIN:00-263-3490

MSDS Number: BGSWB

=== Responsible Party ===

Company Name:AMERICAN WRITING INK CO.,INC.

Emergency Phone Num:(617)482-9167

CAGE:82956

=== Contractor Identification ==

=

Company Name:AMERICAN INK AND OIL CORP

Address:33 ENDICOTT STREET

Box:City:NORWOOD

State:MA

ZIP:02062-3006

Country:US

Phone:781-762-0026 / FAX: 781-762-1617

CAGE:82956

===== Composition/Information on Ingredients =====

Ingred Name:LUBRICATING OIL (ACGIH TLV FOR OIL MIST IS 5MG/CUM

Fraction by Wt: 100%

ACGIH TLV:5MG/CUM

===== Hazards Identification =====

Effects of Overexposure:MAY CAUSE SKIN AND EYES IRRITATION ON PROLONGED
CONTACT. M

AY ALSO CAUSE DEFATTING OF SKIN.

===== First Aid Measures =====

First Aid:FLUSH AFFECTED AREAS WITH WATER EYES:FLUSH WITH WATER FOR AT
LEAST 15 MINUTES.SEEK MEDICAL ATTENTION.

===== Fire Fighting Measures =====

Flash Point:315F (C.O.C.)

Lower Limits:UNKN

Upper Limits:UNKN

Extinguishing Media:WATER OR FOAM-MAY CAUSE FROTHING

Fire Fighting Procedures:NONE SPECIFIED BY THE MFR.USE SCBA FOR
FIREFIGHTING

Unusual Fire

/Explosion Hazard:NONE DESCRIBED BY THE MFR.MAY GIVE CO GAS
ON INCOMPLETE COMBUSTION

===== Accidental Release Measures =====

Spill Release Procedures:USE EMULSIFY AGENT OR ABSORBING MATERIALS AND
RECOVER IT IN A CONTAINER.

===== Handling and Storage =====

Handling and Storage Precautions:AVOID EXCESSIVE HEAT OR OPEN FLAMES.
USE COOL AND DRY PLACE FOR STORAGE & GOOD VENTILATION
Other Precautions:AVOID SKIN AND EYE CONT
ACT.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NO SPECIAL REQMENTS UNDER ORDINARY
CONDITIONS/ADEQUATE VENT.
Ventilation:MECH(GEN)OR LOCAL EXHAUST THAT PROVIDES ADEQUATE
VENTILATION
Protective Gloves:IMPERVIOUS
Eye Protection:SAFETY/CHEM GOGGLES
Other Protective Equipment:AS REQUIRED TO PREVENT PROLONGED CONTACT.
Supplemental Safety and Health
MSDS UNDATED

===== Physical/Chemical Properties =====

HCC:V6
Spec G
ravity:0.88
Solubility in Water:INSOLUBLE
Appearance and Odor:PALE YELLOW TO AMBER COLORED LIQUID.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
NONE SPECIFIED BY THE MFR
Stability Condition to Avoid:NONE DESCRIBED BY THE MFR
Hazardous Decomposition Products:MAY GIVE CO GAS ON INCOMPLETE
COMBUSTION

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE IN AN APPROVED INCINERATO

R OR DISPOSE

OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume respon

sibility for the suitability of this information to their particular situation.