View NSN Online: https://aerobasegroup.com/nsn/8030-00-823-7917

LOCTITE CORP

-- SEALANT GRADE C

MSDS Safety Information

FSC: 8030

NIIN: 00-823-7917 MSDS Date: 08/20/1992 MSDS Num: BGVJN

Product ID: SEALANT GRADE C

MFN: 01

Responsible Party Cage: 7K128

Name: LOCTITE CORP

Address: 705 N MOUNTAIN ROAD City: NEWINGTON CT 06111-1411

Info Pho

ne Number: 203-278-1280

Emergency Phone Number: 203-278-1280 Preparer's Name: STEPHEN REPETTO

Review Ind: Y Published: Y

Preparer Co. when other than Responsible Party Co.

Cage: 7K128

Name: LOCTITE CORP Address: 705 N MT RD City: NEWINGTON CT 06111

Contractor Summary

Cage: 7K128

Name: LOCTITE CORP Address: 705 N MT RD City: NEWINGTON CT 06111

Phone: 312-689-6200

Cage: 05972

Name: LOCTITE CORPORATION

Address: 1001 TROUT BROOK CROSSING

City: ROCKY HILL CT 06067-3910

Phone: 860-571-5100

Item Description Information

Item Manager: GSA

Item Name: SEALING COMPOUND Type/Grade/Class: GRADE C

Unit of Issue: BT

Quantitative Expression: 00000000050CC

UI Container Q

ty: Q

Type of Container: PLASTIC

Ingredients

Cas: 25852-47-5

Name: POLYETHYLENE GLYCOL DIMETHACRYLATE *93/4*

% Wt: 75-80

Cas: 18268-70-7

RTECS #: MO7710000

Name: HEXANOIC ACID, 2-ETHYL-, DIESTER W/TETRAETHYLENE GLYCOL

% Wt: 15-20

Cas: 80-15-9

RTECS #: MX2450000

Name: 1-METHYL-1-PHENYLETHYL HYDROPEROXIDE (CUMENE HYDROPEROXI

DE) (SARA III)

% Wt: 5-7

OSHA PEL: NOT ESTABLISHED ACGIH TLV: NOT ESTABLISHED

EPA Rpt Qty: 10 LBS DOT Rpt Qty: 10 LBS

Cas: 102-82-9

RTECS #: YA0350000

Name: TRIALKYLAMINE, TRIBUTYLAMINE

% Wt: 1-3

Health Hazards Data

LD50 LC50 Mixture: ORAL LD50 = >5000 MG/KG

Route Of Entry Inds - Inhalation: NO

Skin: NO Ingestion: NO

Carcinogenicity Inds - NTP: NO

IA RC: NO

OSHA: NO

Effects of Exposure: SKIN: MAY CAUSE DERMATITIS ON PROLONGED CONTACT IN

SENSITIVE INDIVIDUALS.

Explanation Of Carcinogenicity: NONE

First Aid: INGESTION: DON'T INDUCE VOMITING. KEEP INDIVIDUAL CALM. SKIN/EYES: FLUSH W/WATER FOR AT LEAST 15 MINS. OBTAIN MEDICAL ATTENTION IN ALL CASES.

Handling and Disposal

Spill Release Procedures: SOAK UP WITH AN INERT ABSORBENT. S

TORE IN A PARTLY

FILLED, CLOSED CONTAINER UNTIL DISPOSAL.

Waste Disposal Methods: INCINERATE IN ACCORDANCE W/EPA & DISPOSAL REGULATIONS.

Handling And Storage Precautions: STORE &It;110F TO PRESERVE SHELF LIFE.

Other Precautions: AVOID PROLONGED SKIN CONTACT.

Fire and Explosion Hazard Information

Flash Point Method: TCC Flash Point Text: &qt;200F

Extinguishing Media: CO2, FOAM, DRY

CHEMICAL

Fire Fighting Procedures: NONE

Unusual Fire/Explosion Hazard: IRRITATING ORGANIC VAPORS

Control Measures

Protective Gloves: RUBBER OR PLASTIC

Eye Protection: SAFETY GLASSES, GOGGLES

Physical/Chemical Properties

HCC: N1

B.P. Text: >300F Vapor Pres: >5

Spec Gra vity: 1.046

Solubility in Water: SLIGHT

Appearance and Odor: BLUE LIQUID, MILD ODOR.

Reactivity Data

Stability Indicator: YES

Stability Condition To Avoid: TEMPS >110F

Materials To Avoid: NONE

Hazardous Polymerization Indicator: NO

Toxicological Information

===========

Ecological Information
MSDS Transport Information
Regulatory Information
=======================================
HAZCOM Label
Product ID: SEALANT GRADE C Cage: 7K128 Company Name: LOCTITE CORP Street: 705 N MT RD City: NEWINGTON CT Zipcode: 06111 Health Emergency Phone: 203-278-1280 Label Required IND: Y Date Of Label Review: 12/28/1993 Status Code: C Label Date: 12/28/1993 Origination Code: F Eye Protection IND: YES Skin Protection IND: YES Skin Protection IND: YES Signal Word: CAUTION Health Hazard: Slight Contact Hazard: Slight Fire Hazard: Slight Reactivity Hazard: None SKIN: MAY CAUSE DERMATITIS ON PROLONGED CONTACT IN SENSITIVE INDIVIDUALS. EYES: IRRITATION. SKIN: IRRITATION, DEFATTING/ABSORPTION. INHALATION: RESPIRATORY TRACT/NOSE/THROAT IRRITAT ION, NERVOUS SYSTEM DEPRESSION. INGESTION:

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by e

lements of the Department of Defense.

The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of th

United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.