

J.T. BAKER CHEMICAL CO. -- MONOETHANOLAMINE -- 6810-00-922-0866

=====  
Product Identification  
=====

Product ID:MONOETHANOLAMINE

MSDS Date:07/01/1984

FSC:6810

NIIN:00-922-0866

MSDS Number: BGWJL

=== Responsible Party ===

Company Name:J.T. BAKER CHEMICAL CO.

Address:222 RED SCHOOL LANE

City:PHILLIPSBURG

State:NJ

ZIP:08865-2219

Emergency Phone Num:201-859-2151

CAGE:5B970

=== Contractor Identification

===

Company Name:J.T. BAKER CHEMICAL COMPANY SUB OF RICHARDSON-VICKS INC

Address:995 ZEPHYR AVE

Box:City:HAYWARD

State:CA

ZIP:94544-7917

Country:US

Phone:UNK

CAGE:5B970

Company Name:MALLINCKRODT BAKER, INC.

Address:222 RED SCHOOL LANE

Box:City:PHILLIPSBURG

State:NJ

ZIP:08865

Country:US

Phone:800-582-2537

CAGE:70829

=====  
Composition/Information on Ingredients  
=====

Ingred Name:ETHANOLAMINE

CAS:141-43-5

RTECS #:KJ5775000

Fraction by Wt: >99%

OSHA PEL:3 PPM/6 STEL

ACGIH TLV:3

=====  
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:EYES:CAUSE BURNS,WITH POSSIBLE  
PERMANENT VISION IMPAIRMENT; SKIN:IRRITATION; INHALE:DISCOMFORT IN  
NOSE,THROAT & CHEST.  
Effects of Overexposure:SEE HEALTH HAZARDS.  
Medical Cond Aggravated by Exposure:NONE STATED.

=====  
===== First Aid Measures ===  
=====

First Aid:EYES:IMMEDIATE & CONTINUOUS IRRIGATION WITH FLOW WATER FOR AT  
LEAST 15 MINUTES.GET PROMPT MEDICAL ATTENTION; SKIN:FLUSH WITH  
WATER FOR 15 MINUTES WHILE REMOVING CONTAMINATED CLOTHING & SHOES;  
INHALE: REMOVE TO FRESH AIR; INGEST:GET MEDICALHELP.DO NOT INDUCE  
VOMITING.

=====  
===== Fire Fighting Measures =====

Flash Point Method:OC  
Flash Point:200F/93C  
Lower Limits:3  
Upper Limits:24  
Extinguishing Media:WATER SPRAY,DRY CH  
EMICAL,CARBON DIOXIDE.  
Fire Fighting Procedures:NONE STATED.  
Unusual Fire/Explosion Hazard:NONE STATED.

=====  
===== Accidental Release Measures =====

Spill Release Procedures:USE APPROPRIATE EQUIPMENT; APPLY ABSORBENT  
MATERIAL OR SAND.SHOVEL INTO CONTAINER.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:KEEP IN TIGHTLY CLOSED,LIGHT-RESISTANT  
CONTAINER. USE WITH ADEQUATE VENTILATION.WASH THOROUGHLY AFTER  
H

ANDLING.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH-APPROVED RESPIRATOR IF TLV IS EXCEEDED.

Ventilation:KEEP BELOW TLV.

Protective Gloves:RUBBER GLOVES.

Eye Protection:CHEMICAL GOGGLES.

Other Protective Equipment:EYE BATHS & SAFETY SHOWER.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:B2

Boiling Pt:=170.6C, 339.F

Melt/Freeze Pt:=10.6C, 51.F

Vapor Pres:6

Vapor Density:2.11

S

pec Gravity:1.018

pH: