View NSN Online: https://aerobasegroup.com/nsn/8010-00-926-1489

Product ID:PR-3500 MSDS Date:07/27/1988 FSC:8010 NIIN:00-926-1489 **MSDS Number: BGWQN** === Responsible Party === Company Name: ELDORADO CHEMICAL COMPANY, INC. Address:14350 LOOKOUT ROAD Box:34837 **City:SAN ANTONIO** State:TX ZIP:78265 Country:US Info Phone Num:512-653-9323 Emergency Phone Num:800-531-1088 Preparer's Name: PAT E. SMITH CAGE:55208 === Contractor Identification === Company Name: ELDORADO CHEMICAL COMPANY, INC. Address:14350 LOOKOUT ROAD Box:34837 **City:SAN ANTONIO** State:TX ZIP:78265-4837 Country:US Phone:800-531-1088/210-653-2060 CAGE:55208

Ingred Name:METHYLENE CHLORIDE (SARA III) CAS:75-09-2 RTECS #:PA8050000 Fraction by Wt: 50% OSHA PEL:500 PPM/C,1000; Z2 ACGIH TLV:50 PPM, A2; 9192 EPA Rpt Qty:1000 LBS DOT Rpt Q ty:1000 LBS

Ingred Name:PHENOL CAS:108-95-2 RTECS #:SJ3325000 Fraction by Wt: 17% OSHA PEL:5 PPM ACGIH TLV:5 PPM EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name:SODIUM CHROMATE CAS:7775-11-3 Fraction by Wt: 0.8% OSHA PEL:NONE ACGIH TLV:.5 PPM EPA Rpt Qty:10 LBS DOT Rpt Qty:10 LBS

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chron ic:INHAL: ACUTE, ABSORBED IN LUNGS. CHRONIC, NONE. SKIN: ACUTE, CORROSIVE & CHRONICSLIGHT. SKIN: ACUTE, SLIGHT & CHRONIC, NONE. & EYE: ACUTE, CORROSIVE & CHRONIC, SLIGHT Effects of Overexposure:INHAL: NARCOSIS, DIZZINESS, NAUSEA, REDUCES OXYGEN IN BLOOD. SKIN: CORROSIVE, DERMATITIS MAY OCCUR. SKIN: CONTACT IS PAINFUL, SKIN ABSORPTION WOULD BE UNLIKELY.NO CHRONIC HAZARD. AND EYES: BURNS EYES IMMEDIATELY, NO CHRONIC HAZARD EXPECTED

======= First Aid Measu

First Aid:EYES: FLUSH WITH WATER FOR 15 MIN. CONSULT PHYSICIAN. SKIN: FLUSH WITH WATER FOR15 MIN. WASH WITH SOAP AND WATER AND INHALATION: REMOVE TO FRESH AIR

Flash Point:NONE Lower Limits:NONE Upper Limits:NONE Extinguishing Media:NONE Fire Fighting Procedures:SELF CONTAINED BREATHING APPARATUS REQUIRED Unusual Fire/Explosion Hazard:TOXIC CHLORIDE FUMES MAY BE GENERATED BY CONTACT WI

## TH FLAME

======================================
Spill Release Procedures: RINSE WITH WATER
======== Exposure Controls/Personal Protection ====================================
Respiratory Protection:SCBA REQUIRED IF LIMITS EXCEEDED Ventilation:100 FT/MIN Protective Gloves:POLYETHYLENE Eye Protection:FACE SHIELD & GOGGLES Other Protective Equipment:RUBBER APRON & BOOTS Supplemental Safety and Health NK
======================================
Boiling P t:B.P. Text:120 F Melt/Freeze Pt:M.P/F.P Text:NA Vapor Pres:380 MM Vapor Density:2.9 Spec Gravity:1.15 pH:9.2 Evaporation Rate & amp; Reference:(WATER=1) 1 Solubility in Water:PARTIALLY SOLUBLE Appearance and Odor:THICK YELLOW LIQUID PHENOL ODOR Percent Volatiles by Volume:70
======================================
STRONG ALKALIS, STRONG OXIDIZERS

Hazardous Decomposition Products:HEAT WILL PRODUCE DICHLOROMETHANE FUMES

====== Disposal Consideratio

Waste Disposal Methods:USEPA HAZARDOUS WASTE NO.'S U080, U188, D007 CONSULT FEDERAL, STATE AND LOCAL REGULATORY AGENCIES FOR PROPER DISPOSAL

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any per

son utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.