

VAN WATERS AND ROGERS INC.UNIVAR COR -- SODIUM HEXAMETAPHOSPHATE --
6810-00-597-5287

===== Product Identification =====

Product ID:SODIUM HEXAMETAPHOSPHATE

MSDS Date:06/14/1988

FSC:6810

NIIN:00-597-5287

MSDS Number: BGXCY

=== Responsible Party ===

Company Name:VAN WATERS AND ROGERS INC.UNIVAR COR

Address:2600 CAMPUS DR

Box:5932

City:SAN MATEO

State:CA

ZIP:94403-2522

Country:US

Info Phone Num:206-

447-5911

Emergency Phone Num:206-4475911 OR 714-864-2310;CHEM.C

Preparer's Name:DOUGLAS EISNER

CAGE:0AN91

=== Contractor Identification ===

Company Name:CHEMICAL COMMODITIES AGENCY, INC.

Address:27447 PACIFIC STREET

Box:City:HIGHLAND

State:CA

ZIP:92346-2640

Country:US

Phone:909-864-2310

CAGE:60777

Company Name:VAN WATERS AND ROGERS

Address:2256 JUNCTION AVE

City:SAN JOSE

State:CA

ZIP:95131

Country:US

Phone:408-435-8700/800-424-9300(CHEMTREC)

CAGE:0AN91

===== Composition/Information on

Ingredients =====

Ingred Name:SODIUM PHOSPHATE, TRIBASIC (SARA III)

CAS:10124-56-8

RTECS #:OY3675000

Fraction by Wt: >99.0%

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

===== Hazards Identification =====

LD50 LC50 Mixture:ORAL RAT: 6.6 G/KG

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE:IRRITATION OF EYES,SKIN AND
RESPIRATORY TRAACT IN FORM DUST;COUGHING,CHEST DISCOMFORT;NO DATA
AVAILABLE

Explanation

of Carcinogenicity:DATA PER MSDS.

Effects of Overexposure:SEE HEALTH HAZARDS DATA.

Medical Cond Aggravated by Exposure:PRE-EXISTING CONDITIONS MAY BE
WORSEN.

===== First Aid Measures =====

First Aid:EYES:FLUSH WITH PLENTY OF WATER FOR ABOUT 15-20 MINUTES.SEEK
MEDICAL HELP. SKIN; WASH WITH SOAP & WATER. INHALATION;REMOVE TO
FRESH AIR,SEEK MEDICAL HELP IMMEDIATELY.

===== Fire Fighting Measures =====

Flash Point

:NONE

Autoignition Temp:Autoignition Temp Text:NONE

Extinguishing Media:N/R;USE SUITABLE MEDIA FOR SURROUNDING FIRES.

Fire Fighting Procedures:USE SUITABLE MEDIA NIOSH/MSHA APPROVED SCBA IN
AN ENCLOSED AREA.

Unusual Fire/Explosion Hazard:NONE KNOWN TO MFR

===== Accidental Release Measures =====

Spill Release Procedures:USE PROPER PERSONAL PROTECTION,SWEEP UP OR
VACUUM AND RECOVER FOR PROPER DISPOSAL.

Neutralizing Agent:N/L

===== Handling an

d Storage =====

Handling and Storage Precautions:STORE IN COOL AND DRY AREA.WASH THOROUGHLY AFTER USE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATOR FOR DUST IF ABOVE PEL/TLV.

Ventilation:LOCAL/GENERAL TO MAINTAIN PEL/TLV.

Protective Gloves:RUBBER

Eye Protection:SAFETY GOGGLES

Other Protective Equipment:EYE-WASH,APRON,SAFETY SHOWER (NEAR BY)

Work Hygienic Practices:AVOID CONTACT WITH AND SKIN;DO NOT BREATHE

DUST/VAPORS;WASH THOROUGHLY.AFTER EACH USE.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:N1

Melt/Freeze Pt:M.P/F.P Text:1162F

Solubility in Water:MODERATE

Appearance and Odor:WHITE POWDER,GRANULES OR GLASS PLATES;ODORLESS.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

OXIDIZERS

Stability Condition to Avoid:HEAT,SPARKS AND OPEN FLAMES.

Hazardous D

ecomposition Products:MAY GIVE, CO*2 AND OXIDES OF SODIUM.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF COLLECTED MATERIAL IN ACCORDANCE WITH LOCAL,STATE & FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information

to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.